

Tetrachloroethylene

Toluene

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.**NR 263.03 Monitoring and reporting requirements.**

The following special monitoring and reporting requirements apply to all facilities regulated by this chapter:

(1) **CYANIDE.** Periodic analyses for cyanide are not required when both of the following conditions are met:

(a) The first wastewater sample of each calendar year has been analyzed and found to contain less than 0.07 mg/l cyanide, and

(b) The owner or operator of the coil coating facility certifies in writing that cyanide is not used in the coil coating process.

1. If the facility is a direct discharger, certification shall be made to the department.

2. If the facility discharges to a POTW, certification shall be made to the control authority.

(2) **MONTHLY DISCHARGE LIMIT.** The monthly average regulatory values, listed in the tables within this chapter, shall be the basis for the monthly average discharge limits in direct discharge permits and for pretreatment standards. Compliance with the monthly discharge limits is required regardless of the number of samples analyzed and averaged.

(3) **CANMAKING WITH ALUMINUM ALLOY CONTAINING LESS THAN 1.0% MANGANESE.** The owner or operator of any canmaking facility subject to the provisions of the canmaking subcategory shall advise the department or control authority and the EPA Office of Water Regulations and Standards, Washington, D.C. 20460, whenever it has been decided that the plant will manufacture cans from an aluminum alloy containing less than 1.0% manganese. Notification shall be made in writing not less than 30 days in advance of the scheduled production and shall provide the chemical analysis of the alloy and the expected period of use.

(4) **OIL AND GREASE ANALYSIS.** Follow the approved methods listed in ch. NR 219.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89; CR 17-046: r. and recr. (4) Register February 2021 No. 782, eff. 6-29-21.

NR 263.04 Compliance dates. (1) Any existing source subject to this chapter which discharges to waters of the state shall achieve:

(a) The effluent limitations representing BPT by July 1, 1977; and

(b) The effluent limitations representing BAT by July 1, 1984.

(2) Any new source subject to this chapter which discharges to waters of the state shall achieve NSPS at the commencement of discharge.

(3) Any existing source subject to the steel basis material subcategory, the galvanized basis material subcategory, or the aluminum basis material subcategory which introduces process wastewater pollutants into a POTW shall achieve PSES by December 1, 1985.

(4) Any existing source subject to the canmaking subcategory which introduces process wastewater pollutants into a POTW shall achieve PSES by November 17, 1986.

(5) Any new source subject to this chapter which introduces process wastewater pollutants into a POTW shall achieve PSNS at the commencement of discharge.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

Subchapter I – Steel Basis Material Subcategory

NR 263.10 Applicability; description of the steel basis material subcategory. This chapter applies to discharges to waters of the state and introductions of pollutants into publicly owned treatment works from coil coating of steel basis material coils.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.11 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available. Except as provided in 40 CFR 125.30 to 125.32, any existing point source subject to this subchapter shall achieve the following BPT effluent limitations:

Pollutant or pollutant property	STEEL BASIS MATERIAL SUBCATEGORY			
	BPT Effluent Limitations			
	Maximum for any 1 day		Maximum for monthly average	
	mg/m ² (pounds per 1 million ft ²) of area processed			
Chromium	1.16	(0.24)	0.47	(0.096)
Cyanide	0.80	(0.17)	0.33	(0.068)
Zinc	3.66	(0.75)	1.54	(0.32)
Iron	3.39	(0.70)	1.74	(0.36)
Oil and grease	55.1	(11.3)	33.1	(6.77)
TSS	113.0	(23.1)	55.1	(11.3)
pH	(1)	(1)	(1)	(1)

(1) Within the range of 7.5 to 10.0 at all times.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.12 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable. Except as provided in 40 CFR 125.30 to 125.32, any existing point source subject to this subchapter shall achieve the following BAT effluent limitations:

Pollutant or pollutant property	STEEL BASIS MATERIAL SUBCATEGORY			
	BAT Effluent Limitations			
	Maximum for any 1 day		Maximum for monthly average	
	mg/m ² (pounds per 1 million ft ²) of area processed			
Chromium	0.50	(0.10)	0.20	(0.041)
Cyanide	0.34	(0.07)	0.14	(0.029)
Zinc	1.56	(0.32)	0.66	(0.14)
Iron	1.45	(0.30)	0.74	(0.15)

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.13 New source performance standards. Any new source subject to this subchapter shall achieve the following NSPS:

Pollutant or pollutant property	STEEL BASIS MATERIAL SUBCATEGORY			
	NSPS			
	Maximum for any 1 day		Maximum for monthly average	
	mg/m ² (pounds per 1 million ft ²) of area processed			
Chromium	0.12	(0.024)	0.047	(0.01)
Cyanide	0.063	(0.013)	0.025	(0.005)
Zinc	0.33	(0.066)	0.14	(0.027)
Iron	0.39	(0.086)	0.20	(0.041)
Oil and grease	3.16	(0.65)	3.16	(0.65)
TSS	4.74	(0.97)	3.79	(0.78)
pH	(1)	(1)	(1)	(1)

(1) Within the range of 7.5 to 10.0 at all times.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.14 Pretreatment standards for existing sources. Except as provided in ss. NR 211.13 and 211.14, any existing source subject to this subchapter which introduces pollu-

tants into a publicly owned treatment works shall comply with ch. NR 211 and may not exceed the following pretreatment standards for existing sources:

STEEL BASIS MATERIAL SUBCATEGORY				
Pollutant or pollutant property	PSES			
	Maximum for any 1 day		Maximum for monthly average	
	mg/m ² (pounds per 1 million ft ²) of area processed			
Chromium	0.50	(0.10)	0.20	(0.041)
Cyanide	0.34	(0.07)	0.14	(0.029)
Zinc	1.56	(0.32)	0.66	(0.14)

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.15 Pretreatment standards for new sources. Except as provided in s. NR 211.13, any new source subject to this subchapter which introduces pollutants into a publicly owned treatment works shall comply with ch. NR 211 and may not exceed the following pretreatment standards for new sources:

STEEL BASIS MATERIAL SUBCATEGORY				
Pollutant or pollutant property	PSNS			
	Maximum for any 1 day		Maximum for monthly average	
	mg/m ² (pounds per 1 million ft ²) of area processed			
Chromium	0.12	(0.024)	0.047	(0.01)
Cyanide	0.063	(0.013)	0.025	(0.005)
Zinc	0.33	(0.066)	0.14	(0.027)

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

Subchapter II – Galvanized Basis Material Subcategory

NR 263.20 Applicability; description of the galvanized basis material subcategory. This subchapter applies to discharges to waters of the state and introductions of pollutants into publicly owned treatment works from coil coating of galvanized basis material coils.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.21 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available. Except as provided in 40 CFR 125.30 to 125.32, any existing point source subject to this subchapter shall achieve the following BPT effluent limitations:

GALVANIZED BASIS MATERIAL SUBCATEGORY				
Pollutant or pollutant property	BPT Effluent Limitations			
	Maximum for any 1 day		Maximum for monthly average	
	mg/m ² (pounds per 1 million ft ²) of area processed			
Chromium	1.10	(0.23)	0.45	(0.091)
Copper	4.96	(1.02)	2.61	(0.54)
Cyanide	0.76	(0.16)	0.32	(0.064)
Zinc	3.47	(0.71)	1.46	(0.30)
Iron	3.21	(0.66)	1.65	(0.34)
Oil and grease	52.2	(10.7)	31.3	(6.42)
TSS	107.0	(21.9)	52.2	(10.7)
pH	(1)	(1)	(1)	(1)

(1) Within the range of 7.5 to 10.0 at all times.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.22 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable. Except as provided in 40 CFR 125.30 to 125.32, any existing point source subject to this subchapter shall achieve the following BAT effluent limitations:

GALVANIZED BASIS MATERIAL SUBCATEGORY				
Pollutant or pollutant property	BAT Effluent Limitations			
	Maximum for any 1 day		Maximum for monthly average	
	mg/m ² (pounds per 1 million ft ²) of area processed			
Chromium	0.37	(0.077)	0.16	(0.031)
Copper	1.71	(0.35)	0.90	(0.19)
Cyanide	0.26	(0.053)	0.11	(0.022)
Zinc	1.20	(0.25)	0.51	(0.11)
Iron	1.10	(0.23)	0.57	(0.12)

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.23 New source performance standards. Any new source subject to this subchapter shall achieve the following NSPS:

GALVANIZED BASIS MATERIAL SUBCATEGORY				
Pollutant or pollutant property	NSPS Effluent Limitations			
	Maximum for any 1 day		Maximum for monthly average	
	mg/m ² (pounds per 1 million ft ²) of area processed			
Chromium	0.13	(0.027)	0.052	(0.011)
Copper	0.44	(0.090)	0.21	(0.043)
Cyanide	0.07	(0.015)	0.028	(0.006)
Zinc	0.35	(0.08)	0.15	(0.030)
Iron	0.43	(0.09)	0.22	(0.045)
Oil and grease	3.43	(0.71)	3.43	(0.702)
TSS	5.15	(1.06)	4.12	(0.84)
pH	(1)	(1)	(1)	(1)

(1) Within the range of 7.5 to 10.0 at all times.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.24 Pretreatment standards for existing sources. Except as provided in ss. NR 211.13 and 211.14, any existing source subject to this subchapter which introduces pollutants into a publicly owned treatment works shall comply with ch.

NR 211 and may not exceed the following pretreatment standards for existing sources:

GALVANIZED BASIS MATERIAL SUBCATEGORY				
PSES				
Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	mg/m ² (pounds per 1 million ft ²) of area processed			
Chromium	0.37	(0.077)	0.16	(0.031)
Copper	1.71	(0.35)	0.90	(0.19)
Cyanide	0.26	(0.053)	0.11	(0.022)
Zinc	1.20	(0.25)	0.51	(0.11)

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.25 Pretreatment standards for new sources. Except as provided in s. NR 211.13, any new source subject to this subchapter which introduces pollutants into a publicly owned treatment works shall comply with ch. NR 211 and may not exceed the following pretreatment standards for new sources:

GALVANIZED BASIS MATERIAL SUBCATEGORY				
PSNS				
Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	mg/m ² (pounds per 1 million ft ²) of area processed			
Chromium	0.13	(0.027)	0.052	(0.011)
Copper	0.44	(0.090)	0.21	(0.043)
Cyanide	0.07	(0.015)	0.028	(0.006)
Zinc	0.35	(0.072)	0.15	(0.030)

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

Subchapter III – Aluminum Basis Material Subcategory

NR 263.30 Applicability; description of the aluminum basis material subcategory. This subchapter applies to discharges to waters of the state and introductions of pollutants into publicly owned treatment works from coil coating of aluminum basis material coils.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.31 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available. Except as provided in 40 CFR 125.30 to 125.32, any existing point source subject to this subchapter shall achieve the following BPT effluent limitations:

ALUMINUM BASIS MATERIAL SUBCATEGORY				
Pollutant or pollutant property	BPT Effluent Limitations			
	Maximum for any 1 day		Maximum for monthly average	
mg/m ² (pounds per 1 million ft ²) of area processed				
Chromium	1.42	(0.29)	0.58	(0.12)
Cyanide	0.98	(0.20)	0.41	(0.083)
Zinc	4.48	(0.92)	1.89	(0.39)
Aluminum	15.3	(3.14)	6.26	(1.28)
Oil and grease	67.3	(13.8)	40.4	(8.27)
TSS	138.0	(28.3)	67.3	(13.8)
pH	(1)	(1)	(1)	(1)

(1) Within the range of 7.5 to 10.0 at all times.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.32 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable. Except as provided in 40 CFR 125.30 to 125.32, any existing point source subject to this subchapter shall achieve the following BAT effluent limitations:

ALUMINUM BASIS MATERIAL SUBCATEGORY				
BAT Effluent Limitations				
Pollutant or pollutant property	mg/m ² (pounds per 1 million ft ²) of area processed			
	Maximum for any 1 day		Maximum for monthly average	
Chromium	0.42	(0.085)	0.17	(0.034)
Cyanide	0.29	(0.059)	0.12	(0.024)
Zinc	1.32	(0.27)	0.56	(0.12)
Aluminum	4.49	(0.92)	1.84	(0.38)

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.33 New source performance standards. Any new source subject to this subchapter shall achieve the following NSPS:

ALUMINUM BASIS MATERIAL SUBCATEGORY				
NSPS				
Pollutant or pollutant property	mg/m ² (pounds per 1 million ft ²) of area processed			
	Maximum for any 1 day		Maximum for monthly average	
Chromium	0.18	(0.037)	0.072	(0.015)
Cyanide	0.095	(0.020)	0.038	(0.008)
Zinc	0.29	(0.10)	0.20	(0.041)
Aluminum	1.44	(0.30)	0.59	(0.121)
Oil and grease	4.75	(0.98)	4.75	(0.98)
TSS	7.13	(1.46)	5.70	(1.17)
pH	(1)	(1)	(1)	(1)

(1) Within the range of 7.5 to 10.0 at all times.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.34 Pretreatment standards for existing sources. Except as provided in ss. NR 211.13 and 211.14, any existing source subject to this subchapter which introduces pollutants into a publicly owned treatment works shall comply with ch. NR 211 and may not exceed the following pretreatment standards for existing sources:

ALUMINUM BASIS MATERIAL SUBCATEGORY				
PSES				
Pollutant or pollutant property	mg/m ² (pounds per 1 million ft ²) of area processed			
	Maximum for any 1 day		Maximum for monthly average	
Chromium	0.42	(0.085)	0.17	(0.034)
Cyanide	0.29	(0.059)	0.12	(0.024)
Zinc	1.32	(0.27)	0.56	(0.12)

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.35 Pretreatment standards for new sources. Except as provided in s. NR 211.13, any new source subject to this subchapter which introduces pollutants into a publicly owned treatment works shall comply with ch. NR 211 and may not exceed the following pretreatment standards for new sources:

ALUMINUM BASIS MATERIAL SUBCATEGORY				
PSNS				
Pollutant or pollutant property	mg/m ² (pounds per 1 million ft ²) of area processed			
	Maximum for any 1 day		Maximum for monthly average	
Chromium	0.18	(0.037)	0.072	(0.015)
Cyanide	0.095	(0.02)	0.038	(0.008)
Zinc	0.49	(0.10)	0.20	(0.041)

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

Subchapter IV – Canmaking Subcategory

NR 263.40 Applicability; description of the canmaking subcategory. This subchapter applies to discharges to waters of the state and introductions of pollutants into publicly owned treatment works from canmaking processes.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.41 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available. Except as provided in 40 CFR 125.30 to 125.32, any existing point source subject to this subchapter shall achieve the following BPT effluent limitations:

CANMAKING SUBCATEGORY				
BPT Effluent Limitations				
Pollutant or pollutant property	g (lbs)/1,000,000 cans manufactured			
	Maximum for any 1 day		Maximum for monthly average	
Chromium	94.60	(0.209)	38.70	(0.085)
Zinc	313.90	(0.692)	131.15	(0.289)
Aluminum	1382.45	(3.048)	688.00	(1.517)
Fluoride	12792.50	(28.203)	5676.00	(12.514)
Phosphorus	3590.50	(7.916)	1468.45	(3.237)
Oil and grease	4300.00	(9.480)	2580.00	(5.688)
TSS	8815.00	(19.434)	4192.50	(9.243)
pH	(1)	(1)	(1)	(1)

(1) Within the range of 7.5 to 10.0 at all times.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.42 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable. Except as provided in 40 CFR 125.30 to 125.32, any existing point source subject to this subchapter shall achieve the following BAT [effluent] limitations:

CANMAKING SUBCATEGORY				
BAT Effluent Limitations				
Pollutant or pollutant property	g (lbs)/1,000,000 cans manufactured			
	Maximum for any 1 day		Maximum for monthly average	
Chromium	36.92	(0.081)	15.10	(0.033)
Zinc	122.49	(0.270)	51.18	(0.113)
Aluminum	539.48	(1.189)	268.48	(0.592)
Fluoride	4992.05	(11.001)	2214.96	(4.883)
Phosphorus	1401.13	(3.089)	573.04	(1.263)

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.43 New source performance standards.

Any new source subject to this subchapter shall achieve the following NSPS:

CANMAKING SUBCATEGORY				
NSPS Effluent Limitations				
Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	g (lbs)/1,000,000 cans manufactured			
Chromium	27.98	(0.062)	11.45	(0.025)
Zinc	92.86	(0.205)	38.80	(0.086)
Aluminum	408.95	(0.902)	203.52	(0.449)
Fluoride	3784.20	(8.343)	1679.04	(3.702)
Phosphorus	1062.12	(2.342)	434.39	(0.958)
Oil and grease	1272.00	(2.804)	763.20	(1.683)
TSS	2607.60	(5.749)	1240.20	(2.734)
pH	(1)	(1)	(1)	(1)

(1) Within the range of 7.0 to 10 at all times.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.44 Pretreatment standards for existing sources. Except as provided in ss. NR 211.13 and 211.14, any existing source subject to this subchapter which introduces pollutants into a publicly owned treatment works shall comply with ch. NR 211 and may not exceed the following pretreatment standards for existing sources:

CANMAKING SUBCATEGORY				
PSES				
Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	g (lbs)/1,000,000 cans manufactured			
Chromium	36.92	(0.081)	15.10	(0.033)
Copper	159.41	(0.351)	83.90	(0.185)
Zinc	122.49	(0.270)	51.18	(0.113)
Fluoride	4992.05	(11.001)	2214.96	(4.883)
Phosphorus	1401.13	(3.089)	573.04	(1.263)
Manganese	57.05	(0.126)	24.33	(0.053)
TTO	26.85	(0.059)	12.59	(0.028)
Oil and grease ¹	1678.00	(3.699)	1006.80	(2.220)

¹ Use as alternative to monitoring for TTO.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

NR 263.45 Pretreatment standards for new sources. Except as provided [in] s. NR 211.13, any new source subject to this subchapter which introduces pollutants into a publicly owned treatment works shall comply with ch. NR 211 and may not exceed the following pretreatment standards for new sources:

CANMAKING SUBCATEGORY				
PSNS				
Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	g (lbs)/1,000,000 cans manufactured			
Chromium	27.98	(0.0617)	11.45	(0.025)
Copper	120.84	(0.267)	63.60	(0.140)
Zinc	92.86	(0.205)	38.80	(0.086)
Fluoride	3784.20	(8.345)	1679.04	(3.702)
Phosphorus	1062.12	(2.342)	434.39	(0.958)
Manganese	43.25	(0.095)	18.44	(0.041)
TTO	20.35	(0.045)	9.54	(0.0210)
Oil and grease ¹	1272.00	(2.804)	763.20	(1.683)

¹ Use as alternative to monitoring for TTO.

History: Cr. Register, April, 1989, No. 400, eff. 5-1-89.

Note: The citations of the Wisconsin administrative code correspond to provisions of the code of federal regulations as cross-referenced in the following table:

<u>State Code Section</u>	<u>Corresponding Federal Regulation</u>
ch. NR 263	40 CFR Part 465
s. NR 205.03	40 CFR 401.11
s. NR 205.04	40 CFR 401.11
s. NR 211.03	40 CFR 403.3
ch. NR 211	40 CFR Part 403
s. NR 211.13	40 CFR 403.7
s. NR 211.14	40 CFR 403.13