

## Chapter NR 262

### PORCELAIN ENAMELING

<p>NR 262.01 Purpose.</p> <p>NR 262.015 Applicability.</p> <p>NR 262.02 General definitions.</p> <p>NR 262.03 Monitoring and reporting requirements.</p> <p>NR 262.04 Compliance date for pretreatment standards for existing sources cPSESd.</p> <p>NR 262.10 Applicability; description of the steel basis material subcategory.</p> <p>NR 262.11 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.</p> <p>NR 262.12 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable.</p> <p>NR 262.13 New source performance standards.</p> <p>NR 262.14 Pretreatment standards for existing sources.</p> <p>NR 262.15 Pretreatment standards for new sources.</p> <p>NR 262.20 Applicability; description of the cast iron basis material subcategory.</p> <p>NR 262.21 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.</p> <p>NR 262.22 Effluent limitations representing the degree of effluent reduction at-</p>	<p>tainable by the application of the best available technology economically achievable.</p> <p>NR 262.23 New source performance standards.</p> <p>NR 262.24 Pretreatment standards for existing sources.</p> <p>NR 262.25 Pretreatment standards for new sources.</p> <p>NR 262.30 Applicability; description of the aluminum basis material subcategory.</p> <p>NR 262.31 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.</p> <p>NR 262.32 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable.</p> <p>NR 262.33 New source performance standards.</p> <p>NR 262.34 Pretreatment standards for existing sources.</p> <p>NR 262.35 Pretreatment standards for new sources.</p> <p>NR 262.40 Applicability; description of the copper basis material subcategory.</p> <p>NR 262.43 New source performance standards.</p> <p>NR 262.45 Pretreatment standards for new sources.</p> <p>NR 262.50 Cross-references.</p>
---	---

**NR 262.01 Purpose.** The purpose of this chapter is to establish effluent limitations, standards of performance, and pretreatment standards for discharges of process wastes from the porcelain enameling category of point sources and its subcategories.

**History:** Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.015 Applicability.** **c1d** Except as provided in subs. **c2d** and **c3d**, the provisions of this chapter apply to any porcelain enameling facility which discharges pollutants to waters of the state or introduces pollutants into a publicly owned treatment works.

**c2d** Any existing porcelain enameling facility which prepares or coats less than 1600 m<sup>2</sup>/day and which introduces less than 60,000 l/day of wastewater into a publicly owned treatment works is not controlled by the pretreatment standards for existing sources established by this rule. Such facilities shall comply with the provisions of **40 CFR Part 403**.

**c3d** This chapter does not apply to the porcelain enameling on precious metal basis material.

**c4d** When wastewaters from coating cast iron are co-treated with wastewaters from coating steel, the limitations for coating steel contained in s. **NR 262.11** may be applied to the entire wastestream.

**History:** Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.02 General definitions.** In addition to the definitions set forth in **40 CFR Part 401**, the following definitions apply to this chapter:

**c1d** XArea coatedY means the area of basis material covered by each coating of enamel.

**c2d** XArea processedY means the total basis material area exposed to processing solutions.

**c3d** XBasis materialY means the metal part or base onto which porcelain enamel is applied.

**c4d** XCoating operationsY means all of the operations associated with preparation and application of the vitreous coating. Usually this includes ballmilling, slip transport, application of

slip to the work pieces, cleaning and recovery of faulty parts, and firing of the enamel coat.

**c5d** XControl authorityY means the publicly owned treatment works if it has an approved pretreatment program; in the absence of such a program, the state.

**c6d** XExisting sourceY means any source that is not a new source.

**c7d** XMetal preparationY means any and all of the metal processing steps preparatory to applying the enamel slip. Usually this includes cleaning, pickling and applying a nickel flash or chemical coating.

**c8d** XNew source,Y as defined for PSES and PSNS, means any building, structure, facility, or installation from which there is or may be a discharge of pollutants, the construction of which commenced after April 27, 1984.

**c9d** XNew source,Y as defined for BPT, BAT, BCT, and NSPS, means any point source the construction of which commenced after October 21, 1985.

**c10d** XPorcelain enamelingY means the entire process of applying a fused vitreous enamel coating to a metal basis material. Usually this includes metal preparation and coating operations.

**c11d** XPrecious metalY means gold, silver, or platinum group metals and the principal alloys of those metals.

**History:** Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.03 Monitoring and reporting requirements.**

**c1d** Periodic analyses for chromium as may be required under **40 CFR Part 122** or **403** is not required when both of the following conditions are met:

cad The first wastewater sample of each calendar year has been analyzed and found to contain less than 0.08 mg/l chromium.

cbd The owner or operator of the porcelain enameling facility certifies in writing to the control authority that chromium is not contained in the raw materials or process chemicals of that facility and will not be used in the facility.

**c2d** The Xmonthly averageY regulatory values shall be the basis for the monthly average discharge in direct discharge permits and for pretreatment standards. Compliance with the monthly discharge limit is required regardless of the number of samples analyzed and averaged.

**History:** Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.04 Compliance date for pretreatment standards for existing sources cPSEsd.** The compliance date for pretreatment standards for existing sources is November 25, 1985.

**History:** Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.10 Applicability; description of the steel basis material subcategory.** This subcategory applies to discharges to waters of the state and introduction of pollutants into publicly owned treatment works from porcelain enameling on steel basis materials.

**History:** Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.11 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.** Except as provided in 40 CFR 125.30 to 125.32, any existing point source subject to this subcategory shall achieve the following effluent limitations for metal preparation operations and for coating operations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available cBPTd:

Pollutant or pollutant property	BPT effluent limitations			
	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg{m <sup>2</sup> of area processed or coated			
Chromium.....	16.82	3.41	6.81	1.38
Lead.....	6.01	1.21	5.21	1.06
Nickel.....	56.46	11.43	40.05	8.11
Zinc.....	53.26	10.78	22.43	4.54
Aluminum.....	182.2	36.87	74.47	15.07
Iron.....	112.12	22.69	56.06	11.34
Oil and grease.	800.84	162.1	480.51	97.23
TSS.....	1642.0	332.2	800.9	162.0
pH.....	c1d	c1d	c1d	c1d
	English units pounds per 1 million ft <sup>2</sup> of area processed or coated			
Chromium.....	3.45	0.07	1.4	0.29
Lead.....	1.23	0.25	1.07	0.22
Nickel.....	11.57	2.34	8.2	1.66
Zinc.....	10.91	2.21	4.6	0.93
Aluminum.....	37.32	7.85	15.26	3.09
Iron.....	22.96	4.65	11.48	2.32
Oil and grease.	164.03	33.19	98.42	19.92
TSS.....	337.0	68.1	164.0	33.2
pH.....	c1d	c1d	c1d	c1d

<sup>1</sup>Within the range 7.5 to 10.0.

**History:** Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.12 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable.** Except as provided in 40 CFR 125.30 to 125.32 any existing point source subject to this subcategory shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable:

Pollutant or pollutant property	BAT effluent limitations			
	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg{m <sup>2</sup> of area processed or coated			
Chromium.....	16.82	0.53	6.81	0.22
Lead.....	6.01	0.19	5.21	0.16
Nickel.....	56.5	1.78	40.05	1.26
Zinc.....	53.3	1.68	22.43	0.71
Aluminum.....	182.0	5.74	74.48	2.35
Iron.....	112.12	3.53	56.06	1.77
	English units-pounds per 1 million ft <sup>2</sup> of area processed or coated			
Chromium.....	3.45	0.11	1.4	0.05
Lead.....	1.23	0.04	1.07	0.03
Nickel.....	11.57	0.37	8.2	0.26
Zinc.....	10.91	0.35	4.6	0.15
Aluminum.....	37.32	1.18	15.26	0.48
Iron.....	22.96	0.72	11.48	0.36

**History:** Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.13 New source performance standards.** Any new source subject to this subcategory shall achieve the following new source performance standards:

Pollutant or pollutant property	NSPS			
	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg{m <sup>2</sup> of area processed or coated			
Chromium.....	3.7	0.47	1.5	0.19
Lead.....	1.0	0.13	0.9	0.11
Nickel.....	12.0	1.51	6.3	0.79
Zinc.....	10.2	1.29	4.2	0.53
Aluminum.....	30.3	3.82	12.4	1.56
Iron.....	28.0	3.53	14.0	1.77
Oil and grease	100.0	12.6	100.0	12.6
TSS.....	150.0	18.91	120.0	15.12
pH.....	c1d	c1d	c1d	c1d
	English units-pounds per 1 million ft <sup>2</sup> of area processed or coated			
Chromium.....	0.76	0.1	0.31	0.04
Lead.....	0.21	0.03	0.19	0.03
Nickel.....	2.46	0.31	1.29	0.16
Zinc.....	2.09	0.27	0.86	0.11
Aluminum.....	6.21	0.78	2.54	0.32
Iron.....	5.74	0.72	2.87	0.36
Oil and grease	20.48	2.58	20.48	2.58
TSS.....	30.72	3.87	24.58	3.1
pH.....	c1d	c1d	c1d	c1d

<sup>1</sup> Within the range 7.5 to 10.0.

**History:** Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.14 Pretreatment standards for existing sources. c1d** Except as provided in 40 CFR 403.7 and 403.13, any existing source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall comply with 40 CFR Part 403 and achieve the following pretreatment standards for existing sources.

Pollutant or pollutant property	PSES			
	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Milligrams per liter cmg{ld			
Chromium.....	0.42		0.17	
Lead.....	0.15		0.13	
Nickel.....	1.41		1.0	
Zinc.....	1.33		0.56	

**c2d** In cases where POTWs find it necessary to impose mass effluent pretreatment standards the following equivalent mass standards are provided:

Pollutant or pollutant property	PSES			
	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg{m <sup>2</sup> of area processed or coated			
Chromium.....	16.82	0.53	6.81	0.22
Lead.....	6.01	0.19	5.21	0.16
Nickel.....	56.5	1.78	40.1	1.26
Zinc.....	53.3	1.68	22.5	0.71
	English units-pounds per 1 million ft <sup>2</sup> of area processed or coated			
Chromium.....	3.45	0.11	1.4	0.05
Lead.....	1.23	0.04	1.07	0.03
Nickel.....	11.6	0.37	8.2	0.26
Zinc.....	10.9	0.35	4.6	0.15

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.15 Pretreatment standards for new sources.** Except as provided in 40 CFR 403.7 and 403.13, any new source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall comply with 40 CFR Part 403 and achieve the following pretreatment standards for new sources:

Pollutant or pollutant property	PSNS			
	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg{ <sup>2</sup> of area processed or coated			
Chromium.....	3.7	0.47	1.5	0.19
Lead.....	1.0	0.13	0.9	0.11
Nickel.....	12.0	1.51	6.3	0.79
Zinc.....	10.2	1.29	4.2	0.53
	English units-pounds per 1 million ft <sup>2</sup> of area processed or coated			
Chromium.....	0.76	0.1	0.31	0.04
Lead.....	0.2	0.03	0.19	0.02
Nickel.....	2.46	0.31	1.29	0.16
Zinc.....	2.09	0.27	0.86	0.11

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.20 Applicability; description of the cast iron basis material subcategory.** This subcategory applies to discharges to waters of the state and introductions of pollutants into publicly owned treatment works from porcelain enameling of cast iron basis materials.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.21 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.** Except as provided in 40 CFR 125.30 to 125.32, any existing point source subject to this subcategory shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available:

**c1d** There may not be discharge of process wastewater pollutants from metal preparation operations.

**c2d** The discharge of process wastewater pollutants from all porcelain enameling coating operations may not exceed the values set forth below:

Pollutant or pollutant property	BPT effluent limitations			
	Maximum for any 1 day		Maximum for monthly average	
	mg{m <sup>2</sup> cPounds per million ft <sup>2</sup> d of area coated			
Chromium.....	0.29	c0.06d	0.12	c0.024d
Lead.....	0.11	c0.02d	0.09	c0.02d
Nickel.....	0.98	c0.02d	0.7	c0.15d
Zinc.....	0.93	c0.19d	0.39	c0.08d
Aluminum.....	3.16	c0.65d	1.29	c0.27d
Iron.....	0.86	c0.18d	0.44	c0.09d
Oil and grease...	13.86	c2.48d	8.32	c1.71d
TSS.....	28.42	c5.82d	13.86	c2.84d
pH.....	c1d	c1d	c1d	c1d

<sup>1</sup>Within the range 7.5 to 10.0.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.22 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable.** Except as provided in 40 CFR 125.30 to 125.32, any existing point source subject to this subcategory shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable:

**c1d** There may not be discharge of process wastewater pollutants from metal preparation operations.

**c2d** The discharge of process wastewater pollutants from all porcelain enameling coating operations may not exceed the values set forth below:

Pollutant or pollutant property	BAT effluent limitations			
	Maximum for any 1 day		Maximum for monthly average	
	mg{m <sup>2</sup> cPounds per million ft <sup>2</sup> d of area coated			
Chromium.....	0.53	c0.11d	0.22	c0.05d
Lead.....	0.19	c0.04d	0.16	c0.03d
Nickel.....	1.78	c0.37d	1.26	c0.26d
Zinc.....	1.68	c0.35d	0.71	c0.15d
Aluminum.....	5.74	c1.18d	2.35	c0.48d
Iron.....	1.55	c0.32d	0.79	c0.16d

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.23 New source performance standards.** Any new source subject to this subcategory shall achieve the following new source performance standards:

**c1d** There may not be discharge of process wastewater pollutants from metal preparation operations.

**c2d** The discharge of process wastewater pollutants from all porcelain enameling coating operations may not exceed the values set forth below:

Pollutant or pollutant property	NSPS			
	Maximum for any 1 day		Maximum for monthly average	
	mg{m <sup>2</sup> cPounds per million ft <sup>2</sup> d of area coated			
Chromium.....	0.47	c0.1d	0.19	c0.04d
Lead.....	0.13	c0.03d	0.11	c0.02d
Nickel.....	0.69	c0.14d	0.47	c0.1d
Zinc.....	1.29	c0.27d	0.53	c0.11d
Aluminum.....	3.82	c0.78d	1.56	c0.32d
Iron.....	1.55	c0.32d	0.79	c0.16d
Oil and grease...	12.6	c2.58d	12.6	c2.58d
TSS.....	18.91	c3.87d	15.12	c3.1d
pH.....	c1d	c1d	c1d	c1d

<sup>1</sup>Within the range 7.5 to 10.0.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.24 Pretreatment standards for existing sources.** c1d Except as provided in 40 CFR 403.7 and 403.13, any existing source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall comply with 40 CFR Part 403 and achieve the following pretreatment standards for existing sources:

cad There may not be discharge of process wastewater pollutants from metal preparation operations.

cbd The discharge of process wastewater pollutants from all porcelain enameling coating operations may not exceed the values set forth below:

Pollutant or pollutant property	PSES	
	Maximum for any 1 day	Maximum for monthly average
	Milligrams per liter cmg{ld	
Chromium.....	0.42	0.17
Lead.....	0.15	0.13
Nickel.....	1.41	1.0
Zinc.....	1.33	0.56

c2d In cases where POTWs find it necessary to impose mass pretreatment standards the following equivalent mass standards are provided:

cad There may not be discharge of process wastewater pollutants from metal preparation operations.

cbd The discharge of process wastewater pollutants from all porcelain enameling coating operations may not exceed the values set forth below:

Pollutant or pollutant property	PSES			
	Maximum for any 1 day		Maximum for monthly average	
	mg{m <sup>2</sup> cPounds per million ft <sup>2</sup> d of area coated			
Chromium.....	0.53	c0.11d	0.22	c0.05d
Lead.....	0.19	c0.04d	0.16	c0.03d
Nickel.....	1.78	0.37	1.26	c0.26d
Zinc.....	1.68	c0.35d	0.71	c0.15d

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.25 Pretreatment standards for new sources.** Except as provided in 40 CFR 403.7, any new source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall comply with 40 CFR Part 403 and achieve the following pretreatment standards for new sources.

c1d There may not be discharge of process wastewater pollutants from metal preparation operations.

c2d The discharge of process wastewater pollutants from all porcelain enameling coating operations may not exceed the values set forth below:

Pollutant or pollutant property	PSNS			
	Maximum for any 1 day		Maximum for monthly average	
	mg{m <sup>2</sup> cPounds per million ft <sup>2</sup> d of area coated			
Chromium.....	0.47	c0.1d	0.19	c0.04d
Lead.....	0.13	c0.03d	0.11	c0.02d
Nickel.....	0.69	c0.14d	0.47	c0.1d
Zinc.....	1.29	c0.27d	0.53	c0.11d

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.30 Applicability; description of the aluminum basis material subcategory.** This subcategory applies to discharges to waters of the state and introductions of pollutants into publicly owned treatment works from porcelain enameling of aluminum basis materials.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.31 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.** Except as provided in 40 CFR 125.30 to 125.32, any existing point source subject to this subcategory shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable:

Pollutant or pollutant property	BPT effluent limitations			
	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg{m <sup>2</sup> of area processed or coated			
Chromium.....	16.34	6.32	6.63	2.56
Lead.....	5.84	2.26	5.06	1.96
Nickel.....	54.85	21.21	38.9	15.04
Zinc.....	51.73	20.01	21.79	8.43
Aluminum.....	176.98	68.44	72.35	27.98
Iron.....	47.85	18.5	24.51	9.48
Oil and grease.....	777.92	300.84	466.76	108.5
TSS.....	1594.74	616.68	777.92	300.82
pH.....	c1d	c1d	c1d	c1d
	English units-pounds per 1 million ft <sup>2</sup> of area processed or coated			
Chromium.....	3.35	1.3	1.37	0.53
Lead.....	1.2	0.47	1.04	0.4
Nickel.....	11.24	4.35	7.97	3.08
Zinc.....	10.6	4.1	4.46	1.73
Aluminum.....	36.25	14.02	14.82	5.73
Iron.....	9.8	3.79	5.02	1.94
Oil and grease.....	159.33	61.61	95.6	36.97
TSS.....	326.62	126.33	159.33	61.61
pH.....	c1d	c1d	c1d	c1d

<sup>1</sup>Within the range 7.5 to 10.0.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.32 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable.** Except as provided in 40 CFR 125.30 to 125.32, any existing point source subject to this subcategory shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable.

**BAT effluent limitations**

Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg{m <sup>2</sup> of area processed or coated			
Chromium.....	16.34	0.53	6.62	0.22
Lead.....	5.84	0.19	5.06	0.16
Nickel.....	54.85	1.78	38.9	1.26
Zinc.....	51.74	1.68	21.79	1.71
Aluminum.....	176.98	5.74	72.35	2.35
Iron.....	47.85	1.55	24.51	0.8
	English units-pounds per 1 million ft <sup>2</sup> of area processed or coated			
Chromium.....	3.35	0.11	1.36	0.05
Lead.....	1.2	0.04	1.04	0.03
Nickel.....	11.24	0.37	7.97	0.26
Zinc.....	10.6	0.35	4.46	0.35
Aluminum.....	36.25	1.18	14.82	0.48
Iron.....	9.8	0.32	5.02	0.16

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.33 New source performance standards.**

Any new source subject to this subcategory shall achieve the following new source performance standards:

**NSPS**

Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg{m <sup>2</sup> of area processed or coated			
Chromium.....	3.6	0.47	1.46	0.19
Lead.....	0.97	0.13	0.88	0.11
Nickel.....	5.35	0.69	3.6	0.47
Zinc.....	9.92	1.29	4.09	0.53
Aluminum.....	29.46	3.82	12.06	1.56
Iron.....	11.96	1.55	6.13	0.79
Oil and grease	97.24	12.6	97.24	12.6
TSS.....	145.86	18.91	116.69	15.12
pH.....	c1d	c1d	c1d	c1d
	English units-pounds per 1 million ft <sup>2</sup> of area processed or coated			
Chromium.....	0.74	0.1	0.3	0.04
Lead.....	0.2	0.03	0.18	0.2
Nickel.....	1.1	0.14	0.74	0.1
Zinc.....	2.03	0.27	0.84	0.11
Aluminum.....	6.03	0.78	2.47	0.32
Iron.....	2.45	0.32	1.26	0.16
Oil and grease	19.92	2.58	19.92	2.58
TSS.....	29.88	3.87	23.9	3.1
pH.....	c1d	c1d	c1d	c1d

<sup>1</sup>Within the range 7.5 to 10.0.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.34 Pretreatment standards for existing sources.** c1d Except as provided in 40 CFR 403.7 and 403.13, any existing source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall comply with 40 CFR Part 403 and achieve the following pretreatment standards for existing sources:

**PSES**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Milligrams per liter cmg{ 1d	
Chromium.....	0.42	0.17
Lead.....	0.15	0.13
Nickel.....	1.41	1.0
Zinc.....	1.33	0.56

c2d In cases where POTWs find it necessary to impose mass pretreatment standards the following equivalent mass standards are provided:

**PSES**

Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg{m <sup>2</sup> of area processed or coated			
Chromium.....	16.34	0.53	6.62	0.22
Lead.....	5.84	0.19	5.06	0.16
Nickel.....	54.85	1.78	38.9	1.26
Zinc.....	51.74	1.68	21.79	1.71
	English units-pounds per 1 million ft <sup>2</sup> of area processed or coated			
Chromium.....	3.35	0.11	1.36	0.05
Lead.....	1.2	0.04	1.04	0.03
Nickel.....	11.24	0.37	7.97	0.25
Zinc.....	10.6	0.35	4.46	0.35

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.35 Pretreatment standards for new sources.** Except as provided in 40 CFR 403.7, any new source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall comply with 40 CFR Part 403 and achieve the following pretreatment standards for new sources:

**PSNS**

Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg{m <sup>2</sup> of area processed or coated			
Chromium.....	3.6	0.47	1.46	0.19
Lead.....	0.97	0.13	0.88	0.11
Nickel.....	5.35	0.69	3.6	0.47
Zinc.....	9.92	1.29	4.09	0.53
	English units-pounds per 1 million ft <sup>2</sup> of area processed or coated			
Chromium.....	0.74	0.1	0.3	0.04
Lead.....	0.2	0.03	0.18	0.02
Nickel.....	1.1	0.14	0.74	0.1
Zinc.....	2.03	0.27	0.84	0.11

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.40 Applicability; description of the copper basis material subcategory.** This subcategory applies to discharges to waters of the state and introductions of pollutants into publicly owned treatment works from porcelain enameling of copper basis materials.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.43 New source performance standards.** Any new source subject to this subcategory shall achieve the following new source performance standards:

Pollutant or pollutant property	NSPS			
	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg{m <sup>2</sup> of area processed or coated			
Chromium.....	6.23	0.46	2.52	0.19
Lead.....	1.69	0.13	1.52	0.11
Nickel.....	9.25	0.69	6.23	0.47
Zinc.....	17.16	1.29	7.07	0.53
Aluminum.....	50.97	3.82	20.86	1.56
Iron.....	20.69	1.55	10.6	0.79
Oil and grease	168.23	12.6	168.23	12.6
TSS.....	252.35	18.91	201.88	15.12
pH.....	c1d	c1d	c1d	c1d
	English units-pounds per 1 million ft <sup>2</sup> of area processed or coated			
Chromium.....	1.28	0.1	0.52	0.04
Lead.....	0.35	0.03	0.31	0.03
Nickel.....	1.9	0.14	1.28	0.1
Zinc.....	3.52	0.27	1.45	0.11
Aluminum.....	10.44	0.78	4.27	0.32
Iron.....	4.24	0.32	2.17	0.16
Oil and grease	34.46	2.58	34.46	2.58
TSS.....	51.69	3.87	41.35	3.1
pH.....	c1d	c1d	c1d	c1d

<sup>1</sup>Within the range 7.5 to 10.0.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.45 Pretreatment standards for new sources.** Any new source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall

comply with 40 CFR Part 403 and achieve the following pretreatment standards for new sources:

Pollutant or pollutant property	PSNS			
	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg{m <sup>2</sup> of area processed or coated			
Chromium.....	6.23	0.46	2.52	0.19
Lead.....	1.69	0.13	1.52	0.11
Nickel.....	9.25	0.69	6.23	0.47
Zinc.....	17.16	1.29	7.07	0.53
	English units-pounds per 1 million ft <sup>2</sup> of area processed or coated			
Chromium.....	1.28	0.1	0.52	0.04
Lead.....	0.35	0.03	0.31	0.02
Nickel.....	1.9	0.14	1.28	0.1
Zinc.....	3.52	0.27	1.45	0.11

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

**NR 262.50 Cross-references.** The federal citations in this chapter correspond to provisions of the Wisconsin Administrative Code and Wisconsin Statutes. The federal citations may be cross-referenced in the following table:

CODE OF FEDERAL REGULATIONS	CORRESPONDING STATE CODE SECTION
40 CFR Part 466.....	ch. NR 262
40 CFR 125.30 to 125.32.....	s. NR 211.14, s. 283.13 c3d, Stats.
40 CFR Part 401.....	chs. NR 205, 215, 219
40 CFR Part 403.....	chs. NR 211, 217
40 CFR 403.7.....	s. NR 211.13
40 CFR 403.13.....	s. NR 211.14

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.