Report From Agency

DATCP Docket No. 05-R-03 Rules Clearinghouse No. 06-028 Proposed Final Draft June 13, 2006

PROPOSED ORDER OF THE STATE OF WISCONSIN DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION ADOPTING RULES

- 2 The state of Wisconsin department of agriculture, trade and consumer protection proposes the
- 3 following order to repeal ATCP 13.01(2), 70.03(4)(b)(note), 80.02(3)(e), 80.54(1)(a)(note),
- 4 155.01(1)(note), (3)(note) and (4)(note) and ch. ATCP 158; to renumber ATCP 13.01(3) to (7);
- 5 <u>to amend</u> ATCP 13.02(1)(intro.), 17.01(1)(c), 17.03(2)(note), (4)(b)(intro.) and (4)(b)(note),
- 40.06(2)(f) and (3), 42.16(1)(b) and (2)(b), 42.32(2)(b), 42.40(4)(b), 42.44(6)(a), 42.54(1)(a),
- 7 55.14(2)(a) and (3)(a)(intro.), 69.02(1)(a), (b)(intro.), (c) and (d)(intro.), 70.03(4)(b),
- 8 70.22(1)(g)(intro.) and (2), 80.44(2) table 2, 80.50(2)(f) and (3)(d), 80.54(1)(a), 81.02(2) and (3),
- 9 82.06(1)(note), 85.01(3) and (9), 88.02(4)(note) and (5)(note), 88.06(2)(note), 92.02(1) and
- 10 (note), 92.06(1)(a), (1)(b), (2) and (3)(note), 92.08(1), 92.22(1)(b) and (note), 105.07(1)(b)16.,
- 11 11.06, 113.01(1) and (3), 113.02, 118.02(2), 131.07(2)(a), 134.02(1m), 134.09(2)(c)(note), and
- 12 155.01(1), (3) and (4); to repeal and recreate ch. ATCP 50 Appendix E, and ch. ATCP 80
- Appendix A; and to create ch. ATCP 1 subch. VII, ATCP 29.26(1)(b)(note), and 29.52
- 14 (9)(c)(note); relating to small business enforcement discretion and technical changes to various
- 15 rules.

1

Analysis Prepared by the Department of Agriculture, Trade and Consumer Protection

This rule makes technical changes to a number of current rules administered by the Department of Agriculture, Trade and Consumer Protection ("DATCP"), related to a variety of topics. This rule also describes the discretion that DATCP may exercise in the enforcement of regulations against small business.

Statutory Authority

Statutory Authority: ss. 93.07(1), 92.05(3)(c), 92.14(8), 93.50(2)(f), 94.72(13)(a), 95.197(2),

95.71(8), 97.09(4), 97.20(4), 97.22(8), 97.41(2) and (5), 98.03(2),

98.18(2), and 895.59, Stats.

Statutes Interpreted: ss. 92.05, 92.14, 94.72, 95.197, 95.71, 97.20, 97.22, 97.41, 98.03, 98.18,

93.50, and 895.59, Stats.

DATCP has broad authority under 93.07(1) to adopt rules needed to implement laws under its jurisdiction. Under s. 895.59, Stats.(created by 2003 Wisconsin Act 145), DATCP is required to adopt rules describing the discretion that it may exercise in enforcement of its regulations against small businesses. DATCP has specific authority, under the provisions cited above, to adopt rules related to each of the topics addressed by this rule.

Rule Content

Small Business Enforcement Discretion

Under s. 895.59, Stats. (created by 2003 Wisconsin Act 145), state agencies are required to adopt rules describing the discretion they may exercise when enforcing regulations against small businesses. This rule describes the discretion that DATCP may exercise when enforcing regulations against small businesses. DATCP already exercises enforcement discretion, as described in this rule.

Technical Changes to Current Rules

This rule makes the following minor technical changes to rules administered by DATCP:

- Conforms fertilizer tonnage fee (agricultural chemical cleanup surcharge) to the current statute. The department is already charging the (lower) statutory fee, not the obsolete (higher) fee that appears in the current rule (ATCP 40).
- Updates technical standards that are incorporated by reference in current commercial feed rules (ATCP 42). The updates refer to the latest edition (2006) of the official publication of the Association of American Feed Control Officials.
- Updates current standards for the professional certification of agricultural engineering practitioners. DATCP coordinated these revisions with the United States Department of Agriculture (NRCS) and county land conservation departments, including practitioners who serve federal, state and county conservation programs.

- Clarifies DATCP's meat holding order and condemnation authority (ATCP 55).
- Eliminates an inconsistency between rules related to the legal "shelf life" of smoked fish (one rule says 17 days, the other says 21 days). This rule makes the standard 21 days.
- Changes current dairy plant rules (ATCP 80) to make them consistent with current federal standards. This includes minor technical changes related to pasteurization standards, thermometers and temperature readings, as well as updates to technical standards incorporated by reference (ATCP 80 Appendix). The updates refer to the latest editions of the 3-A Sanitary Standards and Accepted Practices published by the 3-A Sanitary Standards, Inc.
- Updates technical standards that are incorporated by reference in current weights and measures rules (ATCP 92). The updates refer to the latest editions (2006) of current weights and measures handbooks published by the National Institute of Standards and Technology.
- Clarifies that local weights and measures inspectors must be civil service employees (conforms rule to current statute).
- Eliminates minor obsolete accounting provisions in ATCP 105 related to the calculation of cigarette "cost" for purposes of the Unfair Sales Act ("minimum markup law").
- Clarifies the relationship between the home improvement code (ATCP 110) and the basement waterproofing code (ATCP 111), both of which apply to basement waterproofing services.
- Conforms car rental notice requirements (ATCP 118) to current statute.
- Clarifies prohibition against misleading charity claims in coupon book schemes (ATCP 131).
- Repeals current rules related to dairy cattle grades (ATCP 158), because the rules are obsolete and no longer used.
- Corrects typographical errors and cross-references, eliminates obsolete provisions, conforms
 rules to current statutes, creates clarifying notes, and makes other non-substantive drafting
 and organizational changes to current rules.

Pursuant to s. 227.21, Stats., DATCP has requested permission from the Attorney General and the Revisor of Statutes to incorporate updated technical standards by reference.

Fiscal Estimate

DATCP already exercises small business enforcement discretion, as described in this rule, so the effect will be minimal. Fines and forfeitures are paid to the state school fund, not DATCP.

Other provisions of this rule will have no fiscal effect on DATCP or local units of government. A fiscal estimate is attached.

Business Impact

DATCP already exercises small business enforcement discretion, as described in this rule. The current exercise of discretion prevents unnecessary costs to small businesses. The codification of DATCP's current enforcement policy will not change that policy, or have a major additional impact on business. The other provisions of this rule will have no significant effect on business. A business impact analysis is attached.

Federal Regulations

Several of the technical changes in this rule will make DATCP rules consistent with current federal standards. There are no other federal regulations similar to this rule.

Surrounding State Programs

Surrounding states (Illinois, Indiana, Iowa, Michigan and Minnesota) do not have comparable rules, except that some use comparable technical standards.

SECTION 1. Chapter ATCP 1, Subchapter VII, is created to read: 1 2 SUBCHAPTER VII **ENFORCEMENT-DISCRETION; SMALL BUSINESS** 3 **ATCP 1.40 Purpose.** This subchapter describes, as required by s. 895.59, Stats., the 4 discretion the department may exercise in the enforcement of rules against small businesses. 5 ATCP 1.41 Definitions. In this subchapter, "small business" has the meaning given in 6 7 s. 895.59(1)(b), Stats. ATCP 1.42 Exercise of discretion. (1) The department may exercise leniency in the 8 9 enforcement of rules against small businesses, as compared to other regulated businesses, if all of 10 the following apply: (a) The department has statutory authority to exercise discretion. 11

| 1 | (b) The exercise of discretion, in favor of small businesses, is not prohibited by s. |
|--------|---|
| 2 | 895.59(2), Stats., or other applicable law. |
| 3 4 | NOTE: The department exercises enforcement discretion based on a wide variety of variable factors that may be relevant to each case. |
| 5 6 | (2) The department may consider relevant factors in its exercise of discretion under sub. |
| 7 | (1), including any of the following that may be relevant: |
| 8 | (a) The nature and seriousness of the violation. |
| 9 | (b) The difficulty and cost of compliance for a small business, as compared to other |
| 10 | businesses. |
| 11 | (c) The financial capacity of a small business, as compared to other businesses. |
| 12 | (d) The compliance options available, including options for achieving voluntary |
| 13 | compliance. |
| 14 | (e) The nature, extent and seriousness of actual or potential harm to the public. |
| 15 | (f) The immediacy of potential harm, and the likelihood of continued harm if no action is |
| 16 | taken. |
| 17 | (g) The willfulness of the violation, and the likelihood that the violation will continue if |
| 18 | no action is taken. |
| 19 | (h) Past history of compliance or noncompliance by the small business. |
| 20 | (i) The level of public interest and concern. |
| 21 | (j) Whether the small business has had a reasonable opportunity to understand and |
| 22 | comply with the rules. |
| 23 | (k) Fairness to the small business and other persons, including competitors and the |
| 24 | public. |
| 25 | (L) Whether the small business has voluntarily disclosed the violation. |

| 1 | (3) An exercise of discretion under sub. (1) may include a decision to forego formal |
|--|---|
| 2 | sanctions, or to seek reduced sanctions for a small business as compared to other businesses. |
| 3 4 5 | NOTE: Fines and civil forfeitures are determined and imposed by courts, not by the department. |
| 6 | SECTION 2. ATCP 13.01(2) is repealed. |
| 7 | SECTION 3. ATCP 13.01(3) to (7) are renumbered to (2) to (6): |
| 8 | SECTION 4 . ATCP 13.02(1)(intro.) is amended to read: |
| 9 | ATCP 13.02(1)(intro.) AUTHORITY. Pursuant to s. 95.21 (9), stats., the department may |
| 10 | approve, upon recommendation of the council on local rabies control programs, the rabies |
| 11 | control program of a county, city, village or town. A local rabies control program shall include: |
| 12 | SECTION 5. ATCP 17.01(1)(c) is amended to read: |
| 13 | ATCP 17.01(1)(c) Global positioning system-Geographic coordinates, if the location has |
| 14 | no street address and no township, range and section numbers. |
| 15 | SECTION 6. ATCP 17.03(2)(note) is amended to read: |
| 16 17 18 19 20 21 22 | NOTE: For example, information that was required of license holders and was open to public inspection prior to the effective date of the livestock facility premises registration law, s. 95.51, Stats., remains open to public inspection. But premises registration information required for the first time under s. 95.51, Stats., or this chapter must be kept confidential. |
| 23 | SECTION 7. ATCP 17.03(4)(b) and (4)(b)(note) are amended to read: |
| 24 | ATCP 17.03(4)(b) The department may not disclose aggregate information under par. (a) |
| 25 | that does any of the following, unless that information qualifies for disclosure under sub. (2) or |
| 26 | (3) - : |
| 27 | 1. Discloses the street address, section number, global positioning system geographic |
| 28 | coordinates of any premises, or the identity of any registrant. |

| 1 | 2. Makes it possible to deduce with certainty the street address, section number, global |
|--------|--|
| 2 | positioning system or geographic coordinates of any premises, or the identity of any registrant. |
| 3 | NOTE: For example, the department my not disclose a detailed map that permits readers |
| 4 | to deduce with certainty the street addresses address, section numbers number or |
| 5 | global positioning system geographic coordinates of any premises, or the |
| 6 | identities of registrants whose premises are portrayed by points on the map. |
| 7 | However, the department may disclose less detailed maps. |
| 8 9 | SECTION 8. ATCP 29.26(1)(b)(note) is created to read: |
| 10 | NOTE: According to s. 94.715(2)(dm), Stats., school boards must ensure that persons |
| 11 | making pesticide applications to public school grounds are certified under s. |
| 12 | 94.705, Stats. |
| 13 | |
| 14 | SECTION 9. ATCP 29.52(9)(c)(note) is created to read: |
| 15 | NOTE: According to s. 94.715(2)(g), Stats., school boards must ensure that warning |
| 16 | signs are posted for pesticide applications to public school grounds. |
| 17 | |
| 18 | SECTION 10. ATCP $40.06(2)(f)$ is amended to read: |
| 19 | ATCP 40.06(2)(f) An agricultural chemical cleanup surcharge of 86 63 cents per ton. |
| 20 | SECTION 11. ATCP 42.06(3) is amended to read: |
| 21 | ATCP 42.06(3) SINGLE-INGREDIENT FEEDS. Product names for single-ingredient |
| 22 | commercial feeds shall be consistent with the feed ingredient definitions specified in the 2004 |
| 23 | 2006 official publication of the association of American feed control officials. |
| 24 | SECTION 12. ATCP 42.16(1)(b) is amended to read: |
| 25 | ATCP 42.16(1)(b) Paragraph (a) does not apply to a commercial feed which is defined as |
| 26 | a single ingredient feed product by the 2004 2006 official publication of the association of |
| 27 | American feed control officials. |
| 28 | SECTION 13. ATCP 42.16(2)(b) is amended to read: |
| 29 | ATCP 42.16(2)(b) The official name of that ingredient as stated in the 2004 2006 official |
| 30 | publication of the association of American feed control officials. |

- SECTION 14. ATCP 42.32(2)(b) is amended to read:
- 2 ATCP 42.32(2)(b) The official name of that ingredient as stated in the 1998 2006 official
- 3 publication of the association of American feed control officials.
- 4 **SECTION 15.** ATCP 42.40(4)(b) is amended to read:
- 5 ATCP 42.40(4)(b) By a testing procedure published in the 2004 2006 official publication
- of the association of American feed control officials.
- 7 **SECTION 16.** ATCP 42.44(6)(a) is amended to read:
- 8 ATCP 42.44(6)(a) The dog or cat food, when fed in recommended amounts, meets all
- 9 nutrient requirements established in applicable pet nutrient profiles specified in the 2004 2006
- official publication of the association of American feed control officials.
- 11 **SECTION 17.** ATCP 42.54(1)(a) is amended to read:
- ATCP 42.54(1)(a) The non-protein nitrogen ingredients are identified in the 2004 2006
- official publication of the association of American feed control officials.
- SECTION 18. ATCP 50, Appendix E is repealed and recreated to read:

AGRICULTURAL ENGINEERING CERTIFICATION APPENDIX E

| | EMPLOYEE: | | OFFICE: | | | | | | Original | | Revised | Revised |
|--------------|--|---|-------------------------|-------------|--------------|-------|-----------|-------|----------|--|-----------|-------------------------|
| | SIGNATURE: | | TITLE: | | | | | DATE: | | | | |
| | CONCURRED BY: | | TITLE: | Supervisor | | | | DATE: | | | | |
| | DELEGATED BY: | | TITLE: | | | | | DATE: | | | | |
| | CERTIFIED BY: | | TITLE: | DATCP Agric | ultural Engi | neer | | DATE: | | MAY | A DDDOVA | LIMIT |
| STD. CODE | PRACTICE | SUB-PRACTICE | CONTROLLING FACTORS | UNITS | ī | П | JOB CLASS | IV | l v | | TIFICATIO | LLIMIT and ON RATING |
| 560 | ACCESS ROAD | | GRADE | % | 10 | ALL | - 111 | 11 | · · | 11210 | DESIG | TT CONST |
| 300 | ACCESS ROAD | | | | | | 40 | 4.40 | | | | |
| | | CULVERT | DRAINAGE AREA | ACRES | 10 | 20 | 40 | 160 | ALL | | | |
| | | LIVESTOCK AND EQUIPMENT STREAM CROSSING | VELOCITY | F.P.S. | 4 | 6 | 8 | 10 | ALL | | | |
| 575 | ANIMALTRAILS AND WALKWA | AYS | GRADE | % | ALL | | | | | | | |
| 360 | CLOSURE OF WASTEIMPOUND | MENT | NUMBER | EACH | ALL | | | | | | | |
| 362 | DIVERSION | | DRAINAGE AREA | ACRES | 10 | 20 | 40 | 160 | ALL | | | |
| 432 | DRY HYDRANT | | WATER SOURCE | | POND | POND | STREAM | ALL | 1122 | | | |
| 732 | DKI IIIDKAWI | | LIFT (STATIC HEAD) | FEET | 5 | 10111 | 15 | ALL | 1 | | | |
| | | | NOMINALDIAMETER | INCHES | 4 | 4 | 6 | ALL | | | | |
| 396 | FISH PASSAGE | DAM REMOVAL | | | ALL | | | | | | | |
| 410 | GRADE STABILIZATION | EARTHEN | DRAINAGE AREA | ACRES | 20 | 80 | 320 | 640 | 2000(c) | | | |
| 410 | STRUCTURE | EMBANKMENTS | EFFECTIVE HEIGHT (a) | FEET | 10 | 15 | 20 | 25 | 35 | | | |
| 350 | SEDIMENT BASIN (EXCEPT | (HAZARD CLASS "a" | STORAGE (b) | AC. FT. | 5 | 15 | 30 | 50 | 85 | | | |
| | FOR ANIMAL WASTE) | ONLY) | CONDUIT (SINGLE) | INCHES | 12 | 18 | 24 | 36 | 48 | | | |
| 378 | POND (EMBANKMENT) | ŕ | (STOR. VOL.)x(EFF. HT.) | | 500 | 1000 | 1500 | 2000 | 3000 | | | |
| 587 | STRUCTURE FOR | BOX DROP TO | NET DROP | FEET | 2* | 3* | 4* | 4 | 6 | | | - |
| | WATERCONTROL | CULVERT | WEIR CAPACITY | C.F.S. | 100* | 200* | 300* | 400 | 500 | | | |
| | IRRIGATION REGULATING | TOEWALLS | NET DROP | FEET | 2* | 3* | 4* | 3 | 4 | | | |
| 552 | RESERVOIR | | WEIR CAPACITY | C.F.S. | 100* | 200* | 300* | 300 | 300 | | | |
| | | CHUTES | NET DROP | FEET | 4 | 6 | 8 | 10 | 12 | | | |
| | | | CAPACITY | C.F.S. | 50 | 100 | 200 | 250 | 300 | | | |
| 412 | GRASSED WATERWAY | | DRAINAGE AREA | ACRES | 50 | 200 | 600 | 1300 | ALL | | | |
| 561 | HEAVY USE AREA PROTECTION | | AREA | SQ. FT. | 10000 | 30000 | ALL | | | | | - |
| 442 449 | IRRIGATION SYSTEM, SPRINKLER IRRIGATION WATER MANAGEMENT | | AREA IRRIGATED | ACRES | 20 | 40 | 80 | ALL | | | | |
| 447 | IRRIGATION SYSTEM, TAILWA | TER RECOVERY | PUMP CAPACITY | GPM | 300 | 500 | 1000 | ALL | | | | |
| | IRRIGATION WATER CONVEYAL | | CAPACITY (< 50 PSI) | GPM | 500 | 1000 | 2500 | 5000 | | | | |
| 430 | AA (Aluminum) DD (Plastic) | | CAPACITY (≥ 50 PSI) | GPM | 300 | 500 | 1500 | 3500 | | | | |
| 468 | LINED WATER OR OUTLET | | DESIGN CAPACITY (d) | C.F.S. | 10 | 30 | 100 | 150 | ALL | | | |

| STD. CODE | PRACTICE | SUB-PRACTICE | CONTROLLING FACTORS | UNITS | JOB CLASS | | | | | MAX APPROVAL LIMIT | | |
|--------------|----------------------------------|--------------------|-----------------------|---------|---------------|--------|------|------|-------|--------------------|--------|-------|
| CODE | | | | | I | П | III | IV | V | PLNG | DESIGN | CONST |
| | | • | PUMPED | A.U. | 100 | 300 | ALL | | | | | |
| | | | GRAVITY | A.U. | 100 | 300 | ALL | | | | | |
| 634 | MANURETRANSFER | | | FEET | 150 | 250 | 400 | | | | | |
| | | | RECEPTION TANK(e) | EACH | STAND DRAW | ALL | | | | | | |
| | | | FREQUENT HAUL | EACH | ALL | | | | | | | |
| | MILKING CENTER | | RIDGE AND FURROW | EACH | ALL | | | | | | | |
| 719 | WASTEWATER TREATMENT | | CONSTRUCTED WETLAND | EACH | ALL | | | | | | | |
| | SYSTEM | | SUBSURFACE ABSORPTION | EACH | ALL | | | | | | | |
| | | | BUFFER | EACH | ALL | | | | | | | |
| 500 | OBSTRUCTION REMOVAL | | OBSTRUCTION LOCATION | EACH | LAND | STREAM | ALL | | | | | |
| 582 | OPEN CHANNEL | | DESIGN VELOCITY | F.P.S. | 2 | 4 | 6 | 8 | 10 | | | |
| 584 | CHANNEL STABILIZATION | | DESIGN CAPACITY | C.F.S. | 100 | 200 | 300 | 500 | 1000 | | | |
| 516 | PIPELINE | | LENGTH | FEET | 300 | 1000 | 2500 | 5000 | ALL | | | |
| | | | PRESSURE | P.S.I. | 25 | 50 | 100 | 200 | 300 | | | |
| 378 | POND (EXCAVATED) | | SURFACE AREA | ACRES | 1/2 | 1 | ALL | | | | | |
| 521A | POND SEALING OR LINING, FLI | EX., MEM.LINING | AREA TREATED | ACRES | 1/4 | 1/2 | 1 | 2 | ALL | | | |
| 521C | POND SEALING OR LINING, BE | | AREA TREATED | ACRES | 1/4 | 1/2 | 1 | 2 | ALL | | | |
| 0210 | TOTAL BEATTER TO GREEK IN TO, BE | TOTAL TREATT | PROPELLER | TTOTAL | 2, 1 | 1/2 | - | | | | | |
| | | | CAPACITY | GPM | 500 | 2000 | 7500 | | | | | |
| | PUMPING PLANT | | STATICHEAT | Ft. | 5 | 10 | 15 | | | | | |
| | | | CENTRIFUGAL | | | | | | | | | |
| 533 | | | CAPACITY | GPM | 500 | 1000 | 1500 | 2000 | 3500 | | | |
| | | | STATICHEAD | Ft. | 50 | 100 | 200 | 300 | 350 | | | |
| | | | TURBINE | | | | | | | | | |
| | | | CAPACITY | GPM | 500 | 1000 | 1500 | 2000 | 3000 | | | |
| | | | STATICHEAD | Ft. | 50 | 100 | 200 | 350 | 500 | | | |
| 568 | RECREATION TRAIL AND WAI | KWAY | LENGTH | MILES | 0.5 | ALL | | | | | | |
| 558 | ROOF RUNOFF STRUCTURE | | ROOF SIZE (EACH) | SQ. FT. | 1500 | 300 | ALL | | | | | |
| | | | WALLHT. (STANDARD) | FEET | 2* | 4* | 5* | 6* | 8* | | | |
| 350 | SEDIMENT BASIN, LIVESTOCK | | WALLHT. (NON-STD.) | FEET | 2 | 4 | 5 | 6 | 8 | | | |
| | , | | CONTRIBUTING AREA | SO. FT. | 10000 | 30000 | ALL | | | | | |
| 725 | SINKHOLE TREATMENT | | NUMBER | EACH | ALL | | | | | | | |
| 572 | SPOIL SPREADING | | AREA | ACRES | 0.5 | ALL | | | | | | |
| 574 | SPRING DEVELOPMENT | | ESTIMATED FLOW | G.P.M. | ALL | | | | | | | |
| | | LAKESHORES | WAVEHEIGHT | FEET | 0 | 0 | 1 | 2 | 3 | | | |
| | STREAMBANK AND | La III DI IOILA | CAPACITY (f) | C.F.S. | 100 | 300 | 1000 | 2000 | 5000 | | | |
| 580 | SHORELINE PROTECTION | STREAMBANK | VELOCITY (f) | F.P.S. | 2 | 4 | 6 | 8 | 10 | | | |
| | | PROTECTION | CHANNEL MODIFICATION | FEET | 100 | 300 | 500 | 1000 | ALL | | | |
| | | | FISH HABITAT | FEET | 100 | 300 | 500 | 1000 | ALL | | | |
| 606 | SUBSURFACE DRAIN | | PIPE SIZE | INCHES | 4 | 6 | 8 | 12 | ALL | | | |
| 607 | SURFACE DRAINAGE; FIELD D | ITCH | DRAINAGE AREA | ACRES | 10 | 20 | 50 | 100 | ALL | | | |
| 608 | SURFACE DRAINAGE, MAIN O | | DESIGN CAPACITY | C.F.S. | 2 | 4 | 6 | 8 | 10 | | | |
| 000 | SUMPACE DIVAINAGE, MAIN OF | LATERAL | DESIGN VELOCITY | F.P.S. | 100 | 200 | 300 | 5000 | 1000 | | | |
| 600 | TERRACE | GRADIENT | EMBANKMENT HEIGHT | FEET | 2 | 3 | ALL | 3000 | 1000 | | | |
| 000 | TERRACE | | | | _ | | | 0 | A T T | | | |
| | | UNDERGROUND OUTLET | EMBANKMENT HEIGHT | FEET | 3 | 4 | 6 | 8 | ALL | | | |

| Employee: | Page 2 of 3 |
|-----------|-------------|
| Emproyee. | rage 2 or . |

| STD. CODE | PRACTICE | SUB-PRACTICE | CONTROLLING FACTORS | UNITS | JOB CLASS | | | | MAX APPROVAL LIMIT | | | |
|--------------|-------------------------------|---|-----------------------|---------|-----------|----------------|----------|--------|--------------------|------|--------|-------|
| CODE | | | | | I | П | Ш | IV | V | PLNG | DESIGN | CONST |
| 620 | UNDERGROUND OUTLET | | PIPE SIZE | INCHES | 4 | 6 | 8 | 12 | ALL | | | |
| | | | DESIGN STORAGE VOLUME | CU. FT. | 5000 | 25000 | 75000 | 150000 | 3000000 | | | |
| | | STRUCTURAL FACILITIES | PREQUALIFIED (g) | EACH | ALL, sub | ject to design | capacity | | | | | |
| | | | WALLHT. (STANDARD) | FEET | 2* | 4* | 6* | 8* | 10* | | | |
| 313 | WASTESTORAGE FACILITY | | WALLHT. (NON-STD.)(e) | FEET | 2 | 4 | 6 | 8 | 10 | | | |
| 313 | WASTESTOKAGETACIETT | EARTHEN EMBANKMENT | EFFECTIVE HEIGHT (a) | FEET | 10 | 15 | 20 | 25 | ALL | | | |
| | | IN-PLACE EARTH POND | DESIGN CAPACITY | CU.FT. | 60000 | 200000 | 500000 | 1M | 2M | | | |
| | | CLAY LINER | DESIGN CAPACITY | CU.FT. | 60000 | 200000 | 500000 | 1M | 2M | | | |
| | | GEO-MEMBRANE & GEO- SYNTHETIC CLAY LINER | DESIGN CAPACITY | CU.FT. | 60000 | 200000 | 500000 | 1M | 2M | | | |
| | | CONCRETE LINER | DESIGN CAPACITY | CU.FT. | 60000 | 200000 | 500000 | 1M | 2M | | | |
| | WASTEWATER TREATMENT STRIP | INFILTRATION | CONTRIBUTING AREA | SQ. FT. | 5000 | 10000 | | | | | | |
| 635 | | OVERLAND | CONTRIBUTING AREA | SQ. FT. | 5000 | 10000 | | | | | | |
| | | BUFFERS | CONTRIBUTING AREA | SQ. FT. | 5000 | 10000 | 30000 | ALL | | | | |
| | | MILKING CENTER | VOLUME | G.P.D. | 200 | 300 | | | | | | |
| 638 | WATER AND SEDIMENT | | EMBANKMENT HEIGHT | FEET | 5 | 10 | 15 | | | | | |
| | CONTROL BASIN | | STORAGE (b) | AC. FT. | 5 | 10 | 15 | | | | | |
| 642 | WATERWELL | | DIAMETER | INCHES | 4 | 6 | 8 | 12 | ALL | | | |
| | | | ESTIMATED DEPTH | FEET | | 100 | 200 | 300 | ALL | | | |
| 614 | WATERING FACILITY (4/02) | | NUMBER | EACH | ALL | | | | | | | |
| 254 | | DRILLED WELL | ESTIMATED DEPTH | FEET | 100 | 300 | 500 | ALL | | | | |
| 351 | WELL DECOMMISSIONING | DRIVEN WELL POINT | ESTIMATED DEPTH | FEET | 10 | 25 | ALL | | | | | |
| | | DUG WELL | | EACH | ALL | | | | | | | |
| | | SCRAPE | SURFACE AREA | ACRE | 1/2 | 1 | ALL | | | | | |
| | | TILE BREAK | DRAIN DIAMETER | INCHES | 6 | 12 | ALL | | | | | |
| 657 | WETLAND RESTORATION | DITCH PLUG | DEPTH | FEET | 4 | 6 | ALL | | | | | |
| 057 | WEILAND RESIDKATION | | DRAINAGE AREA | ACRES | 80 | 160 | 320 | 640 | ALL | | | |
| | | EN AD A NIZA AENTE | EFFECTIVE HEIGHT (a) | FEET | 4 | 6 | 10 | ALL | | | | |
| | | EMBANKMENT | DRAINAGE AREA | ACRES | 20 | 40 | 80 | 160 | | | | |
| | | | STORAGE (b) | AC. FT. | 5 | 15 | 30 | 50 | | | | |

*STANDARD DETAIL DRAWINGS

NOTES:

- 1. CERTIFICATION IS NOT GRANTED FOR PRACTICES NO SHOWN.
- 2. OTHER RESTRICTIONS MAYAPPLY AS NOTED
- 3. TO OBTAIN COPIES OF THE ABOVE REFERENCED PRACTICE STANDARDS, SEE THE USDA-NRCS-WISCONSIN TECHNICAL GUIDE, OR APPENDIX E OF ATCP 50, WISCONSIN ADMINISTRATIVE CODE

FOOTNOTES

- a. DIFFERENCE IN ELEVATION IN FEET BETWEEN THE AUXILIARY SPILLWAY CREST (TOP OF EMBANKMENT IF NO AUXILIARY SPILLWAY) AND THE LOWEST POINT IN THE CROSS SECTION TAKEN ALONG THE CENTERLINE OF THE EMBANKMENT
- b. STORAGE TOTAL STORAGE CAPACITY AT TOP OF THE DAM IN ACRE-FEET.
- c. EFFECTIVE HEIGHT MUST BE LESS THAN 6 FEET
- d. LINED WATERWAYOR OUTLET (468) THE JOB CLASS WILL BE BASED ON THE 10 YEAR 24 HOUR DURATION PEAK DISCHARGE.
- e. THE MNTC DRAWINGNos. 5.E-33,001 AND 5.E-33,002 AND WISCONSIN STANDARD DRAWINGS IN THE 740 SERIES ARE CLASSIFIED. AS NON-STANDARD DRAWINGS.
- f. MAXIMUM DESIGN VELOCITY, AND THE CHANNEL CAPACITY AT THE DESIGN VELOCITY.
- g. PREQUALIFIED STRUCTURES CAN BE FOUND IN CHAPTER 17 OF THE ENGINEERING FIELD HANDBOOK.

| Employee: | Page 3 of 3 |
|-----------|-------------|

| SECTION 19. | ATCP 55. | 14(2)(a) |) is | amended | to read: |
|-------------|----------|----------|------|---------|----------|
|-------------|----------|----------|------|---------|----------|

- ATCP 55.14(2)(a) The department may issue a holding order to prohibit the sale or
 movement of any meat or meat food product if the department has reasonable grounds to suspect
 that the meat or meat food product is unwholesome, adulterated or misbranded, or otherwise fails
 to meet the standards or requirements of this chapter or ch. 97, Stats. The department may issue
 a holding order pending further examination or analysis to determine whether the meat or meat
 food product is unwholesome, adulterated or misbranded, or otherwise fails to meet the standards
 or requirements of this chapter or ch. 97, Stats.
- **SECTION 20.** ATCP 55.14(3)(a)(intro.) is amended to read:
 - ATCP 55.14(3)(a)(intro.) If the department finds that meat or a meat food product is unwholesome, adulterated, or misbranded, not inspected and approved according to this chapter or s. 97.42, Stats., or not processed according to this chapter or s. 97.42, Stats., the department may order the owner or custodian to do any of the following:
- SECTION 21. 69.02(1)(a), (b)(intro), (c), and (d)(intro) are amended to read:
 - ATCP 69.02(1)(a) Completed an 18-month cheesemaking apprenticeship internship under a licensed cheesemaker, including at least one month's experience in the complete process of cheesemaking.
 - (b)(intro.) Completed a 12-month cheesemaking apprenticeship internship under a licensed cheesemaker, including at least one month's experience in the complete process of cheesemaking, and complete at least one of the following:
- 21 (c) Completed a 6-month cheesemaking apprenticeship internship under a licensed 22 cheesemaker, including at least one month's experience in the complete process of

- cheesemaking, and completed a 4-year dairy-related degree program at an accredited college or
- 2 university.
- 3 (d)(intro.) Completed an apprenticeship internship under a licensed cheesemaker,
- 4 including at least 240 hours experience in the complete process of cheesemaking, and completed
- 5 department-approved courses in all the following:
- 6 **SECTION 22.** ATCP 70.03(4)(b) is amended to read:
- ATCP 70.03(4)(b) The holder of a temporary license may not procure farm products
- 8 from producers, except as specifically authorized by the department in writing. The department
- 9 may not authorize a food processing plant operator to procure farm products from producers
- unless the food processing plant operator complies with s. 100.03 subch. VI of ch. 126, Stats.
- 11 **SECTION 23.** ATCP 70.03(4)(b)(note) is repealed.
- SECTION 24. ATCP 70.22(1)(g)(intro.) is amended to read:
- ATCP 70.22(1)(g)(intro.) The last date on which the smoked fish may be sold at retail,
- which shall be not more than 17-21 days after the processing date under par. (f). This paragraph
- does not apply to any of the following:
- SECTION 25. ATCP 70.22(2) is amended to read:
- ATCP 70.22 (2) Smoked fish shall not be sold more than $\frac{17}{21}$ days after the date of
- processing unless the smoked fish are exempt under sub. (1)(g).
- 19 **SECTION 26.** ATCP 80.02(3)(e) is repealed.

TABLE 2
PASTEURIZATION REQUIREMENTS FOR
SELECTED DAIRY PRODUCTS

| Product Group | Batch Pasteurization | HTST Pasteurization |
|---|---|--|
| (a) Milk, skim milk, or buttermilk | 145°F. (63°C.) for 30 minutes | 161°F. (72°C.) for 15 seconds |
| (b) Cream and fluid dairy products having more than 10% milk-fat | 150°F. (66°C.) for 30 minutes | 166°F. (75°C.) for 15 seconds |
| (c) Cream for butter | 165°F. (74°C.) for 30 minutes | 185°F. (85°C.) for 15 seconds |
| (d) Condensed dairy products including condensed products in group (a) and blends of those products | 150°F. (66°C.) for 30 minutes | 166°F. (75°C.) for 15 seconds |
| (e) High total solids products (>16%) | 155°F. (69°C.) 150°F. (66°C.) for 30 minutes | 166°F. (75°C.) for 15 seconds |
| (f) Frozen dessert mixes | 155°F. (69°C.) for 30 minutes | 175°F. (80°C.) for 25 seconds or 180°F. (83°C.) for 15 seconds |
| (g) Egg nog | 155°F. (69°C.) for 30 minutes | 175°F. (80°C.) for 25 seconds or 180°F. (83°C.) for 15 seconds |
| (h) Process cheese | 150°F. (66°C.) for 30 seconds | |

SECTION 28. ATCP 80.50(2)(f) is amended to read:

- ATCP 80.50(2)(f) The temperature reading on the indicating thermometer at the start $\frac{1}{2}$
- 4 end of the pasteurization holding period, and at a specific times time identified as points a point
- on the recorder temperature recording chart.

- SECTION 29. ATCP 80.50(3)(d) is amended to read:
- 2 ATCP 80.50(3)(d) The temperature reading on the indicating thermometer at the start
- and end of each pasteurization run, and at a specific times time identified as points a point on the
- 4 controller temperature recording chart.
- 5 **SECTION 30.** ATCP 80.54(1)(a) is amended to read:
- 6 ATCP 80.54(1)(a) Records related to milk receipts and producer payrolls, as required by
- s. ATCP 100.76 100.32(1). Records under this paragraph shall include milk collection records
- 8 received from milk haulers under s. ATCP 82.10(10). Records under this paragraph shall be
- 9 retained for at least 3 years.
- 10 **SECTION 31.** ATCP 80.54(1)(a)(note) is repealed
- SECTION 32. ATCP 80, Appendix A is repealed and recreated to read:

Chapter ATCP 80

APPENDIX A

3-A SANITARY STANDARDS AND ACCEPTED PRACTICES

The following 3-A standards and 3-A accepted practices establish criteria for the sanitary construction and operation of dairy handling and processing equipment. These standards are published by the "3-A Sanitary Standards, Inc., 1451 Dolley Madison Boulevard, Suite 210, McLean, VA 22101-3850, website www.3-A.org, Telephone: (703) 790-0295, Fax: (703) 761-6284. Copies are on file with the department and the revisor of statutes. Copies may be obtained from "3-A Sanitary Standards, Inc. Online Store" at https://www.techstreet.com.

You may also search, order and download standards (in PDF format) by visiting http://www.3-A.org.

3-A SANITARY STANDARDS

| Doc. No. | Title (3-A Sanitary Standards for:) | Effective |
|----------|---|------------------|
| 01-08 | Storage Tanks | 11/2001 |
| 02-09 | Centrifugal and Positive Rotary Pumps | 11/1996 |
| 04-04 | Homogenizers and Reciprocating Pumps | 11/1996 |
| 05-15 | Stainless Steel Automotive Transportation Tanks for Bulk Delivery and/or Farm Pick-Up Service | 11/2002 |
| 10-04 | Milk and Milk Products Filters Using Single Service Filter Media | 11/2000 |
| 11-06 | Plate Type Heat Exchangers | 11/2001 |
| 12-07 | Tubular Heat Exchangers | 11/2003 |
| 13-10 | Farm Milk Cooling and Holding Tanks | 11/2003 |
| 16-05 | Milk and Milk Products Evaporators and Vacuum Pans | 8/1997 |
| 17-10 | Formers, Fillers, and Sealers of Containers for Fluid Products | 11/2002 |
| 18-03 | Multiple-Use Rubber and Rubber-Like Materials Used as Product Contact Surfaces | 8/1999 |
| 19-05 | Batch and Continuous Freezers for Frozen Foods | 11/1999 |
| 20-23 | Multiple-Use Plastic Materials Used as Product Contact Surfaces | 11/2004 |

| 21-00 | Centrifugal Separators and Clarifiers | 11/2002 |
|-------|---|---------|
| 22-08 | Silo-Type Storage Tanks | 11/2004 |
| 23-04 | Equipment for Packaging Viscous Products | 11/2002 |
| 24-02 | Non-Coil Type Batch Pasteurizers | 11/1989 |
| 25-03 | Non-Coil Type Batch Processors | 11/2002 |
| 26-04 | Sifters for Dry Products | 11/2001 |
| 27-05 | Equipment for Packaging Dry Products | 11/2002 |
| 28-03 | Flow Meters | 11/1995 |
| 29-02 | Air Eliminators | 11/2000 |
| 30-01 | Farm Milk Storage Tanks | 9/1984 |
| 31-03 | Scraped Surface Heat Exchangers | 11/2000 |
| 32-02 | Uninsulated Tanks | 8/1994 |
| 33-01 | Polished Metal Tubing | 11/1994 |
| 34-02 | Portable Bins for Dry Products | 09/1992 |
| 35-01 | Blending Equipment | 11/2003 |
| 36-01 | Inline Rotor-Stator Mixers | 11/2003 |
| 38-00 | Cottage Cheese Vats | 8/1997 |
| 39-01 | Pneumatic Conveyors for Dry Products | 11/2003 |
| 40-02 | Bag Collectors | 11/2002 |
| 41-01 | Mechanical Conveyors for Dry Products | 11/1996 |
| 42-01 | In-Line Strainers | 11/1997 |
| 43-00 | Wet Collectors for Dry Products | 9/1997 |
| 44-03 | Diaphragm Pumps | 11/2001 |
| 45-02 | Crossflow Membrane Modules | 11/2003 |
| 46-03 | Refractometers and Energy-Absorbing Optical Sensors | 11/2002 |
| 47-00 | Centrifugal and Positive Rotary Pumps for Pumping Cleaning and Sanitizing Solutions | 11/1996 |

| 49-01 | Air Driven Sonic Horns for Dry Products | 11/2001 |
|-------|---|---------|
| 50-01 | Level Sensing Devices for Dry Products | 11/2001 |
| 51-01 | Plug-Type Valves | 11/1998 |
| 52-02 | Plastic Plug-Type Valves | 11/1998 |
| 53-02 | Compression-Type Valves | 01/2002 |
| 54-02 | Diaphragm-Type Valves | 11/1997 |
| 55-01 | Boot Seal-Type Valves | 11/1996 |
| 56-00 | Inlet and Outlet Leak-Protector Plug-Type Valves | 5/1993 |
| 57-01 | Tank Outlet Valves | 11/1996 |
| 58-00 | Vacuum Breakers and Check Valves | 6/1992 |
| 59-00 | Automatic Positive Displacement Samplers | 11/1993 |
| 60-00 | Rupture Discs | 9/1983 |
| 61-00 | Steam Injection Heaters | 11/1994 |
| 62-01 | Hose Assemblies | 11/1996 |
| 63-03 | Sanitary Fittings | 11/2002 |
| 64-00 | Pressure Reducing and Back Pressure Regulating Valves | 11/1993 |
| 65-00 | Sight and/or Light Windows and Sight Indicators | 11/1994 |
| 66-00 | Caged-Ball Valves | 11/1995 |
| 68-00 | Ball-Type Valves | 11/1996 |
| 70-01 | Italian-Type Pasta Filata Style Cheese Cookers | 11/2002 |
| 71-01 | Italian-Type Pasta Filata Style Cheese Moulders | 11/2002 |
| 72-01 | Italian-Type Pasta Filata Style Moulded Cheese Chillers | 11/2002 |
| 73-00 | Shear Mixers, Mixers, and Agitators | 11/1996 |
| 74-02 | Sensors and Sensor Fittings and Connections | 11/2002 |
| 75-00 | Belt-Type Feeders | 11/1998 |
| 78-01 | Spray Devices to Remain in Place | 11/2003 |
| 81-00 | Auger-Type Feeders | 11/1998 |

| 82-00 | Pulsation Dampening Devices | 11/2002 | | |
|------------------------|--|----------------------|--|--|
| 83-00 | Enclosed Cheese Vats and Tables | 11/2003 | | |
| 84-00 | Personnel Access Ports for Wet Applications | 11/2003 | | |
| 85-00 | Double-Seat Mixproof Valves | 11/2004 | | |
| | 3-A ACCEPTED PRACTICES | | | |
| Doc. No. 603-06 | <u>Title (3-A Accepted Practices for:)</u> Sanitary Construction, Installation, Testing, and Operation of High-Temperature Short-Time and Higher-Heat Shorter-Time Pasteurizer Systems | Effective 12/1992 | | |
| 604-05 | Supplying Air Under Pressure for Contact with Product or Product Contact Surfaces | 11/2004 | | |
| 605-04 | Permanently Installed Product and Solution Pipelines and Cleaning Systems | 8/1994 | | |
| 606-05 | Design, Fabrication, and Installation of Milking and Milk Handling Equipment | 11/2002 | | |
| 607-05 | Milk and Milk Products Spray Drying Systems | 11/2004 | | |
| 608-02 | Instantizing Systems | 11/2001 | | |
| 609-03 | Method of Producing Steam of Culinary Quality | 11/2004 | | |
| 610-01 | Sanitary Construction, Installation, and Cleaning of Crossflow Membrane Processing Systems | 11/2003 | | |
| 611-00 | Farm Milk Cooling and Storage Systems | 11/1994 | | |

| 1 | SECTION 33. ATCP 81.02(2) and (3) are amended to read: | |
|---------------------------------|---|--|
| 2 | ATCP 81.02(2) LICENSE APPLICATION. Application for a biennial cheese grader license | |
| 3 | shall be made on a form provided by the department. The application shall be accompanied by | |
| 4 | each applicable the fee and surcharge required under (3). An application shall include all of the | |
| 5 | information required under this section for licensing purposes. | |
| 6 | (3) LICENSE FEE. A person applying for a license under sub. (1) shall pay an annual a | |
| 7 | license fee of \$60. | |
| 8 | SECTION 34 . ATCP 82.06(1)(note) is amended to read: | |
| 9 10 11 12 | NOTE: Copies of the "3-A Standards" are on file with the department and the revisor of statutes. Copies may be purchased from the International Association of Milk, Food and Environmental Sanitarians International Association for Food Protection, 6200 Aurora Avenue, Suite 200 W., Des Moines, IA 50322. | |
| 13 | SECTION 35. ATCP 85.01(3) is amended to read: | |
| 14 | ATCP 85.01(3) "Butter" means the dairy product defined has the meaning given in s. | |
| 15 | 97.01(12) 97.01(1), Stats. | |
| 16 | SECTION 36. ATCP 85.01(9) is amended to read: | |
| 17 | ATCP 85.01(9) "Milk" means the dairy product defined has the meaning given in s. | |
| 18 | 97.01(13) 97.01(10)(a), Stats. | |
| 19 | SECTION 37. ATCP 88.02(4)(note) is amended to read: | |
| 20 21 22 23 24 | NOTE: The "List of Proprietary Substances and Nonfood Compounds," published semiannually by the United States department of agriculture, is on file with the department and may be obtained from the United States department of agriculture, agricultural marketing service, poultry division, grading branch, 100 stockyards road, room 209, South St. Paul, MN 55075 programs, grading branch, 1400 Independence Avenue, S.W., Room 3938-South Building, Washington, D.C. | |
| 2526 | 20250, STOP 0256. | |

| 1 | SECTION 38. ATCP 88.02(5)(note) is amended to read: |
|--------|--|
| 2 | NOTE: The "List of Proprietary Substances and Nonfood Compounds," published |
| 3 | semiannually by the United States department of agriculture, is on file with the |
| 4 | department and may be obtained from the United States department of agriculture |
| 5 | agricultural marketing service, poultry division, grading branch, 100 stockyards |
| 6 | road, room 209, South St. Paul, MN 55075 programs, grading branch, 1400 |
| 7 8 | Independence Avenue, S.W., Room 3938-South Building, Washington, D.C. 20250, STOP 0256. |
| 0 | <u>20230, STOF 0230.</u> |
| 9 | SECTION 39. ATCP 88.06(2)(note) is amended to read: |
| 10 | NOTE: United States consumer grades and sizes are described in "United States |
| 11 | Standards, Grades, and Weight Classes for Shell Eggs" under title 7, code of |
| 12 | federal regulations part 56, subpart C-7 CFR 56 (c). A copy may be purchased |
| 13 | from the United States department of agriculture, agricultural marketing service, |
| 14 | poultry -division, grading branch, room 209, 100 stockyards road, South St. Paul, |
| 15 | MN 55075 programs, grading branch, 1400 Independence Avenue, S.W., Room |
| 16 | 3938-South Building, Washington, D.C. 20250, STOP 0256. |
| 17 | SECTION 40. ATCP 92.02(1) is amended to read: |
| 18 | ATCP 92.02(1) Except as provided in this chapter, weighing and measuring devices |
| 19 | shall comply with applicable specifications, tolerances and other technical requirements set forth |
| 20 | in the national institute of standards and technology handbook 44 (specification, tolerances and |
| 21 | other technical requirements for weighing and measuring devices), 2004 2006 edition. |
| 22 | SECTION 41. ATCP 92.02(1)(note) is amended to read: |
| 23 | NOTE: See s. 98.03 (2), Stats. The current edition of the National Institute of Standards |
| 24 | and Technology Handbook 44 (Specifications, Tolerances and Other Technical |
| 25 | Requirements for Weighing and Measuring Devices) is on file with the |
| 26 | department and the revisor of statutes. Copies may be purchased from the U.S. |
| 27 | government printing office Washington, D.C. 20402-9325 Government Printing |
| 28 | Office, Superintendent of Documents, P.O. Box 371954, Pittsburgh, PA 15250- |
| 29 | <u>7954</u> . |

| 1 | SECTION 42. ATCP 92.06(1)(a) is amended to read: | |
|----------------------|--|--|
| 2 | ATCP 92.06(1)(a) The national institute of standards and technology handbook 44 | |
| 3 | (specifications, tolerances, and other technical requirements for weighing and measuring | |
| 4 | devices), <u>2004</u> <u>2006</u> edition. | |
| 5 | SECTION 43. ATCP 92.06(1)(b) is amended to read: | |
| 6 | ATCP 92.06(1)(b) The national institute of standards and technology handbook 133 | |
| 7 | (checking the net contents of packaged goods), 2003 2005 edition. | |
| 8 | SECTION 44. ATCP 92.06(2) is amended to read: | |
| 9 | ATCP 92.06(2) PRICE VERIFICATION SYSTEMS. Inspections of price verification systems | |
| 10 | shall comply with section 7 "test procedures" from the chapter titled "Examination procedure for | |
| 11 | price verification," national institute of standards and technology handbook 130 (uniform laws | |
| 12 | and regulation in the areas of legal metrology and engine fuel quality), $\frac{2004}{2006}$ edition. | |
| 13 | SECTION 45. ATCP 92.06(3)(note) is amended to read: | |
| 14 15 16 17 | NOTE: The standards incorporated by reference in subs. (1) and (2) are on file with the department and the revisor of statutes. Copies may be obtained purchased from the U.S. Government Printing Office, Stop SSOP, Washington, D.C. 20402-0001 Superintendent of Documents, P.O. Box 371954, Pittsburgh, PA 15250-754. | |
| 18 | SECTION 46. ATCP 92.08(1) is amended to read: | |
| 19 | ATCP 92.08(1) HIRING. A municipality that has a weights and measures program under | |
| 20 | s. 98.04, Stats., shall hire its inspectors from a list of applicants whose qualifications have been | |
| 21 | certified by the state or local civil service agency under the rules of the agency. A municipality | |
| 22 | may hire or contract with an inspector who is not a permanent civil service employee, provided | |
| 23 | that an open recruitment or bidding process is used to recruit, evaluate or certify the | |
| 24 | qualifications of prospective inspectors | |

| 1 | SECTION 47. ATCP 92.22(1)(b) is amended to read: |
|------------------------|--|
| 2 | ATCP 92.22(1)(b) Comply with applicable requirements contained in the national |
| 3 | institute of standards and technology handbook 44 (specifications, tolerances, and other technical |
| 4 | requirements for weighing and measuring devices), 2004 2006 edition. |
| 5 | SECTION 48. ATCP 92.22(1)(b)(note) is amended to read: |
| 6 7 8 9 10 | NOTE: The national institute of standards and technology handbook 44, 2004 2006 edition, is on file with the department and the revisor of statutes. You may purchase copies of this handbook from the U.S. Government Printing Office, Stop SSOP, Washington, D.C. 20402 0001 Superintendent of Document Sales, P.O. Box 371954, Pittsburgh, PA 15250-7954. |
| 11 | SECTION 49. ATCP 105.07(1)(b)16. is amended to read: |
| 12 | ATCP 105.07(1)(b)16. Salaries, fringe benefits and other remuneration, including |
| 13 | officers' salaries and payroll taxes, except as allocated under subs. (2)(b)13. and (3)(b)1. and 2.a. |
| 14 | If officers or other management personnel receive no remuneration or token remuneration, a |
| 15 | value shall be placed on their services at a rate no lower than the average labor rate paid in |
| 16 | Wisconsin by the "Food and Kindred Products Industry", reported by the Wisconsin department |
| 17 | of workforce development as part of its published earnings and hours data. |
| 18 | SECTION 50. ATCP 111.06 is amended to read: |
| 19 | ATCP 111.06 Interpretation. A seller under this chapter is also a seller under s. ATCP |
| 20 | 110.01(4) 110.01(5) and is subject to ch. ATCP 110 home improvement trade practice rules. In |
| 21 | the event of any conflict between this chapter and ch. ATCP 110, the provisions of ch. ATCP |
| 22 | 111 such that a seller cannot comply with one chapter without violating the other, this chapter |
| 23 | shall prevail. |

- **SECTION 51.** ATCP 113.01(1) is amended to read:
- ATCP 113.01(1) To state or otherwise represent that the gasoline has a specified octane
- 3 value or rating when such value or rating has been determined by a test method other than one
- 4 which is recognized by the American Society for Testing Materials <u>International</u> as standard for
- 5 the industry.

- 6 **SECTION 52.** ATCP 113.01(3) is amended to read:
- ATCP 113.01(3) To use any statement, design or device which may induce prospective
- 8 purchasers to believe that such gasoline is of greater value for motor car use because it contains
- 9 high octane value components without clearly stating the octane value or rating of the total
- product advertised, as determined by a method which is recognized by the American Society for
- 11 Testing Materials <u>International</u> as standard for the industry.
- SECTION 53. ATCP 113.02 is amended to read:
- 13 **ATCP 113.02 Test methods, standards.** The test methods prescribed in s. ATCP
- 14 113.01(1) and (3) are set forth in the book "ASTM Manual for Rating Motor Fuels by Motor and
- Research Methods", published 1956, copies of which are on file at the offices of the state
- department of agriculture, trade and consumer protection, secretary of state and revisor of
- statutes, and which may be obtained from American Society for Testing Materials, 1916 Race
- Street, Philadelphia, Pennsylvania. International, 100 Barr Harbor Dr., P.O. Box C700, West,
- 19 Conshohocken, PA 19428-2959.
- SECTION 54. ATCP 118.02(2) is amended to read:
- ATCP 118.02(2) Rental companies that offer or sell a damage waiver shall provide each
- renter a written notice having the following form and content. The rental company shall provide
- 23 the notice to the renter as part of the rental agreement, or as a separate document, without other

- text or markings, before the renter enters into a rental agreement. <u>If a separate document is used</u>,
- 2 The the rental company shall give the each renter one complete copy of the notice signed by the
- 3 that renter and shall retain one complete signed copy with the company's copy of the rental
- 4 agreement for a period of six years. The rental company may retain its copy in photographic or
- 5 electronic form. A rental company that retains its copy in photographic or electronic form shall
- 6 print that copy for the department upon request. The notice shall:
- 7 (a) Be printed on the face of a single page 8 1/2 by 11 inches in size, with text in 11-point
- 8 type, except that title and headings shall be capitalized and in 13-point type bold face; If a
- 9 separate document is used, it shall be printed on paper 8 1/2 by 11 inches in size.
- 10 (b) Contain the following information in the following format.

NOTICE ABOUT LIABILITY FOR DAMAGE TO THE RENTAL CAR

- 12 The State of Wisconsin requires us to provide the following information about your liability for
- damage to a rental car and the purchase of a damage waiver.

11

23

14 LIABILITY FOR DAMAGE TO THE RENTAL CAR

- 15 The rental agreement makes you and any authorized driver liable for any damage to the rental car
- caused by an accident, or by intentional, reckless or wanton misconduct, or by theft that you may
- have intentionally caused. Total liability for any damage is limited to:
- 1) reasonable repair costs, less discounts available to us, or
- 19 the fair market value of the car, whichever is less, and
- 20 2) actual and reasonable towing costs, and up to two days for storage costs during the
- 21 period before you notify the rental company of the damage to the vehicle or for 14
- days after the damage occurs, whichever period is shorter.

LIABILITY FOR DAMAGE AFTER THE RENTAL CAR HAS BEEN STOLEN

- If a person who drives the rental car without your authorization causes damage to the car, you
- 2 may be liable for the damage as though you or an authorized person was driving the car unless
- 3 you do all of the following:
- 1) Refrain from leaving the ignition key in the car when you are not in the car.
- 5 <u>Always keep the ignition key in your possession.</u>
- 3) <u>Immediately report to the local police if you learn the car has been stolen, or that an</u>
- 7 <u>unauthorized person is driving the car.</u>
 - 4) Cooperate fully with the local police by providing any information you know that
- 9 <u>may be helpful.</u>

10 INSURANCE OR CREDIT CARD COVERAGE

- Liability for any damage may be covered by your personal insurance policy or credit card
- agreement. Check your insurance policy or credit card agreement about coverage.

13 **DAMAGE WAIVER COVERAGE**

- A damage waiver is **not** insurance coverage. If you purchase a damage waiver for ______ per
- day, we will waive our right to hold you or any authorized driver liable for damage. Even if you
- buy a damage waiver, you and any authorized driver will remain liable for damage if any of the
- 17 following apply:
- 1) The damage is caused by you, You cause, or any authorized driver, causes, the
- damage intentionally or by reckless or wanton misconduct.
- 20 2) The damage occurs while you, or any authorized driver, operates the car in this state
- while under the influence of an intoxicant or other drug, as described by the laws of this state.
- 22 3) The damage occurs while you, or any authorized driver, operates the car in another
- state while under the influence of an intoxicant or other drug, as described by the laws of that

1 state.

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

- 2 4) The damage occurs while you, or any authorized driver, is engaged in a race, speed, or endurance contest.
- 5) The damage occurs while you or any authorized driver is using, or has directed another to use, the car in the commission of a misdemeanor, or a felony, as defined by s. 939.60, Stats.
- 7 6) The damage occurs while you <u>are using</u>, or any authorized driver <u>is using</u>, use the car 8 to carry persons or property for hire.
 - 7) The damage occurs while you are using, or any authorized driver is using, the car outside the United States and Canada, unless use outside of these countries is except as permitted under the rental agreement.
 - 8) The damage occurs while the car is operated on a surface not intended for use by private passenger vehicles.
 - 9) You provide us misleading or false information in order to rent the car, which causes us to rent you the car when we would not have otherwise done so, or on terms to which we would not have otherwise agreed.
 - 10) You, or an authorized driver who was operating the car when an accident occurred, fail to promptly report, to us and the police, the accident resulting in damage to the car.
 - 11) The damage is caused by an unauthorized driver if you did not report a theft to the police within 24 hours after you learned the unauthorized driver took possession of the car, did not cooperate with the police in providing information about the theft, or left the ignition key in the car at the time of the theft.

NOTICE OF RIGHT TO INSPECT DAMAGE

- 1 If the car is damaged, we may not collect any amount for the damage unless you, or an
- 2 authorized driver against whom we claim liability, have been promptly notified of your and your
- 3 insurers' right to inspect the unrepaired car within two working days after we were notified of the
- damage. If you request, we must also give you a copies copy of two estimates any estimate we
- 5 have obtained from a repair shops shop regarding any damage claim. Within 2 working days
- 6 after receiving that estimate, you may request a second estimate from a competing repair shop
- 7 and we must give you a copy of the second estimate.

8 **COMPLAINTS**

- 9 If you have any complaints about our attempt to hold you liable for damages or would like a
- copy of the state law that fully sets forth your rights and obligations, contact:
- 11 Wisconsin Consumer Protection Bureau
- 12 P.O. Box 8911, Madison, WI 53708-8911
- 13 608-224-4960 (Madison area) or toll-free 1-800-422-7128
- 14 Date: _____Renter's Signature_____
- 15 **SECTION 55.** ATCP 131.07(2)(a) is amended to read:
- ATCP 131.07(2)(a) That proceeds from the sale of any coupon will be donated to any
- charity, civic or religious group, or other nonprofit organization unless such representation is
- true, and the amount to be donated is disclosed as required by s. 100.18 (4), Stats. in one of the
- 19 following forms:
- 20 1. The minimum amount stated in dollars.
- 2. The minimum percentage of the gross income.
- 3. The minimum percentage of the net income.

- SECTION **56.** ATCP 134.02(1m) is amended to read:
- 2 ATCP 134.02(1m) "Consumer credit report" has the meaning given for "consumer
- 3 report" in 15 USC 1681a(d).
- 4 SECTION 57. ATCP 134.09(2)(c)(note) is amended to read:
- 5 NOTE: The separate written document under par. $\frac{b}{c}$ may be pre-printed.
- 6 **SECTION 58.** ATCP 155.01(1) is amended to read:
- ATCP 155.01(1) "Contractor" has the meaning specified means a vegetable contractor as
- 8 <u>defined</u> in s. 100.03 (1)(f) 126.55 (14), Stats.
- 9 **SECTION 59.** ATCP 155.01(1)(note) is repealed.
- SECTION **60.** ATCP155.01(3) is amended to read:
- 11 ATCP 155.01(3) "Procurement contract" has the meaning specified means a vegetable
- 12 procurement contract as defined in s. 100.03 (1) (vm) 126.55 (15), Stats.
- 13 **SECTION 61.** ATCP 155.01(3)(note) is repealed.
- 14 **SECTION 62.** ATCP 155.01(4) is amended to read:
- 15 ATCP 155.01(4) "Producer" has the meaning specified means a vegetable producer as
- 16 <u>defined</u> in s. $\frac{100.03(1)(w)}{126.55(16)}$, Stats.
- 17 **SECTION 63.** ATCP 155.01(4)(note) is repealed.
- SECTION **64.** ch. ATCP 158 is repealed.

| 1 | EFFECTIVE DATE AND INITIAL APPLICATION | CABILITY: This rule takes effect on the first day of |
|---|--|---|
| 2 | the month following publication in the Wisco | nsin administrative register, as provided under s. |
| 3 | 227.22 (2) (intro), Stats. | |
| | | |
| | Dated this day of | |
| | | STATE OF WISCONSIN |
| | | DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION |
| | | ByRodney J. Nilsestuen, Secretary |