

STATE OF WISCONSIN
Department of Safety and Professional Services

IN THE MATTER OF RULEMAKING PROCEEDINGS BEFORE THE
DEPARTMENT OF SAFETY AND PROFESSIONAL SERVICES

PROPOSED ORDER OF THE DEPARTMENT OF SAFETY AND PROFESSIONAL SERVICES
ADOPTING RULES
(CLEARINGHOUSE RULE)

PROPOSED ORDER

An order of the department of safety and professional services **to repeal** SPS 381.01 (71) (Note) and (92) (Note) and (111) (Note) and (114) (Note) and (194) (Note) and (215) (Note), 383.21 (4) (Note), 383.22 (2) (b) 2. (Note), 383.44 (4) (a) 1. f., Table 383.44-1, 384.03, 384.10 (3) (e) 2. b., 384.30 (4) (Note), 387.03 (1) to (4) and (6) and (7) (b) (Note) and (7m) and (8) and (10), 387.20 (2) (Note), 387.30 (2) (Note) and (4), 387.31(3) (Note), 387.80 (6) (Note), and 391.03 (1) (Note) and (4) (Note) and (8) (Note); **to renumber** SPS 384.10 (2) (b) **to renumber and amend** SPS 384.10 (3) (e) 2. a., and 384.30 (6) (j); **to amend** SPS 381.01 (194), 381.20 (2) (a) and (b) and (c) and (3) (intro.) and (Note), Table 381.20-11, 383.21 (2) (a) (Note) and (b) 2. (Note) and (c) 3., 383.21 (8) (intro.) and (a), 383.02 (1) (c) (Note) [3], 383.20 (1) (b) and (Note), 383.22 (1) (a) and (2) (a) 3. and (b) 1. and a. (Note) and 2. and (c) 1. and (3) (b) 1. and 2. and (c) and (7) (a), 383.25 (2) (b) (intro.) and 1. and (c) 1. and a. and 2. and a. and (d) 3., 383.44 (6) (a) 2., 383.45 (2) and (6) (b), 383.54 (2) (a) and (e) 2. (Note), Table A-383.43-1, 384.10 (intro.) and (2) (a) 2. and (a) and (c) and (d) and (3) (title) and (c) and (d) and 1. and 2. and (e) 1. and (f) 1. and (g), 384.20 (5) (s), 384.25 (12), 384.30 (4), 385.40 (2) (b) 1. a., 385.60 (2) (a), 387.03 (9) (a), 387.30 (5) (c) and (Note), 387.40 (3) (a) 2. (Note) [2], 387.71 (5), 387.90 (2) (Note), 391.10 (4) (a), 391.11 (4) (a) (Note), 391.14 (1) (b), and 391.20 (1) and (2) and (3) (intro.); **to repeal and recreate** SPS 383.21 (2) (c) 7. (Note) and (8) (b) (intro.) and 1. and 2., 384.10 (3) (e) 2. a. (Note), and Tables 387.30-1 to 6, and 391.20 (3) (a) and (b); **to create** SPS 381.01 (13m) and (93m) and (154r) and (183), 383.21 (2) (c) 2. (Note), 383.22 (2) (d) (Note), 383.44 (2) (d), 383.45 (7), 384.10 (2) (b) 2. and (3) (c) 12. and (d) 2. h. and i., 384.30 (6) (j) 1. to 3., and 385.40 (2) (b) 2. (Note), relating to Private Onsite Wastewater Treatment Systems and the Wisconsin Fund.

Analysis prepared by the Department of Safety and Professional Services.

ANALYSIS

Statutes interpreted: s. 145.20, Stats.

Statutory authority: Sections 145.02, 145.23, and 145.245 (7), Stats.

Explanation of agency authority:

Section 145.02, Stats. - Provides the department with general authority to establish standards and rules to ensure that buildings and facilities in the state shall be safe, sanitary and safeguard the public health.

Section 145.23, Stats. - Authorizes the department to make and enforce rules relating to lot size and lot elevation necessary for proper sanitary conditions in the development and maintenance of subdivisions not served by a public sewer, where provision for such service has not been made.

Section 145.245 (7), Stats. - The department shall prepare and publish private on-site wastewater treatment system grant funding tables which specify the maximum state share limitation for various components and costs involved in the rehabilitation or replacement of a private on-site wastewater treatment system based upon minimum size and other requirements specified in the state plumbing code promulgated under s. 145.02, Stats. The maximum state share limitations shall be designed to pay approximately 60 percent of the average allowable cost of private on-site wastewater treatment system rehabilitation or replacement based upon estimated or actual costs of that rehabilitation or replacement. The department shall revise the grant funding tables when it determines that 60 percent of current costs of private on-site wastewater treatment system rehabilitation or replacement exceed the amounts in the grant funding tables by more than 10 percent, except that the department may not revise the grant funding tables more often than once every 2 years.

Related statute or rule: Not applicable.

Plain language analysis: The objective of this rule revision was to review and update administrative rules, SPS 381 to 387 and 391, related to private onsite wastewater treatment systems (POWTS) and the POWTS replacement and rehabilitation financial assistant fund, otherwise known as the Wisconsin Fund. These administrative rules were last reviewed in their entirety in April 2000. The rule was reviewed to identify and update outdated provisions, to improve language clarity and to update references and notes as needed.

This rule revision also updates funding tables for the Wisconsin Fund. The Wisconsin Fund is a program that provides grants to offset a portion of the cost for the repair, rehabilitation of existing or failing POWTS. Sixty-seven counties, the City of Franklin, and the Oneida Tribe of Wisconsin participate in the program. The department is required under s. 145.245 (7) (c), Stats., to review and update funding tables for the Wisconsin Fund if it is determined that 60 percent of costs for rehabilitating or replacing private sewage systems exceeds the amounts in the grant funding tables by more than 10 percent. The funding tables were last revised in February 1999.

The proposed rule does the following:

- SPS 381.01 (13m), (93m), and (154r) create definitions for an “at-risk” POWTS; “Fats, Oil, and Grease” or “FOG”; “Moh’s Scale of Hardness”, and “POWTS component manual”.
- SPS 381.01 (111) (Note) updates the definition for “governmental unit” in accordance with s. 145.01 (5), Stats., and 2013 Act 124.
- Table SPS 381.20-11 is updated to include more recent editions of POWTS-related standards.
- Creates notes throughout the rule clarifying that nothing in the chapter prohibits the submission and acceptance of planning documents in an electronic or digital media. To further facilitate the submission of planning documents electronically, SPS 385.40 (2) (b) 1. a. is revised to remove the requirement that an original signature is needed on soil evaluation reports.
- SPS 383.44 (2) (d) allows the department to require facilities determined to be “at-risk” to submit additional testing data to the department and local governmental unit within one year of installation of the POWTS component to determine whether the facility is producing influent in excess of the

quantities specified. If the facility exceeds the specified parameters, then the owner will be required to reduce wastewater strength in accordance with the facility's management plan.

- Revisions within s. SPS 383.44 remove references to percolation rates. Previously, percolation testing was used to determine the suitability of soil for a POWTS. Since this approach is no longer used, the rule removes these outdated references to percolation rates.
- SPS 383.44 (6) (a) 2. allows systems to be constructed *within 1 percent* of the surface contour. This rule revision clarifies requirements to provide a basis for more consistent interpretation of the rule.
- SPS 383.45 (2) revises the installation requirement relating to frozen soil to include *below* the infiltrative surface of the component.
- SPS 383.45 (6) (b) removes the requirement for observation pipes to terminate at least 2 feet above regional flood levels when located in floodplain areas.
- SPS 383.45 (7) requires the top of effluent lines and forcemains to be covered by *a minimum of 12 inches* of soil to prevent freezing and provide protection from damage.
- Amends the Table A383.43-1 in SPS 383 Appendix and updates the footnotes regarding public facility wastewater flows.
- SPS 384.10 (2) (b) 2. creates a provision that allows the Department to consult with outside experts to review submittals for products.
- SPS 384.10 (3) (d) 1. clarifies that the Department shall seek input from the technical advisory committee to review *initial* applications of POWTS component manuals.
- SPS 384.10 (3) (d) 2. revises the composition of the technical advisory committee.
- SPS 384.10 (3) (e) 1. Clarifies that the Department shall seek public comments for *new* submittals under this section.
- SPS 384.10 (3) (e) 2. modernizes and clarifies the process for soliciting public input on POWTS component manuals and clarifies that public comment will be solicited *for a minimum of 14 days*. The proposed rule removes the requirement that solicitations for public comment be published in the official state newspaper and allows the department to post notices for seeking public comment on the department's website. This change will decrease associated costs and provide the public with improved access to information about POWTS components.
- SPS 384.30 (6) (j) clarifies the standards for sand used as a treatment medium.

SPS 385.60 (2) is revised to adequately reflect the current use of Interpretative Determination Reports (IDR).

- The rule revises the format and updates the financial tables (Tables 387.30-1 to 387.30-6) used for the Wisconsin Fund.
- Additional revisions were made throughout the rule to update the references to adopted standards and improve clarity, style, and format.

Summary of, and comparison with, existing or proposed federal regulation:

Under 7 CFR 1924.107, utilities, all development under this subpart must have adequate, economic, safe, energy efficient, dependable utilities with sufficient easements for installation and maintenance. (Utilities include POWTS.)

Under 40 CFR 35.918, individual systems and the requirements for discharge of effluents, the U.S. EPA has the authority to prescribe requirements for individual on-site wastewater treatment systems, as well as the provisions of financial assistance. In addition, best practicable waste treatment criteria published by EPA under section 304 (d) (2) of this Act shall be met for disposal of effluent on or into the soil from individual POWTS systems.

Under 40 CFR, subch. B, part 31, this rule establishes uniform criteria for POWTS where financial assistance is available on the state and local levels.

Comparison with rules in adjacent states:

Illinois: The Illinois Department of Public Health (IDPH) regulates the installation of all private sewage disposal systems that have no surface discharge. There are approximately 90 local health agencies in Illinois that review plans, either by authority of a local ordinance or as an *agent* of the Department. IDPH also licenses or certifies Private Sewage Disposal Installation Contractors, Private Sewage Disposal Pumping Contractors, Portable Sanitation Businesses, Portable Sanitation Technicians and Portable Sanitation Technician Trainees. Effective January 1, 2014, the State of Illinois enacted new changes to the Private Sewage Disposal Code. The new changes included new approval, inspection, maintenance, and record-keeping requirements. No state funding program or mechanism exists in Illinois to assist homeowners replacing failing systems or installing new systems.

Iowa: Requirements relating to the design, location, installation, use and maintenance of installation private sewage systems can be found in Chapters 64 and 69 of the Iowa Administrative Code. IAC 567-Chapter 69, Private Sewage Disposal Systems of the Iowa Department of Natural Resources, regulates domestic wastewater from 4 homes or less or non-residential wastewater with a flow of less than 1,500 gallons per day. Private sewer systems are regulated by local boards of health in conjunction with the Iowa Department of Natural Resources. The DNR standards are primarily a prescriptive code giving design criteria for each alternative type of secondary treatment system permitted. Counties have the authority to allow alternative or innovative performance based systems and are required to enter basic information about the systems into the state onsite wastewater database system. An estimated 100,000 septic systems in Iowa are at substandard levels. Funding assistance is available to individuals to replace inadequate onsite sewer systems.

Michigan: Michigan is the only state in the nation without uniform standards governing how on-site sewage treatment systems are designed, built, installed, and maintained. Eleven counties exercise some oversight of septics, including regular inspections, but they are unregulated in the remaining 72 counties. Michigan also does not have a statewide licensing/certification program for individual onsite wastewater systems. Standardized criteria is used by the Michigan Department of Environmental Quality and by 44 local health departments, which develop their own local rules to regulate single- and two-family systems. Reports conservatively estimate that nearly 10 percent of the state's septic systems – about 130,000 systems – are failing. There is no funding assistance program available to homeowners replacing failing systems or installing new systems.

Minnesota: Onsite wastewater regulations are split between one or more agencies in Minnesota. Statute, Chapter 115, relating to water pollution control and sanitary districts, establishes rules for "Individual and Alternative Discharging Sewage Treatment Systems." The rules require counties to adopt local ordinances

containing minimum standards and criteria for the design, location, installation, use, maintenance, and closure of subsurface sewage treatment systems (SSTS). These regulations detail: Minimum technical standards for individual and mid-size SSTS (Chapter 7080 and 7081); A framework for local administration of SSTS programs (Chapter 7082) and; Statewide licensing and certification of SSTS professionals, SSTS product review and registration, and establishment of the SSTS Advisory Committee (Chapter 7083). The Minnesota Pollution Control Agency (MPCA) administers MN Rule 7080, the statewide rule regarding onsite sewage treatment systems and licensing program for onsite professionals. In 2004, 39 percent of all Minnesota septic systems were failing. In 2015, the legislature passed regulations requiring permits and regular inspections to be conducted once every three years for existing systems. Permit fees cover the program costs. A funding program is available to assist low-income homeowners to replace failing systems or install new systems.

Summary of factual data and analytical methodologies:

The department established an advisory committee to comprehensively review administrative rules related to POWTS. The committee members represent stakeholders involved in the private sewage system industry including designers, contractors, regulators, academics, and manufacturers. The committee met periodically from November 2015 to March 2017 to review rule provisions and best practice standards and to make recommendations for revising the department's rules relating to POWTS.

The department solicited financial information from private onsite wastewater treatment system installers and used financial information collected as part of the replacement and rehabilitation program to estimate the maximum state share of support for rehabilitation or replacement of private onsite wastewater treatments as authorized under s. 145.245, Stats.

Analysis and supporting documents used to determine effect on small business or in preparation of economic impact analysis:

The proposed rules were posted for a period of 14 days to solicit public comment on economic impact, including how the proposed rules may affect small businesses, local government units, and individuals.

Fiscal Estimate and Economic Impact Analysis:

The Fiscal Estimate and Economic Impact Analysis document is attached.

Effect on small business:

These proposed rules do not have an economic impact on small businesses, as defined in s. 227.114 (1), Stats. The Department's Regulatory Review Coordinator may be contacted by email at Kirsten.Reader@wisconsin.gov, or by calling (608) 267-2435.

Agency contact person:

Mindy Allen, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, P.O. Box 8366, Madison, Wisconsin 53708; telephone 608-261-2112; email at DSPSAdminRules@wisconsin.gov.

Place where comments are to be submitted and deadline for submission:

Comments may be submitted to Mindy Allen, Administrative Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 1400 East Washington Avenue, Room 151, P.O.

Box 8366, Madison, WI 53708-8366, or by email to DSPSAdminRules@wisconsin.gov. Comments must be received before 11:00 a.m. on October 17, 2017, to be included in the record of rule-making proceedings.

[See PDF for correct formatting]

TEXT OF RULE

SECTION 1. SPS 381.01 (13m) is created to read:

SPS 381.01 (13m) “At-risk” means a POWTS serving a new public or commercial facility that may produce influent to a POWTS treatment or dispersal component, consisting in part of in situ soil in excess of the quantities specified in s. SPS 383.44 (2). This definition does not include existing facilities where the influent has been tested and determined to produce influent below the quantities specified in s. SPS 383.44 (2) or facilities that are known to produce influent exceeding the influent quantities.

SECTION 2. SPS 381.01 (71) (Note) and (92) (Note) are repealed.

SECTION 3. SPS 381.01 (93m) is created to read:

SPS 381.01 (93m) “Fats, oil, and grease” and “FOG” mean organic polar compounds derived from vegetable, plant, or animal sources that are composed of long chain triglycerides that are insoluble in water. Fats are generally solid particles, oils are usually liquid at room temperature, and grease is usually solid at room temperature.

SECTION 4. SPS 381.01 (111) (Note) and (114) (Note) are repealed.

SECTION 5. SPS 381.01 (154r) and (183) are created to read:

SPS 381.01 (154r) “Moh’s scale of hardness” means a test for a mineral’s hardness based on a mineral’s resistance to visible scratching by another mineral. The scale classifies a mineral from 1 to 10, with the softest mineral having a value of 1 and the hardest mineral having a value of 10.

(183) “POWTS component manual” means a plan document, submitted by an applicant to the department for review and approval, that contains proposed methods and technologies for POWTS components and includes the required information as specified in s. SPS 384.10 (3) (c).

SECTION 6. SPS 381.01 (194) is amended to read:

SPS 381.01 (194) “Private onsite wastewater treatment system” has the meaning given for ~~private sewage system~~ under s. 145.01 (12), Stats.

SECTION 7. SPS 381.01 (194) (Note) and (215) (Note) are repealed.

SECTION 8. SPS 381.20 (2) (a), (b), (c), and (3) (intro.) and (Note) are amended to read:

SPS 381.20 (2) (a) Alternate standards that are equivalent to or more stringent than the standards referenced in ~~this code~~ chs. SPS 381 to 387 may be used in lieu of the referenced standards when approved by the department or if written approval is issued by the department in accordance with par. (b).

(b) Determination of approval shall be based on an analysis of the alternate standard and the standard referenced in ~~this code~~ chs. SPS 381 to 387, prepared by a qualified independent third party or the organization that published the standard contained in ~~this code~~ chs. SPS 381 to 387.

(c) The department may include specific conditions in issuing an approval, including an expiration date for the approval. Violations of the conditions under which an approval is issued shall constitute a violation of ~~this code~~ chs. SPS 381 to 387.

(3) (intro.) ADOPTION OF STANDARDS. The standards referenced in Tables 381.20-1 to 381.20-13 are hereby incorporated by reference into this chapter.

Note: The tables in this section provide a comprehensive listing of all of the standards adopted by reference in ~~this code~~ chs. SPS 381 to 387. For requirements or limitations in how these standards are to be applied, refer to the code section that requires compliance with the standard.

SECTION 9. Table SPS 381.20-11 is amended to read:

| Table 381.20-11 | |
|---|--|
| NSF | NSF <i>International</i> International 789 N. Dixboro Road P.O. Box 130140 Ann Arbor, Michigan 48113-0140 48105 Phone: (800) 673-6275 Web page Website: www.nsf.org |
| Standard Reference Number | Title |
| 1. Standard 14-2007 | Plastic Piping System Components and Related Materials |
| 2. Standard 40-2005 <u>40-2013</u> | Residential Wastewater Treatment Systems |
| 3. Standard 41-2005 <u>41-2016</u> | Non-liquid Saturated Treatment Systems |
| 3m. Standard 41-2005 Addendum 1 | Non-liquid Saturated Treatment Systems |
| 4. Standard 44-2004 | Residential Cation Exchange Water Softeners |
| 5. Standard 51-2007 | Food Equipment Materials |
| 6. Standard 61-2012 | Drinking Water System Components — Health Effects |
| 7. Standard 372-2011 | Drinking Water System Components — Lead Content |

SECTION 10. SPS 383.02 (1) (c) (Note) [3] is amended to read:

SPS 383.02 (1) (c) (Note) [3] Note: Pursuant to s. 281.17 (5), Stats., the department of natural resources may also restrict or specify the type of wastewater treatment necessary. ~~Section 281.17 (5) reads: The department [department of natural resources] may prohibit the installation or use of septic tanks in any area of the state where the department finds that the use of septic tanks would impair water quality. The department shall prescribe alternate methods for waste treatment and disposal in such prohibited areas.~~

SECTION 11. SPS 383.20 (1) (b) and (Note) are amended to read:

SPS 383.20 (1) (b) Responsibilities and actions of the various governmental agencies involved with the administration and enforcement of this chapter.

Note: Section 145.20 (1) (a), Stats., states that the governing body of the governmental unit responsible for the regulation of private sewage onsite wastewater treatment systems may assign the duties of administering the private sewage onsite wastewater treatment system program to any office, department, committee, board, commission, position or employee of that governmental unit.

SECTION 12. SPS 383.21 (2) (a) (Note) and (b) 2. (Note) are amended to read:

SPS 383.21 (2) (a) (Note) Note: The Department forms required in this chapter are available for a nominal fee at telephone 800-DOC-SALE or 411 (Telecommunications Relay) or at ~~doesales@doa.state.wi.us, or at no charge at the Department's Web site~~ website at <http://dps.wi.gov> ~~dsps.wi.gov/Programs/Industry-Services/Industry-Services-Programs~~ through links to Division of Industry Services forms.

(b) 2. (Note) **Note:** Section 145.20 (2) (b), Stats., states that the governmental unit responsible for regulation of private sewage onsite wastewater treatment systems shall approve or disapprove applications for sanitary permits and assist applicants in preparing an approvable application.

SECTION 13. SPS 383.21 (2) (c) 2. (Note) is created to read:

SPS 383.21 (2) (c) 2. (Note) Note: Nothing in this chapter is intended to prohibit the submission and acceptance of planning documents in an electronic or digital media.

SECTION 14. SPS 382.21 (2) (c) 3. is amended to read:

SPS 382.21 (2) (c) 3. Sufficient supporting information to determine whether the proposed design, installation, and management of the POWTS or the proposed modification to an existing POWTS conforms with this chapter.

SECTION 15. SPS 383.21 (2) (c) 7. (Note) is repealed and recreated to read:

SPS 383.21 (2) (c) 7. (Note) Note: See s. 145.19 (2) to (6), Stats., for more information relative to fees.

SECTION 16. SPS 383.21 (4) (Note) is repealed.

SECTION 17. SPS 383.21 (8) (intro.) and (a) are amended to read:

SPS 383.21 (8) (intro.) POSTING. When a sanitary permit is obtained under sub. (2), the sanitary permit shall comply with all of the following:

(a) ~~Be~~ The sanitary permit shall be posted in such a location and manner on the proposed site where the POWTS is to be installed or modified so that the information on the permit is visible for inspection; and

SECTION 18. SPS 383.21 (8) (b) (intro.), 1., and 2. are repealed and recreated to read:

SPS 383.21 (8) (b) The sanitary permit shall be posted until a POWTS installation or modification is completed and an opportunity for a final inspection occurs in accordance with s. SPS 383.26.

SECTION 19. SPS 383.22 (1) (a), (2) (a) 3., (b) 1., a. (Note), and 2. are amended to read:

SPS 383.21 (1) (a) Plans shall be submitted to the department, a designated agent, or the governmental unit in accordance with this section for all of the following types of installations or modifications:

(2) (a) 3. Plans and specifications submitted for review shall be clear, legible, and permanent copies.

(b) 1. All plans submitted for review shall be accompanied by sufficient data and information to determine if the proposed POWTS or modification of an existing POWTS and their performance will conform with chs. SPS 382 to 384 including, ~~but not limited to~~ all of the following:

a. (Note) **Note:** The Department forms required in this chapter are available ~~for a nominal fee at telephone 800-DOC-SALE or 411 (Telecommunications Relay) or at doesales@doa.state.wi.us, or at no charge at the Department's Web site website at <http://dsps.wi.gov> through links to Division of Industry Services forms dsps.wi.gov/Programs/Industry-Services/Industry-Services-Programs.~~

2. In addition to the information required under subd. 1., plans for one or more holding tanks serving a large commercial, industrial, recreational, or residential development with an estimated daily wastewater flow of 3,000 gallons or more shall include information pursuant to s. NR 113.07 (1) (e).

SECTION 20. SPS 383.22 (2) (b) 2. (Note) is repealed.

SECTION 21. SPS 383.22 (2) (c) 1. is amended to read:

SPS 383.22 (2) (c) 1. Signed and sealed in accordance with s. A-E 2.02 by an individual who is registered by the department as an architect, engineer, designer of plumbing systems, or designer of private sewage onsite wastewater treatment systems.

SECTION 22. SPS 383.22 (2) (d) (Note) is created to read:

SPS 383.22 (2) (d) (Note) Note: Nothing in this chapter is intended to prohibit the submission and acceptance of planning documents in an electronic or digital media.

SECTION 23. SPS 383.22 (3) (b) 1., 2., (c), and (7) (a) are amended to read:

SPS 383.22 (3) (b) Conditional approval. 1. If, upon review, the applicable reviewing agency determines that the plans conform to ~~this chapter and~~ chs. SPS 382 ~~and to~~ 384, a conditional approval shall be granted in writing.

2. All conditions indicating nonconformance to ~~this chapter and~~ chs. SPS 382 ~~and to~~ 384 shall be corrected before or during installation.

(c) *Denial of approval.* If, upon review, the applicable reviewing agency determines that the plans do not conform to ~~this chapter and~~ chs. SPS 382 ~~and to~~ 384, the request for conditional approval shall be denied in writing.

(7) (a) When plans are required to be approved by the department, designated agent, or governmental unit under sub. (1), the plumber responsible for the installation of a POWTS or the modification of an existing POWTS shall keep at the construction site at least one set of plans bearing evidence of approval by the department, designated agent, or governmental unit and at least one copy of specifications.

SECTION 24. SPS 383.25 (2) (b) (intro.) and 1., (c) 1., a., 2. and a., and (d) 3. are amended to read:

SPS 383.25 (2) (b) (intro.) *New construction.* A municipality may not issue a building permit to commence construction or installation of a structure that necessitates the use of a POWTS to serve the structure; unless the following conditions apply:

1. The owner of the property possesses a sanitary permit for the installation of a POWTS in accordance with s. SPS 383.21~~;~~~~or~~.

(c) 1. A municipality may not issue a building permit to commence construction of any addition or alteration to an existing structure when the proposed construction will modify the design wastewater flow or contaminant load, or both, to an existing POWTS, unless the owner of the property complies with at least one of the following:

a. Possesses a sanitary permit to either modify the existing POWTS or construct a POWTS to accommodate the modification in wastewater flow or contaminant load, or both~~;~~~~or~~.

2. For the purpose of this paragraph, a modification in wastewater flow or contaminant load shall be considered to occur for both of the following:

a. For commercial facilities, public buildings, and places of employment, when there is a proposed change in occupancy of the structure; or the proposed modification affects either the type or number of plumbing appliances, fixtures or devices discharging to the system~~;~~~~and~~.

(d) 3. A written investigative report prepared by an architect, engineer, designer of plumbing systems, designer of private ~~sewage onsite wastewater treatment~~ systems, master plumber, master plumber-restricted service or certified POWTS inspector analyzing the proposed modification and the performance capabilities of the existing POWTS.

SECTION 25. SPS 383.44 (2) (d) is created to read:

SPS 383.44 (2) (d) The department may designate a new facility as “at-risk” if the department determines that the facility may generate waste with influent quality in excess of the parameters under par. (a). A facility designated as “at-risk” shall submit additional testing data as specified in par. (b) to the department and the governmental unit within one year of installation of the POWTS components. A facility that continues to produce influent with parameters above the limits in par. (a) or the approved design shall reduce wastewater strength according to the facility’s management plan required under s. SPS 383.54 (1).

SECTION 26. SPS 383.44 (4) (a) 1. f. and Table 383.44-1 are repealed.

SECTION 27. SPS 383.44 (6) (a) 2. is amended to read:

SPS 383.44 (6) (a) 2. The longest dimension of a POWTS treatment or dispersal component ~~consisting in part of in situ soil~~ located at or above the original grade shall be oriented ~~along~~ within 1 percent of the surface contour of the component site location unless otherwise approved by the department.

SECTION 28. SPS 383.45 (2) and (6) (b) are amended to read:

SPS 383.45 (2) FROZEN SOIL. POWTS treatment and dispersal components consisting in part of in situ soil may not be installed if the soil is frozen at or below the infiltrative surface of the component.

(6) (b) Vent pipes and observation pipes serving POWTS components that are located in floodplain areas shall terminate at least 2 feet above regional flood levels.

SECTION 29. SPS 383.45 (7) is created to read:

SPS 383.45 (7) MINIMUM DEPTH. The top of the effluent lines and forcemains shall be covered by a minimum of 12 inches of soil.

SECTION 30. SPS 383.54 (2) (a) and (e) 2. (Note) are amended to read:

SPS 383.54 (2) (a) General. The management plan specified in sub. (1) shall include the procedures for metering or monitoring of POWTS influent or effluent as specified in this subsection.

(e) 2. (Note) **Note:** Acceptable sampling procedures include those contained in the following sources:

“Procedures Manual for Ground Water Monitoring at Solid Waste Disposal Sites Facilities,” EPA SW-611, Office of Water and Waste Management, U. S. Environmental Protection Agency, December 1980, Washington, D. C.

“Techniques of Water Resources Investigations of the United States Geological Survey, Guidelines for Collection and Field Analysis of Ground Water Samples for Selected Unstable Constituents,” Book I, Chapter D2, U.S. Geological Survey, Washington, D. C.

“Procedures for the Collection of Representative Water Quality Data from Monitoring Wells,” Cooperative Groundwater Report 7, Illinois State Water Survey, 1981, Champaign, Illinois.

“Manual of Ground Water Sampling Procedures,” NWWA/EPA Series, Robert S. Kerr Environmental Research Laboratory, 1981, Ada, Oklahoma.

“Groundwater Sampling ~~Procedures~~ Guidelines Desk Reference – Parts 1 and 2,” Wisconsin DNR, ~~PUBL-WR-153~~ PUBL-DG-037 96, ~~February 1987~~ September 1996.

“Groundwater Sampling ~~Procedures~~ Field Manual,” Wisconsin DNR, ~~PUBL-WR-168~~ PUBL-DG-038 96, ~~September 1987~~ 1996.

SECTION 31. SPS 383 Appendix Table A-383.43-1 is amended to read:

**Table A-383.43-1
Public Facility Wastewater Flows**

| Source | Unit | Estimated Wastewater Flow (gpd) |
|---|----------------------------|---------------------------------|
| Apartment or condominium | Bedroom | 100 |
| Assembly hall (no kitchen) | Person (10 sq. ft./person) | 1.3 |
| Bar or cocktail lounge (no meals served) ^a | Patron (10 sq. ft./patron) | 4 |
| Bar or cocktail lounge ^a (w/meals – all paper service) ^a | Patron (10 sq. ft./patron) | 8 |
| Beauty salon | Station | 90 |
| Bowling alley | Bowling lane | 80 |

| | | |
|--|--|---------------|
| Bowling alley ^a (with bar) | Bowling lane | 150 |
| Camp, day and night | Person | 25 |
| Camp, day use only (no meals served) | Person | 10 |
| Campground or camping resort | Space, with sewer connection and/or service building | 30 |
| Campground sanitary dump station ^a | Camping unit or RV served | 25 |
| Catch basin | Basin | 65 |
| Church (no kitchen) | Person | 2 |
| Church ^{a, b} (with kitchen) | Person | 5 |
| Dance hall | Person (10 sq. ft./person) | 2 |
| Day care facility (no meals prepared) | Child | 12 |
| Day care facility ^{a, b} (with meal preparation) | Child | 16 |
| Dining hall ^a (kitchen waste only without dishwasher and/or food waste grinder) | Meal served | 2 |
| Dining hall ^a (toilet and kitchen waste without dishwasher and/or food waste grinder) | Meal served | 5 |
| Dining hall ^a (toilet and kitchen waste with dishwasher and/or food waste grinder) | Meal served | 7 |
| Drive-in restaurant ^a (all paper service with inside seating) | Patron seating space | 10 |
| Drive-in restaurant ^a (all paper service without inside seating) | Vehicle space | 10 |
| Drive-in theater | Vehicle space | 3 |
| Employees (total all shifts) | Employee | 13 |
| Floor drain (not discharging to catch basin) | Drain | 25 |
| Gas station / convenience store ^b | Patron | 3 |
| Gas station (with service bay) | | |
| — Patron | Patron | 3 |
| — Service bay | Service bay | 50 |
| Hospital ^a | Bed space | 135 |
| Hotel, motel, or tourist rooming house | Room | 65 |
| Manufactured home (served by its own POWTS) | Bedroom | 100 |
| Manufactured home community | Manufactured home site | 200 |
| Medical office building ^b | | |
| Doctors, nurses, medical staff | Person | 50 |
| Office personnel | Person | 13 |
| Patients | Person | 6.5 |
| Migrant labor camp (central bathhouse) | Employee | 20 |
| Nursing, rest home, community-based residential facility ^{a, b} | Bed space | 65 |
| Outdoor sport facilities (toilet waste only) | Patron | 3.5 |
| Parks (toilets waste only) | Patron (75 patrons/acre) | 3.5 |
| Parks (toilets and showers) | Patron (75 patrons/acre) | 6.5 |
| Public shower facility | Shower taken | 10 |
| Restaurant ^a , 24-hr. (dishwasher and/or food waste grinder only) | Patron seating space | 4 |
| Restaurant ^a , 24-hr. (kitchen waste only) | Patron seating space | 12 |

| | | |
|--|---|-----|
| without dishwasher and/or food waste grinder) | | |
| Restaurant, 24-hr. (toilet waste) | Patron seating space | 28 |
| Restaurant ^a , 24-hr. (toilet and kitchen waste without dishwasher and/or food waste grinder) | Patron seating space | 40 |
| Restaurant ^a , 24-hr. (toilet and kitchen waste with dishwasher and/or food waste grinder) | Patron seating space | 44 |
| Restaurant ^a (dishwasher and/or food waste grinder only) | Patron seating space | 2 |
| Restaurant ^a (kitchen waste only without dishwasher and/or food waste grinder) | Patron seating space | 6 |
| Restaurant (toilet waste) | Patron seating space | 14 |
| Restaurant ^a (toilet and kitchen waste without dishwasher and/or food waste grinder) | Patron seating space | 20 |
| Restaurant ^a (toilet and kitchen waste with dishwasher and/or food waste grinder) | Patron seating space | 22 |
| Retail store (no food preparation) | Patron (70% of total retail area / 30 sq. ft. per patron) | 1 |
| School ^a (with meals and showers) | Classroom (25 students/classroom) | 500 |
| School ^a (with meals or showers) | Classroom (25 students/classroom) | 400 |
| School (without meals or showers) | Classroom (25 students/classroom) | 300 |
| Self-service laundry ^e (toilet waste only) | Clothes washer | 33 |
| Self-service laundry ^e (with only residential clothes washers) | Clothes washer | 400 |
| Swimming pool bathhouse | Patron | 6.5 |

^a ~~May be high in Biochemical Oxygen Demand and biological oxygen demand (BOD), and total suspended solids (TSS), or Fats, Oils or Grease fats, oils, and grease (FOG).~~

^b ~~May be high in medication and personal care products. At-risk system (potentially high in biochemical oxygen demand (BOD), total suspended solids (TSS), or fats, oils, and grease (FOG)).~~

^e ~~May contain a high level of lint.~~

SECTION 32. SPS 384.03 is repealed.

SECTION 33. SPS 384.10 (intro.) and (2) (a) 2. are amended to read:

SPS 384.10 (intro.) No fixture, appliance, appurtenance, material, device or product may be sold for use in a plumbing system or may be installed in a plumbing system, unless it is of a type conforming to the standards or specifications of chs. SPS 382 ~~and 383 and this chapter~~ to 384 and ch. 145, Stats.

(2) (a) 2. Specifications and plans or drawings for each type of product shall be submitted to the department for review. The submittal shall be accompanied by sufficient data and information to determine if the product and its performance comply with the provisions of chs. SPS 382, ~~383 and this chapter~~ to 384 and ch. 145, Stats.

SECTION 34. SPS 384.10 (2) (b) is renumbered to SPS 384.10 (2) (b) 1.

SECTION 35. SPS 384.10 (2) (b) 2. is created to read:

SPS 384.10 (2) (b) 2. The department may consult with experts outside of the department for guidance in the review of submittals under this subsection.

SECTION 36. SPS 384.10 (2) (c) and (d) and (3) (title) and (a) and (c) and (d) are amended to read:

SPS 384.10 (2) (c) If, upon review, the department determines that a product conforms to the provisions of chs. SPS 382, ~~383 and this chapter to 384~~ and ch. 145, Stats., the department shall issue an approval in writing. The department may impose specific conditions in granting an approval. Violations of the conditions under which an approval is granted shall constitute a violation of this chapter.

(d) If, upon review, the department determines that a product does not conform to provisions of chs. SPS 382, ~~383 and this chapter to 384~~ and ch. 145, Stats., the request for approval shall be denied in writing.

(3) (title) VOLUNTARY POWTS COMPONENT MANUAL REVIEW.

(a) The department may issue an approval, upon request and review, for specific methods or technologies that are proposed to be utilized as POWTS holding, treatment or dispersal components which conform to the standards or specifications referenced in chs. SPS 381, ~~382 and 383, and this chapter to 384~~, but do not require approval under sub. (2) or s. SPS 384.50.

(c) The submittal shall be accompanied by sufficient data and information to determine if the method or technology complies with the provisions of chs. SPS 381, ~~382 and 383, and this chapter to 384~~. The submittal shall include, ~~but not be limited to~~, all of the following:

(d) If, upon review, the department determines that a product does not conform to provisions of chs. SPS 382, ~~383 and this chapter to 384~~ and ch. 145, Stats., the request for approval shall be denied in writing.

SECTION 37. SPS 384.10 (3) (c) 12. is created to read:

SPS 384.10 (3) (c) 12. Other information requested by the department.

SECTION 38. SPS 384.10 (3) (d) 1. and 2. are amended to read:

SPS 384.10 (3) (d) 1. The department shall review ~~a submittal~~ an initial application submitted under this subsection with input from a technical advisory committee.

2. The members on the technical advisory committee under subd. 1. shall be appointed by the department for staggered 3-year terms and shall include representatives of ~~at least~~ all of the following groups or organizations:

a. ~~The~~ A representative of the department of natural resources familiar with large scale POWTS systems to serve as a nonvoting member.

b. ~~Local~~ A representative of a local governmental unit responsible for the regulation of POWTS.

c. A POWTS designer.

- d. ~~Academic~~ A member of the academic or scientific community.
- e. ~~Plumber~~ A journeyman or master plumber involved in POWTS installation.
- f. ~~Environmental group~~ A professional soil scientist or certified soil tester.
- g. A POWTS component manufacturer.

SECTION 39. SPS 384.10 (3) (d) 2. h. and i. are created to read:

SPS 384.10 (3) (d) 2. h. An at-large member.

i. A representative from the department of safety and professional services familiar with POWTS approval to serve as a nonvoting member.

SECTION 40. SPS 384.10 (3) (e) 1. is amended to read:

SPS 384.10 (3) (e) 1. After review by the technical advisory committee under par. (d) but prior to issuing an approval under par. (f), the department shall seek public comments on a new submittal submittals under this subsection.

SECTION 41. SPS 384.10 (3) (e) 2. a. is renumbered SPS 384.10 (3) (e) 2. and, as renumbered, is amended to read:

SPS 384.10 (3) (e) 2. The department shall ~~place the notice requesting~~ provide an opportunity for public comment under subd. 1. in the official state newspaper for a minimum of 14 days.

SECTION 42. SPS 384.10 (3) (e) 2. a. (Note) is repealed and recreated to read:

SPS 384.10 (3) (e) 2. (Note) Note: Notices to seek public comment are posted on the department of safety and professional services website at: dps.wi.gov/Programs/Industry-Services/Industry-Services-Programs.

SECTION 43. SPS 384.10 (3) (e) 2. b. is repealed.

SECTION 44. SPS 384.10 (3) (f) 1. and (g) are amended to read:

SPS 384.10 (3) (f) 1. If, upon review, the department determines that the method or technology conforms to the provisions of chs. SPS 381, ~~382 and 383~~ and this chapter to 384, the department shall issue an approval in writing.

(g) If, upon review, the department determines that the method or technology does not conform to the provisions of chs. SPS 381, ~~382 and 383~~ and this chapter to 384, the request for approval shall be denied in writing.

SECTION 45. SPS 384.20 (5) (s) is amended to read:

SPS 384.20 (5) (s) *Other plumbing fixtures, appliances and equipment.* Plumbing fixtures, appliances and equipment not specifically covered in this subsection shall conform to the applicable performance standards of ~~this chapter and chs. SPS 382 and 383~~ to 384.

SECTION 46. SPS 384.25 (12) is amended to read:

SPS 384.25 (12) OTHER TREATMENT COMPONENTS. A treatment component not specifically covered in this section may not be sold for use in a POWTS or may not be installed in a POWTS, unless it has received department approval and conforms to the applicable performance standards of ~~this chapter and chs. SPS 382 and 383~~ to 384, and ch. 145, Stats.

SECTION 47. SPS 384.30 (4) is amended to read:

SPS 384.30 (4) WATER SUPPLY SYSTEMS. Water supply systems shall be of such material and workmanship as set forth in this subsection. All materials in contact with water, in a water supply system, shall be suitable for use with the water within the system. All pipes and pipe fittings for water supply systems shall be made of a material that contains a weighted average of not more than 0.25 percent ~~lead~~ lead in the wetted surface material.

SECTION 48. SPS 384.30 (4) (Note) is repealed.

SECTION 49. SPS 384.30 (6) (j) is renumbered (6) (j) (intro.) and, as renumbered, is amended to read:

SPS 384.30 (6) (j) (intro.) Sand. Sand that is placed as a filtering treatment medium in a stormwater subsurface infiltration system shall ~~conform to ASTM Standard C33 for fine aggregate~~ meet all of the following requirements:

SECTION 50. SPS 384.30 (6) (j) 1. to 3. are created to read:

- SPS 384.30 (6) (j) 1.** The sand shall conform to ASTM Standard C33 for fine aggregate.
2. The sand shall be comprised of an outwash parent material.
3. The sand shall have a hardness value of at least 3 on Moh's scale of hardness.

SECTION 51. SPS 385.40 (2) (b) 1. a. is amended to read:

SPS 385.40 (2) (b) 1. a. The ~~original~~ signature of the certified soil tester who collected the data;

SECTION 52. SPS 385.40 (2) (b) 2. (Note) is created to read:

SPS 385.40 (2) (b) 2. (Note) Note: Nothing in this chapter is intended to prohibit the submission and acceptance of planning documents in an electronic or digital media.

SECTION 53. SPS 385.60 (2) (a) is amended to read:

SPS 385.60 (2) INTERPRETIVE DETERMINATIONS. (a) A written report by a certified soil tester evaluating and interpreting redoximorphic soil features, or other soil color patterns, may be submitted to the department in lieu of high groundwater determination data. The written report shall conclusively ~~demonstrate that the existing soil morphological features or color patterns are not indicative of~~ determine current conditions of periodic soil saturation and assess their effect upon the operation of a POWTS.

SECTION 54. SPS 387.03 (1) to (4) and (6) and (7) (b) (Note) and (7m) and (8) are repealed.

SECTION 55. SPS 387.03 (9) (a) is amended to read:

SPS 387.03 (9) (a) For applications submitted to the department for installations of replacement of private ~~sewage onsite wastewater~~ systems, project period means the period of time beginning on February 1 and ending on December 31 of the following year.

SECTION 56. SPS 387.03 (10) is repealed.

SECTION 57. SPS 387.20 (2) (Note) and SPS 387.30 (2) (Note) are repealed.

SECTION 58. SPS Tables 387.30-1 to 387.30-6 are repealed and recreated to read:

Table 387.30-1
MAXIMUM ALLOWABLE FINANCIAL ASSISTANCE AMOUNT FOR INSTALLATION OF A
REPLACEMENT POWTS ANAEROBIC TREATMENT COMPONENT
Installation of a Replacement POWTS Anaerobic Treatment Component by Design Flow

| Design Flow in Gallons per Day | Financial Assistance Amount |
|--------------------------------|-----------------------------|
| ≤ 300 gpd | \$2,280 |
| 301-450 gpd | \$2,400 |
| 451-600 gpd | \$3,000 |
| 601+ gpd | \$4,200 |

Table 387.30-2
MAXIMUM ALLOWABLE FINANCIAL ASSISTANCE AMOUNT FOR INSTALLATION OF A
REPLACEMENT
COMPONENT AND LIFT PUMP OR SIPHON
Installation of a POWTS Dosing Component and Lift Pump or Siphon

| Design Flow in Gallons per Day | Financial Assistance Amount |
|--------------------------------|-----------------------------|
| ≤ 300 gpd | \$2,400 |
| 301-450 gpd | \$2,700 |
| 451-600 gpd | \$3,000 |
| 601+ gpd | \$3,600 |

Table 387.30-3
MAXIMUM ALLOWABLE FINANCIAL ASSISTANCE AMOUNT FOR INSTALLATION OF
NON-PRESSURIZED AND IN-GROUND PRESSURE POWTS TREATMENT OR DISPERSAL
COMPONENT
Installation of a Non-Pressurized and In-Ground Pressure POWTS Treatment or Dispersal
Component

| Design Loading Rate in Gallons Per Square Foot | ≤300 gpd | 301-450 gpd | 451-600 gpd | 601+ gpd |
|--|----------|-------------|-------------|----------|
| | | | | |

| Per Day | | | | |
|--------------|---------|---------|---------|---------|
| 0.7 or more | \$3,300 | \$3,900 | \$5,100 | \$6,300 |
| 0.60 to 0.69 | \$3,600 | \$4,200 | \$5,400 | \$6,600 |
| 0.50 to 0.59 | \$3,900 | \$5,100 | \$5,700 | \$6,900 |
| 0.49 or less | \$4,200 | \$5,400 | \$6,000 | \$7,000 |

Table 387.30-4

MAXIMUM ALLOWABLE FINANCIAL ASSISTANCE AMOUNT FOR INSTALLATION OF AT-GRADE OR MOUND POWTS TREATMENT OR DISPERSAL COMPONENT
Installation of an At-Grade or Mound POWTS Treatment or Dispersal Component

| Type of Design | ≤300 gpd | 301-450 gpd | 451-600 gpd | 601+ gpd |
|---|----------|-------------|-------------|----------|
| At-Grade | \$5,400 | \$6,000 | \$6,600 | \$7,000 |
| Greater than 24" of Suitable Soil Mound | \$7,000 | \$7,000 | \$7,000 | \$7,000 |
| Less than 24" of Suitable Soil Mound | \$7,000 | \$7,000 | \$7,000 | \$7,000 |

Table 387.30-5

MAXIMUM ALLOWABLE FINANCIAL ASSISTANCE AMOUNT FOR INSTALLATION OF A POWTS HOLDING TANK COMPONENT
Installation of a POWTS Holding Tank Component

| Estimated Flow of Gallons Per Day | Financial Assistance Amount |
|-----------------------------------|-----------------------------|
| ≤400 | \$3,900 |
| 401-600 | \$4,200 |
| 601+ | \$4,500 |

Table 387.30-6

MAXIMUM ALLOWABLE FINANCIAL ASSISTANCE AMOUNT FOR INSTALLATION OF REPLACEMENT EXTERIOR GREASE INTERCEPTOR
Installation of Replacement Exterior Grease Interceptor by Capacity

| Capacity (in gallons) | Financial Assistance Amount | Capacity (in gallons) | Financial Assistance Amount |
|-----------------------|-----------------------------|-----------------------|-----------------------------|
| Up to 1,249 | \$3,000 | 1,750 to 1,999 | \$3,900 |
| 1,250 to 1,499 | \$3,300 | 2,000 or more | \$4,500 |
| 1,500 to 1,749 | \$3,600 | | |

SECTION 59. SPS 387.30 (4) is repealed.

SECTION 60. SPS 387.30 (5) (c) and (Note) are amended to read:

SPS 387.30 (5) (c) The maximum allowable financial assistance amount for each principal residence or small commercial establishment shall be limited to ~~60%~~ percent of the total cost of replacement or the amount determined under sub. (3) and Tables 387.30-1 to 387.30-6, whichever is less.

Note: Under s.145.245 (7) (d), Stats., if the income of the person who owns a principal residence exceeds \$32,000 and the residence is served by a category 1 or category 2 failing private sewage onsite wastewater treatment system, the amount of the grant award under this section is limited to the amount determined in par. (c) less ~~30%~~ percent of the amount which the person's income exceeds \$32,000.

SECTION 61. SPS 387.31 (3) (Note) is repealed.

SECTION 62. SPS 387.40 (3) (a) 2. (Note) [2] is amended to read:

SPS 387.40 (3) (a) 2. (Note) [2] **Note:** As specified in s. 145.245 (5) (a) 2., Stats., a business must own the small commercial establishment in order to be eligible for a grant amount. A business which leases a small commercial establishment is not eligible. Therefore, the application and income eligibility requirements must be met by the owners of the property served by the failing private sewage onsite wastewater treatment system.

SECTION 63. SPS 387.71 (5) is amended to read:

SPS 387.71 (5) The participating governmental unit shall return to the department any funds, including any interest derived ~~therefrom~~ consequently, received under this chapter which are not disbursed to eligible owners.

SECTION 64. SPS 387.80 (6) (Note) is repealed.

SECTION 65. SPS 387.90 (2) (Note) is amended to read:

SPS 387.90 (2) (Note) **Note:** Form SBD-9890-X is available on ~~request at no charge from the department at the Division of Industry Services, P.O. Box 8935, Madison WI 53708-8935, telephone (608) 266-2112, or at the Department web site~~ Department's website at [http://www.drl.wisconsin.gov/Plan-Review/Petition-Variance/Petition for Variance Forms](http://www.drl.wisconsin.gov/Plan-Review/Petition-Variance/Petition-for-Variance-Forms) dps.wi.gov/Programs/Industry-Services/Industry-Services-Programs.

SECTION 66. SPS 391.03 (1) (Note) and (4) (Note) and (8) (Note) are repealed.

SECTION 67. SPS 391.10 (4) (a) is amended to read:

SPS 391.10 (4) (a) The disposal of the compost shall be in accordance with ~~EPA 40 CFR~~ 40 CFR part 503.

SECTION 68. SPS 391.11 (4) (a) (Note) are amended to read:

SPS 391.11 (4) (a) (Note) **Note:** ~~EPA materials~~ Materials relating to ~~EPA 40 CFR~~ 40 CFR part 503, including, "Domestic Septage Regulatory Guidance: A Guide to the EPA 503 Rule", are available ~~from the Office of Water Resource, US EPA, 401 M Street SW, Washington D. C. 20460~~ on the EPA's website at epa.org.

SECTION 69. SPS 391.14 (1) (b) is amended to read:

SPS 391.14 (1) (b) More than 50% ~~percent~~ of the square footage of an existing separate=gender restroom is renovated, in which case this section applies only to the renovated portion.

SECTION 70. SPS 391.20 (1), (2), and (3) (intro.) are amended to read:

SPS 391.20 (1) CONSENT. Pursuant to s. 227.21, Stats., the attorney general ~~and the revisor of statutes~~ has consented to the incorporation by reference of the standards listed in sub. (3).

(2) COPIES. Copies of the adopted standards are on file in the offices of the department, ~~the secretary of state~~ and the legislative reference bureau. Copies of the standards may be purchased through the respective organizations listed in sub. (3).

(3) (intro.) ADOPTION OF STANDARDS. The standards referenced in pars. (a) and (b) are ~~hereby~~ incorporated by reference into this chapter.

SECTION 71. SPS 391.20 (3) (a) and (b) are repealed and recreated to read:

SPS 391.20 (3) (a) ANSI Z21.61-1983: Gas-Fired Toilets, American National Standard Institute, 25 West 43rd Street, 4th Floor, New York, NY 10036.

(b) NSF 41-2016: Non-Liquid Saturated Treatment Systems, NSF International, 6300 Interfirst Drive, Ann Arbor, MI 48108.

SECTION 72. **EFFECTIVE DATE.** The rules adopted in this order shall take effect on the first day of the month following publication in the Wisconsin Administrative Register, pursuant to s. 227.22 (2) (intro.), Stats.

(END OF TEXT OF RULE)
