Page 1 of 8

Clearinghouse Rule Number: Hearing			Hearing Location	aring Location: Madison	
Rule Number	: Chapters Commerce 21-25	5	•	Hearing Date: Thursday, June 19, 2008	
Relating to: Uniform Dwelling Code					
Comments: Oral or Exhibit No.	Presenter, Group Represented, City and State	Comments/Recommendations		Agency Response	
Speaker 1	Brett R. Wittig Squared Away Builders 1710 Tumbleweed West Bend, WI 53095	Is against the wall bracing proposal; training will be required create a hidden cost. Appreciates the considered delay in these changes as it will give everyone time to train. Five diswill take some understanding. Believes the costs in the prothe low end.	implementing ifferent options	Since the first edition of the Uniform Dwelling Code (UDC) that became effective June 1, 1980, the UDC has required construction that resists lateral wind loads of 20 pounds per square foot of external wall area. The proposed rule change would incorporate more design and construction specifications in an effort to assure the long-standing performance requirement is met. The additional specifications are based on those contained in the 2006 edition and 2007 supplement of the International Residential Code, developed by the International Code Council. The department recognizes the need for training and application tools and is proposing an April 1, 2009, effective date to provide time for training on the wall bracing provisions. The department believes that the added construction costs are accurately reflected in its fiscal estimate.	
Speaker 2	Michael Coello Coello and Associates, Inc. 2122 S. West Ave,. Waukesha, WI 53189	a. Comm 20.10: Adding a third day to footing inspections of serious implications for costs, safety, security, and quality construction. Adding a foundation reinforcement inspection increase costs. Will the inspectors unblanket and properly foundations in the winter? One set of forms costs about \$2 only takes one day to set up a form. If the formhas to sit as inspector, it could tie up a set of forms for three days, thus and money. Raw scrap metal is expensive and theft on job common. Who will ensure the forms are not stolen? Inspection good or bad about showing up within a reasonable time with the common with the common about the specifically issues.	of on also will reblanket 250,000, but it nd wait for an costing time sites is tors can be ndow. ACI 318.05, but	 a. The proposed code change clarifies the current language that has been in the code since 2003. The proposal reflects the intent of the existing code and the department's current administration of the notification requirement. b. Support noted. The department will consider adopting the ACI 332R standard with the next code update. 	

Page 2 of 8

Clearinghouse Rule Number:			Hearing Location: Madison			
Rule Number	: Chapters Commerce 21-25	5	Hearing Date: Thursday, June 19, 2008			
Relating to: U	Relating to: Uniform Dwelling Code					
Comments: Oral or Exhibit No.	Presenter, Group Represented, City and State	Comments/Recommendations	Agency Response			
		c. Supports the weather-resistant barrier section, but it is laway it's written. Caulk alone as a sealant will leak over time communication with people in the field should be done before is finalized.	e. More language to limit the size of the gap allowed when cau			
		d. Asks what problem is being solved with the wall bracing the construction community knew, they could help find an esolution. Thinks the current 40-page requirement as written to implement. Rebar and strap requirements are confusing a cannot be fixed or retrofitted if it is done wrong. Liability and	effective n will be tough as written, and it			
Speaker 3	Ron Klassen Wallner Builders 12424 W Lancaster Ave. Butler, WI 53007	a. Seconds Speaker #2 re: wall bracing, but another concern Who will supply rebar, brackets, and fittings, and at what tin need to be there? Drawings should show a detail of what the	bracing methods identified in the proposal incorporate the most recent language in the International Residential Code. This version results in more flexible construction types that can be built under convention methods. The need for hold-downs and reinforced			
		b. Water resistant barrier: sealing a five-inch opening with a practice. Proper remedies need to be identified. ASTM D226 controlling specification.				
Speaker 4 Exhibit 1	Pattie Stone Metropolitan Builders Association	a. Comm 21.25 (8), Wall-bracing: confusing, costly, and need stringent.	a. Same response as to Speaker #1.			
	N16W23321 Stone Ridge Dr. Waukesha, WI 53188	b. Comm 21.24 (4), Water-Resistant Barrier requirement is inclimited in its effectiveness. This section should be removed reconsidered for a true drainage plane for the home.				
		c. Three day inspection issue: Agrees with Speaker #2.	c. Same response as to Speaker #2 Comment a.			

Page 3 of 8

Clearinghouse Rule Number: Hearing Location			on: Madison			
	Chapters Commerce 21-25			Thursday, June 19, 2008		
Relating to: Un	Relating to: Uniform Dwelling Code					
Comments: Oral or Exhibit No.	Presenter, Group Represented, City and State	Comments/Recommendations		Agency Response		
		d. Adopted national standards section has no cost analysis	· .	d. The department has been unable to find any national standard provision that is likely to increase costs.		
		e. Optional fire sprinkler usage should be in the appendix, no proper because it is optional.	ot in the code	e. Disagree. The fire sprinkler issue is conditional. If sprinklers are installed, they shall be installed per the code. There are many similar code provisions.		
		f. Table 21.10: "Use Categories" for lumber are not utilized by suppliers in the area.	y builders and	f. Agree, The use categories table has been removed from the proposal.		
		g. Comm 21.26 (8) c. 2. Removal of ropes: ropes are useful for wicking water away and for preventing infestation. Don't see a reason to immediately remove these.		g. Disagree. Ropes in weep holes should never be used for wicking. The ropes must be removed to provide ventilation and a clear pathway for water removal.		
		h. The department failed to provide cost analysis for the proenergy chapter.	oposed new	h. The department did consider the costs of the proposal and did identify them in the hearing documents. Wisconsin statutes require the department to review the latest standards and decide whether they should be incorporated in the UDC. The current ch. Comm 22 code is based on a Department of Energy (DOE) endorsed national standard. This code change proposal reflects the next iteration of a national energy code endorsed by the Department of Energy (DOE) and already incorporated in the 2004 and 2006 International Energy Conservation Code (IECC) and International Residential Codes (IRC). When DOE submitted the code change proposal for inclusion in the IECC and IRC, as reflected in this draft, in 2003 they stated "The intent is to transform the code to a format that is easy to understand, easy for builders and inspectors to remember, relatively unchanging with juris dictional boundaries, unambiguous, and inexpensive to adopt and enforce."		

Page 4 of 8

			Location: Madison			
	: Chapters Commerce 21-25	5 Hearing	g Date: Thursday, June 19, 2008			
Relating to: Uniform Dwelling Code						
Comments: Oral or Exhibit No.	Presenter, Group Represented, City and State	Comments/Recommendations	Agency Response			
		i. Supports the delayed implementation date for training time.	i. Support noted.			
Speaker 5 Exhibits 2 & 3	Cindi Gruebling WI Builders Association 4868 High Crossing Blvd Madison, WI 53704	Similar comments as Speaker #4. Especially is opposed to Comm 21. Wall Bracing, because the IRC is developing simplified rules regard wall bracing.				
Speaker 6 Exhibit 4	Ross Kinzler WI Housing Alliance 301 N. BroomSt. Madison, WI 53703	 a. Recommends the state of Wisconsin adopt the International Resi Code (IRC) as the basis for the UDC in the next code change cycle. b. Is concerned about the timeliness of inspections, stating that add another day is a concern. c. Supports a delayed effective date of the code. 	Dwelling Code Council.			
Speaker 7 Exhibit 5	Tom Milton American Plywood Assn. 12160 101st Ave. N Maple Grove, MN 55369	 a. Supports a delayed effective date of the code because of potenti regulations coming in 2009. b. Company will supply training on wall bracing. c. Feels language in proposed change is difficult to read; proposes changes to language in Exhibit #5. 	b. Comment noted.			
Speaker 8	Lee Fochs 2207 11½ Ave. Chetek, WI 54728	a. Delayed inspection time: If you work with your inspector and his schedule, you shouldn't have to wait for an inspection.	a. Comment noted.			

Page 5 of 8

Clearinghouse Rule Number: Hearing Location			aring Location: Madison
			aring Date: Thursday, June 19, 2008
Relating to: U	Iniform Dwelling Code		
Comments: Oral or Exhibit No.	Presenter, Group Represented, City and State	Comments/Recommendations	Agency Response
		b. Wall bracing: Everybody agrees it's necessary, but the probalways in the details.	b. Agree. The department recognizes the need for training and application tools and is proposing an April 1, 2009, effective date to provide time for training on the wall bracing provisions.
Exhibit 6	Leonard Hannula Building Inspector Mt. Pleasant, Racine Co. Via e-mail	Proposes a clarification of the vapor retarder exclusion for belowalls.	ow-grade The department has modified the proposal as suggested.
Exhibit 7	Dan Emmerich Semling-Menke Co., Inc. Merrill, WI Via e-mail	Proposes a clarification of Comm 21.24 (3) (b) regarding flashin exterior covering.	g and The department has modified the proposal as suggested.
Exhibit 8	Leo Udee Alliant Energy Via e-mail	Encourages the use of High Efficiency furnace toggle for GeoT Pump systems in the ResCheck software submittals instead of efficiency 78% AFUE furnace choice.	
Exhibit 9	Steve Meassick, PE Thermo Dynamics 112 N. Lexington Spring Green WI, 53588 Via e-mail	Similar comments as Exhibit #8.	Response same as to Exhibit #8.
Exhibit 10	Joel Gmack Via e-mail	a. Opposes wall bracing regulations because of potential IRC r coming in 2009, at least delay the effective date of the code for time.	
		b. Concerned about Comm. 21.24 (4) Water-resistive barriers are using the term "exterior covering."	Disagree. The term "exterior covering" is already used for another purpose in that same code section.
c. Opposes Comm. 20.10 allowing three documents to Speaker #2 Comment a.		c. Opposes Comm. 20.10 allowing three days for inspections. S comments to Speaker #2 Comment a.	imilar Response same as to Speaker #2 Comment a.

Page 6 of 8

Clearinghouse Rule Number: Hearing			Hearing Locatio	ring Location: Madison	
•			Hearing Date: T	hursday, June 19, 2008	
Relating to: U	Iniform Dwelling Code				
Comments: Oral or Exhibit No.	Presenter, Group Represented, City and State	Comments/Recommendations		Agency Response	
		d. Suggests that if outside standards are being used for the Uthese references are limited and, if vital, included in the code e. Opposes Comm. 21.095 that might require fire sprinklers in homes in the future.	s's appendix.	Disagree. The references are limited but they are an integral part of the code. National standards have been incorporated in the UDC since 1980. e. The department cannot predict what might happen with fire sprinklers in the future. The fire sprinkler issue is conditional. If sprinklers are installed, they shall be installed per the code. There are many similar code provisions.	
		f. Concerned about the "use categories" in Comm. 21.10 (3) a 21.10 and suggests the use of standard labels instead of new g. Opposes the Energy Chapter because it doesn't include a	v categories.	f. Agree. The use categories table has been removed from the proposal. g. Same response as to Speaker #4 Comment h.	
Exhibit 11	Chris Luster Southwestern WI Building Inspectors Assn	Requests a delay in the adoption of these regulations for train purposes.	_	Agree. The proposed effective date has been changed to April 1, 2009.	
Exhibit 12	Phil Scanlan 7776 Hwy 51 DeForest, WI 53532	Suggests a change to Comm. 21.17 to require pumps for sump with no exceptions.	p systems	Disagree. Different parts of the state have different slopes and soil conditions that make it unnecessary to require pumps in all situations.	
Exhibit 13	Ronald L. Derrick Derrick Homes, LLC 1505 Hwy 65 New Richmond, WI 54017	Similar comments as Exhibit #10 (all).		Same response as to Exhibit #10.	
Exhibit 14	Greg Kirschling Lumber Dealers Supply, Inc. 310 S Taylor St. Green Bay, WI 54307	a. Supports adoption of new brick proposal as it will clarify q residential masons frequently ask.b. Proposes adoption of a single water hold criterion for weat barriers. Believes the three test options required to meet this very different and set three different and potentially conflicting.	ther resistant proposal are	b. Disagree. Several different types of material can be used and they use different test standards.	

Page 7 of 8

ŭ			ring Location: Madison
Rule Number	: Chapters Commerce 21-25	Hea	ring Date: Thursday, June 19, 2008
Relating to: U	Iniform Dwelling Code		
Comments: Oral or Exhibit No.	Presenter, Group Represented, City and State	Comments/Recommendations	Agency Response
		c. Proposes adding flashing recommendations for exterior windo and penetrations. Suggests adopting the American Architectura Manufacturers Association (AAMA) standards.	
Exhibit 15	Randy Fenske Wausau Supply Co. 4200 White Ave. Eau Claire, WI 54702	a. Similar comments as Exhibit #14 Comment b. and suggests one test and standard: AATCC127 with a minimum spec of 55 cm of holdout.	
		b. Would like to see some language added regarding stone vene installation similar to the 2006 International Building Code (Secti 1405.6).	
		c. Similar comments as Exhibit #14 Comment c.	c. Same response as to Exhibit #14 Comment c.
Exhibit 16 Jeff Springer GEN-SYS Energy 3200 E. Avenue South La Crosse, WI 54601		a. Rules in Comm 22 must accurately reflect Act 67, Senate Bill 3 because as written, Comm 22 subject electric heat sources to hig insulation requirements than propane, natural gas, or fuel oil.	
	La closse, W154001	b. Similar comments as Exhibit #8.	b. Same response as to Exhibit #8.
Exhibit 17	George Digman Kolbe & Kolbe Millwork Co., Inc. 1323 So. 11 th Ave. Wausau, WI 54401	Similar comments as Exhibit #14 Comment c.	Same response as to Exhibit #14 Comment c.
Exhibit 18	Jim Reif Jim Reif Builders 150 Semi Drive Frances Creek, WI 54214	a. Similar comments as Speakers #1 and #4 Comment b.	Same response as to Speakers #1 and #4 Comment b.
Exhibit 19	Mike Koslowski Heritage Woodworks, Inc. 1874 Commercial Way Green Bay, WI 54311	Similar comments as Speakers #1 and #4 Comment b. (Exact com Exhibit #18.)	Same response as to Speakers #1 and #4 Comment b.

Page 8 of 8

Clearinghouse Rule Number:			Hearing Location: Madison		
Rule Number: Chapters Commerce 21-25 Hearing I			Hearing Date:	Hearing Date: Thursday, June 19, 2008	
Relating to: U	Iniform Dwelling Code				
Comments:	Presenter,				
Oral or	Group Represented,	Comments/Recommendations		Agency Response	
Exhibit No.	City and State				
Exhibit 20	Dave Johnson	Similar comments as Speakers #1 and #4 Comment b. (Exact comments as		Same response as to Speakers #1 and #4 Comment b.	
	Manitowoc Co. Home	Exhibit #18.)			
	Builders Assn.				
	820 S. 8 th St.				
	Manitowoc, WI 54220				
Exhibit 21	Bob Jakel	Requests clarification of Comm 21.035 (3) Interior circulation for kitchens.		Comment noted. The proposal indicates measurement	
	City of Kaukauna	Regarding the required 30" clearance between a wall and a		from face of appliance.	
	Via e-mail	top, oven, sink, refrigerator or freezer; Asks should the language read			
		"measurements taken from face to face?"			
Exhibit 22	Fred Baumgart	Comm 21.04 requires a higher standard for risers and treads than the		Agree. The proposal has been changed to reflect the	
	Building Inspector City of	International Building Code (IBC), section 1009.3.2 and sug	gests that the	IBC standard.	
	Franklin	IBC standard be used.			
	Via e-mail				