#### ORDER OF THE WISCONSIN DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION ADOPTING RULES

The Wisconsin department of agriculture, trade and consumer protection hereby adopts the

following rule to repeal ATCP 60 and 80, to amend ATCP 77.01 (4m), 77.02 (1) (zd), 77.23 (1)

(a) and (b) 2., 81.91 (1), 82.04 (1) (b) and (9)(b), 82.08 (3)(b), 82.10 (1)(a), and (6)(a), 82.12

(2m)(intro.) and (a), 82.12 (4) (c), 100.98 (2) (a) and (b), 100.982 (3) and (4) (f), and to create

ATCP 65 and ATCP 65 Appendix relating to dairy farms and plants, and affecting small

business.

## <u>Analysis Prepared by the Department</u> of Agriculture, Trade and Consumer Protection

This rule repeals chs. ATCP 60 (Dairy Farms) and ATCP 80 (Dairy Plants) and consolidates and reorganizes those rules into a newly created ATCP 65 (Milk and Milk Products.) Certain provisions have been revised to modernize dairy farm and dairy plant inspection rules. The rule thereby accommodates advances in dairying and ensures continued industry and regulatory compliance with the Food and Drug Administration's (FDA) Pasteurized Milk Ordinance (PMO) and federal guidelines for Grade "A" and Grade "B" milk and dairy products. The rule also indicates what provisions of new federal regulations implementing the FDA Food Safety Modernization Act (FSMA) must be followed by dairy plant operators.

## Statutes Interpreted

Statutes Interpreted: ss. 97.20, Stats., "Dairy plants;" 97.22, Stats., "Milk producers;" 97.23, "Drug residues in milk;" and 97.24, Stats., "Milk products."

## Statutory Authority

Statutory Authority: ss. 93.07 (1), 97.09 (4), 97.20 (4), 97.22 (8), and 97.24 (3), Stats.

#### **Explanation of Statutory Authority**

The Department has broad general authority, under s. 93.07 (1), Stats., to adopt rules to implement programs under its jurisdiction. The Department also has general authority under s. 97.09 (4), Stats., to adopt rules specifying standards to protect the public from the sale of adulterated or misbranded foods. The Department has specific authority, under s. 97.20 (4), Stats., to establish rules to regulate dairy plants and under s. 97.22 (8) to promulgate rules to regulate the operation of dairy farms by milk producers. The Department also has authority under 97.24 (3), Stats., to adopt rules ensuring compliance with the PMO.

#### **Related Statutes and Rules**

Wisconsin's dairy farms, dairy plants, and dairy products are governed by ch. 97, Stats. Section 97.20, Stats., "Dairy plants" and s. 97.22, Stats., "Milk producers," contain requirements related to milk producer and dairy plant licensing, milk procurement and reinspection fees, and Grade "A" permits. Section 97.23, Stats., "Drug residues in milk," allows a dairy plant to recover, from a milk producer, the monetary loss incurred when the plant rejects a milk shipment because it is adulterated with drug residues in milk from the producer's farm. Finally, s. 97.24, Stats., "Milk and milk products," includes Grade "A" requirements for milk and milk products and authorizes the Department to conduct surveys to verify conformance with the PMO's Grade "A" standards. Administrative rules spell out the requirements that must be met to ensure compliance with statutes. Dairy farm requirements are currently found in ch. ATCP 60 (Dairy Farms) and dairy plant requirements are currently found in ch. ATCP 80 (Dairy Plants.) These two chapters are consolidated in the proposed rule. Other chapters of administrative rules, governing milk and milk products, include ch. ATCP 77 (Laboratory Certification), ch. ATCP 81 (Cheese Grading, Packaging and Labeling), ch. ATCP 82 (Bulk Milk Collection, Sampling, and Transportation), ch. ATCP 83 (Dairy Product Advertising and Labeling), and ch. ATCP 85 (Butter Grading and Labeling.)

#### Plain Language Analysis

Wisconsin operates the nation's largest state dairy inspection program. As of November 27, 2015, Wisconsin had 9,976 licensed milk producers and ranked second nationally in milk production. Milk is shipped from each dairy farm to one of more than 400 licensed dairy plants in the state or to a licensed dairy plant in another state.

About 98% of the milk produced in Wisconsin is Grade "A." Grade "A" unpasteurized milk, along with pasteurized milk and certain other dairy products made from Grade "A" milk, can only be shipped across state and international boundaries if the production, transportation, processing, and regulatory oversight are in accordance with the PMO. Wisconsin does not adopt the PMO directly, but has its own regulations for the dairy industry. These regulations must be at least as stringent as, and consistent with, the PMO. The FDA revises the PMO every two years and the version of the PMO, to which Wisconsin regulations are compared for compliance, must be within two prior editions. This rule revision, which reflects changes found in the 2013 revision of the PMO, is essential for maintaining compliance with the PMO and for allowing Wisconsin farmers and dairy plant owners to ship their Grade "A" milk and milk products in interstate commerce.

Wisconsin's regulations also establish standards to ensure the quality of Grade "B" milk, which is milk used only to process non-Grade "A" milk products, such as butter, cheese, and ice cream. Wisconsin had 1,488 Grade "B" licensed milk producers, or 13% of its total, on November 27, 2015. Recommended standards for Grade "B" dairy farms are published by the United States Department of Agriculture (USDA). Wisconsin's regulations must be at least as stringent as the USDA standards to ensure access of Wisconsin Grade "B" milk products to international markets.

The majority of Grade "A" and Grade "B" dairy plants in Wisconsin will be subject to new federal regulations implementing FSMA and known as the Preventive Controls–Human Food rule. It is possible that future FDA policy will consider compliance with the PMO to be equivalent to compliance with the Preventive Controls–Human Food rule. Grade "B" dairy plants will be expected by the FDA to directly comply with the Preventive Controls–Human Foods rules. Wisconsin regulators operate within a nationally integrated system of food safety regulation. A key part of this integration is functional equivalence between state and federal regulations. In order to maintain state-federal integration and reduce confusion for industry over which rules must be followed, the proposed rule specifies the federal rules that must be followed by Wisconsin-licensed dairy plants.

Wisconsin dairy farm and dairy plant regulations are currently found in chs. ATCP 60 (Dairy Farms) and ATCP 80 (Dairy Plants.) The proposed rule repeals chs. ATCP 60 and 80 and consolidates and reorganizes these chapters into a new ch. ATCP 65 (Milk and Milk Products.) Consolidation of these two rule chapters will eliminate numerous, and sometimes confusing, cross-references between the two chapters. In recent years, there has been increased interest in the operation of small dairy plants on the same site as the dairy farm supplying the milk. The operators of these "farmstead" or "artisanal" dairy plants can now find most of the rules affecting their business in one chapter, rather than two. The rule revises certain existing provisions and creates new provisions, as necessary, to ensure: 1) Wisconsin's Grade "A" and Grade "B" dairy sectors comply with the applicable PMO, FSMA, and USDA requirements when they meet Wisconsin regulatory requirements, and 2) state regulations do not unnecessarily hinder technological advancement by Wisconsin's internationally recognized dairy industry.

#### Revisions to modernize dairy farm and dairy plant regulations.

The following describes specific revisions made in the proposed rule to modernize and consolidate Wisconsin's dairy farm and dairy plant regulations:

#### **Revisions in General Terminology**

Wording was changed throughout to provide greater clarity and modernize terms. For example, references to "milk haulers" were changed to "bulk milk weigher and samplers" to reflect the actual name of the license held by people who collect, sample, and transport milk. References to "inspectors" were changed to "division representatives" to reflect the broader range of staff, e.g., sanitarians, food scientists, and regulatory specialists, who may conduct inspections or investigations. References to "division" or "department" staff were also changed throughout to

more clearly align the rules with the roles and duties performed by each unit. For example, division representatives conduct inspections, while the department issues, suspends, and revokes licenses. Subchapter, section, and subsection chapter titles were also revised throughout to more clearly reflect the content of the rule.

# ATCP 65.01, Definitions.

ATCP 65.01, as renumbered, includes the following revisions:

- Adds definitions for "abnormal milk," "aseptic processing and packaging system," "bulk tank unit," "facility," "grade A producer permit," and "qualified facility."
- Repeals and replaces definitions for "C-I-P equipment," "C-I-P milking equipment," and "C-I-P milk pipelines" with a definition of "C-I-P" and numbered this definition as 65.01 (9).
- Updates the definition for "dairy product" to be consistent with current statute.
- Replaces the term "food safety division" with "division."
- Expands the definition for "grade B milk" to clarify that grade B milk is not processed into fluid milk for consumption; it is only used in the production of non-grade "A" dairy products.
- Broadens the definition for "equipment" to cover equipment used on dairy farms and in dairy plants.
- Repeals the definition from ATCP 60.01 (6) for "dairy plant" and replaces it with a modification of the definition from ATCP 80.01 (5) for "dairy plant."
- Revises the definition of "milk" to be consistent with the PMO definition by including the phrase "practically free of colostrum, obtained by the complete milking of one or more healthy milking animals."
- Revises the definition of "milk contractor" to indicate that a milk contractor can, while not operating an actual dairy plant, submit a milk producer license application on behalf of one or more milk producers and thereby certify that each milk producer's dairy farm and milking operations comply with applicable requirements under this chapter.
- Expands the definition "procure milk" to clarify that procured milk must be acquired directly from a licensed milk producer.
- Clarifies that "sanitizers" shall be in compliance with 21 CFR part 178.1010 or otherwise approved by the division.
- Repeals the definitions for "single-service utensil" and "single-service package" and replaced them with a definition for "single-service articles."

## ATCP 65.02, Milk producer license and permits; and fees.

ATCP 65.02 is retitled from "Milk producer license; fees" to "Milk producer licenses and permits; fees." This section is revised to consolidate all information about the milk producer license (required for Grade "A" and Grade "B" dairy farms), Grade "A" permits, and fees from ss. ATCP 60.02, 60.03, 60.04, and 60.05.

ATCP 65.02 (1) clarifies that a license is required for each milk producer, species of milk animal milked by a single milk producer, and dairy farm operated by a milk producer at which milk is produced and offered for sale. Previously, not all of these parameters were specifically mentioned.

ATCP 65.02 (2) is revised to clarify that a representative of the dairy plant or milk contractor may submit an application on behalf of a milk producer and that the dairy plant or milk contractor representative shall certify that both the dairy farm and milking operations comply with applicable requirements in this chapter.

ATCP 65.02 (4) (b) adds the due date of April 30 for paying the annual license fee.

ATCP 65.02 (4) (b) 2. specifies that the milk producer license fee is non-refundable.

ATCP 65.02 (8), "Milk produced for custom processing," is created by consolidating existing requirements for custom processing a producer's milk. Requirements for custom processing were not otherwise changed.

ATCP 65.02 (12) "Grade A permits at a single dairy farm operated by multiple dairy producers," is added to describe conditions under which more than one Grade "A" milk producer permit may be held on one dairy farm.

## ATCP 65.04, Dairy plant licenses and permits; fees.

ATCP 65.04 consolidates all dairy plant licensing and Grade "A" permit requirements, and fee information found in ss. ATCP 80.02, 80.04, and 80.06.

ATCP 65.04 (1) (b) 1. clarifies that no dairy plant license is required for a farm manufacturing dairy products solely for the owner/operator, members of the farm household, or nonpaying farm guests, or employees.

ATCP 65.04 (1) (b) 2. exempts appropriately licensed restaurants from a dairy plant license if they prepare or process dairy products made from commercially pasteurized dairy products. However, licensed restaurants are not allowed to package Grade "A" dairy products for retail sale without a dairy plant license.

ATCP 65.04 (1) (b) 3. exempts retail food establishments licensed under s. 97.30, Stats., from a dairy plant license if they process non-Grade "A" dairy products made from commercially pasteurized dairy products solely for retail sale at the establishment.

ATCP 65.04 (8) specifies that dairy plant license fees are non-refundable.

# ATCP 65.08, Milkhouse.

ATCP 65.08 (2) is created to prohibit locating milkhouse access driveways and doors in such a way that animal waste could be tracked into the milkhouse.

# ATCP 65.10, Dairy farm water supply.

ATCP 65.10 (3) is updated to require wells to comply with applicable requirements of chs. NR 810 (Requirements for the Operation and Maintenance of Public Water Systems), NR 811 (Requirements for the Operation and Design of Community Water Systems), and NR 812 (Well Construction and Pump Installation.)

ATCP 65.10(5)(a) clarifies that if a milk producer has more than one well, water from each well shall be tested at least once every two years. This change brings the provision into conformance with the PMO.

## ATCP 65.14, Milking and milk handling systems.

ATCP 65.14 (5) recognizes the increasing adoption of modernized milking systems by incorporating requirements for automatic milking installations, or robotic milking systems.

## ATCP 65.16, Bulk tanks and bulk transport containers.

ATCP 65.16 (5) (f) creates requirements for the location of bulk transport containers which receive milk directly from the milking equipment, called "direct ship" milking.

## ATCP 65.22, Farm premises.

ATCP 65.22 (6) (c) prohibits mixing or storing human waste or septage with animal manure. This provision was added to prevent recurrence of observed situations in which transmission of human fecal pathogens via dairy farm facilities was clearly possible.

## ATCP 65.23, Federal requirements

ATCP 65.23 specifies which requirements of the federal Preventive Controls–Human Food rule must be met by Wisconsin-licensed dairy plants.

## ATCP 65.24, Construction and maintenance.

ATCP 65.24 (1) (b) requires that a written variance from a construction standard may only be issued for dairy plants that do not hold a Grade A permit, i.e., Grade "B" plants. The PMO does not allow construction variances for Grade "A" dairy plants.

ATCP 65.24 (1) (c) prohibits dairy plants from being directly connected to a milking barn, milking parlor or other animal housing facility or area. This provision is intended to minimize transmission of pathogenic microorganisms into the dairy plant.

ATCP 65.24 (2) (e) is revised to clarify that floors in rooms used solely for the storage of dry ingredients or packaging materials need not have floor drains.

ATCP 65.24 (4) (a) currently exempts overhead and electronic sliding doors in delivery areas from the requirement that doors be kept closed when not in use. This requirement is revised to require Grade "A" dairy plants to keep overhead and sliding electronic doors closed when not in use. The new language will continue to allow receiving stations and Grade "B" dairy plants to keep overhead and electronic sliding doors open when not in use. This change will bring Wisconsin's regulations in compliance with the PMO.

ATCP 65.24 (8) is modified to require that water used in dairy products complies with applicable requirements in chs. NR 811 (Requirements for the Operation and Design of Community Water Systems) and NR 812 (Well Construction and Pump Installation.)

ATCP 65.24 (8) (b) requires that water from a privately owned water system supplying a dairy plant shall be tested to ensure it meets microbiological standards under ch. NR 809 (Safe Drinking Water) after a repair or alteration. Testing is to be done by the operator of a Grade "B" plant while a division representative shall sample the water at a Grade "A" plant and have it tested. If a dairy plant is producing both Grade "A" and Grade "B" products, a division representative shall sample the water supply comes from multiple wells, the rule also requires that all wells be sampled and tested and that samples be taken upstream from any pressure tank or other water treatment equipment.

ATCP 65.24 (8) (h) is created to require Grade "A" dairy plants, using water to flush pasteurized milk or milk products from their milk processing systems, to use water that is of equivalent microbiological quality to pasteurized milk.

## ATCP 65.28, Equipment and utensils.

ATCP 65.28 (7) (e) 5. is created to exempt dairy plants from having to clean certain reverse osmosis equipment after each day's use.

ATCP 65.28 (7) (f) is modified to require a dairy plant operator to consult with FDA before seeking division approval of a proposal for an alternative cleaning and sanitizing schedule for continuously operated equipment that comes in contact with Grade "A" products. This provision now conforms to the PMO.

## ATCP 65.36, Receiving milk and dairy products.

ATCP 65.36 (3) is revised to clarify that a bulk milk tanker transporting Grade "A" milk may hold a Grade "A" permit issued by another state's regulatory agency. This change recognizes reciprocity requirements of the PMO and recent changes in ch. ATCP 82 (Bulk Milk Collection, Sampling, and Transportation.)

## ATCP 65.38, Collecting milk samples.

ATCP 65.38 (1) is revised to indicate that all milk shipments received at a plant, including those received in a direct-ship tanker, must be sufficiently agitated to ensure that the mandatory sample taken is representative of the tanker contents.

## ATCP 65.40, Storing and handling milk and dairy products.

ATCP 65.40 (2) (a) allows the division to authorize alternative temperature limits for storing non-Grade "A" milk and milk products.

ATCP 65.40 (2) (e) 7. exempts acid whey, with specified percent titratable acidity or pH, from storage time and storage temperature requirements applicable to other dairy products. This change is in response to information presented by industry.

# ATCP 65.41, Low-acid or acidified dairy products packaged in hermetically sealed containers for non-refrigerated storage.

ATCP 65.41 (1) requires manufacturing of low-acid dairy products, packaged in hermetically sealed containers for non-refrigerated storage, to be done in compliance with federal canning regulations.

ATCP 65.41 (2) requires manufacturing of acidified dairy products, packaged in hermetically sealed containers for non-refrigerated storage, to be done in compliance with federal regulations pertaining to acidified canned foods.

# ATCP 65.42, Recall plan.

ATCP 65.42 requires dairy plants manufacturing or processing dairy products to have a written plan for identifying and recalling dairy products should a food recall become necessary, and describes the required contents of such a plan. This new requirement is consistent with the recall plan requirements in ch. ATCP 70 (Food Processing Plants), ch. ATCP 88 (Eggs), and federal requirements for facilities fully subject to the federal Preventive Controls – Human Food rule. This requirement does not apply to receiving stations or transfer stations.

## ATCP 65.58, Pasteurization time and temperature.

ATCP 65.58 (1) requires that alternative methods of pasteurization of Grade "A" products be recognized by the FDA.

## ATCP 65.72, Drug residue testing.

ATCP 65.72 (3) (c) is revised to indicate that a bulk load of milk must be agitated sufficiently to ensure that the sample taken for drug residue testing is representative of the bulk load of milk. Further revision allows for Department approval of an alternative sampling method that is not dependent on agitation to obtain a representative sample.

ATCP 65.72 (6) allows dairy plants to recover the cost of an entire bulk load of milk from a milk producer, responsible for contaminating that load with milk adulterated with drug residues, or from the milk contractor from whom the milk was procured. The milk contractor may, in turn, recover the cost of the entire load from the milk producer responsible for contaminating that load with milk adulterated with drug residues.

## ATCP 65.74, Milk and dairy products; quality standards.

ATCP 65.74 (2) (a) is revised to state that bacterial counts for nonfat dry milk shall not exceed 10,000 per gram. This revision brings this provision into conformance with the PMO.

# ATCP 65.910, Inspection of dairy farms; general.

ATCP 65.910 (2) increases the inspection frequency for Grade "B" dairy farms from once every two years to once a year. This provision is made to ensure maintenance of adequate conditions on the Grade "B" dairy farms.

ATCP 65.910 (3) is revised to be consistent with the PMO. The PMO does not allow a variance from a dairy farm standard for Grade "A" dairy farms.

# ATCP 65.912, Performance-based farm inspection.

ATCP 65.912 is modified to bring Wisconsin's performance-based farm inspection program into full compliance with Appendix P of the PMO. Specifically, the rule prohibits placing a farm in a category requiring inspection only once or twice per year under the program if the milk producer has been cited during the past year with any violation that presents an imminent health hazard. The rule also prohibits placing a farm in a category, requiring inspection only once or twice per year, if the milk producer has received a warning under s. ATCP 65.920(5) during the past year. ATCP 65.920(5) continues to require the division to issue a warning notice if an inspection finds a key violation. However, the definition of a key violation is expanded to include instances when a farm is cited for one or more identical violations during two consecutive inspections, *i.e.*, double debits. Finally, the rule prohibits placing a farm in a category requiring inspection only once or twice per year, if the milk shipped from the farm was found to have had any drug residues during the past year.

# ATCP 65.920, Suspension or revocation of a Grade "A" producer permit or milk producer license.

ATCP 65.920 specifies the procedures for suspending or revoking a Grade "A" producer permit or milk producer license. Except for a summary suspension, it prohibits the department from suspending or revoking a milk producer's license unless the secretary or the secretary's designee orders the suspension. The Department must provide notice and opportunity for a hearing. Under ATCP 65.920 (3), the division may issue a summary suspension of a milk producer's license under certain circumstances, including instances where the milk producer has refused an inspection or sampling authorized by law, and one or more specific conditions outlined in the rule indicate the sale or shipment of milk from the farm poses an imminent hazard. ATCP 65.920 also outlines procedures for reinstating a Grade "A" permit or license, for suspending a Grade "A" milk producer permit.

#### ATCP 65.922, Enforcement actions taken in response to drug residue violations.

ATCP 65.922 requires the Department to issue a warning notice whenever a producer milk sample test result is confirmed positive for a drug residue. Once a milk producer receives a warning notice for drug residues, the milk producer must implement a drug residue prevention program within 21 days of the effective date of the notice or the producer's Grade "A" permit will be suspended. If the drug residue prevention program is not completed within 45 days of the effective date of the warning notice, the milk producer's license will be suspended. The rule already included this requirement and a penalty provision to be invoked if the producer has 3 drug residue violations within 12 months. These penalties are modified in the proposed rule and a penalty is created in sub. ATCP 65.922 (4) for milk producers whose milk sample yields a confirmed positive test result for drug residue in a second separate 24-hour period within 12 months of the first violation. After the second offense, the proposed rule requires the license to be suspended for 5 days unless the milk producer agrees within 15 days of the warning notice taking effect to pay a civil forfeiture or to discard one milk shipment; the milk producer must also complete participation in a drug residue prevention program and present a certificate of completion for the program within 180 days of receiving a warning letter. Milk producers whose milk sample yields a confirmed positive test result for drug residues in a third separate 24-hour period within 12 months of the first violation would have their milk producer license suspended for 10 days unless the milk producer agrees within 15 days of the warning notice taking effect to pay two civil forfeitures or to discard two milk shipments; the milk producer would also have to develop and implement a Department approved drug residue program and present documentation indicating that this program has been implemented for at least 90 days.

## ATCP 65.928, Right of hearing.

ATCP 65.928 (3) is revised to require the department to hold an informal hearing within 20 days, rather than 10 days, of receiving a hearing request. This change will bring the rule into compliance with ch. ATCP 1 (Administrative Orders and Contested Cases.)

ATCP 65.928 (4) is revised to eliminate the 10-day requirement for requesting a contested case hearing, in conformance with Subch. III, ch. 227, Stats., and s. ATCP 1.03 (3) (a) 1. It is also revised to add that a request for a contested case hearing must follow the requirements in s. ATCP 1.06.

#### Appendix A: 3-A Sanitary Standards and Accepted Practices

Appendix A is updated to reflect 3-A Sanitary Standards and Accepted Practices effective on or before October 11, 2014.

#### Consolidating dairy farm and dairy plant regulations into one rule.

To minimize overlapping requirements and duplicative regulations, improve ease of use, and ensure consistent application of the rules, this rule revision consolidates and renumbers existing provisions from ATCP 60 (Dairy Farms) and ATCP 80 (Dairy Plants) into the newly created ch. ATCP 65 (Milk and Milk Products.) The following describes how existing chapters were consolidated and renumbered into ch. ATCP 65. Subchapters, sections, and paragraphs were also retitled, as necessary, to maintain clarity.

## Chapter ATCP 60, Dairy Farms

- ATCP 60.01, "Definitions," are renumbered as follows:
  - ATCP 60.01 (1) and (1g) as ATCP 65.01 (6) and (7);
  - ATCP 60.01 (4) and (5) as ATCP 65.01 (10) and (11);
  - ATCP 60.01 (7) and (8) as ATCP 65.01 (13) and (15);
  - ATCP 60.01 (9) and (10) as ATCP 65.01 (18) and (16);
  - ATCP 60.01 (11) as ATCP 65.01 (23);
  - ATCP 60.01 (12) as ATCP 65.01 (26);
  - ATCP 60.01 (13) as ATCP 65.01 (30);
  - ATCP 60.01 (14) and (15) as ATCP 65.01 (31) and (34);
  - ATCP 60.01 (16) and (17) as ATCP 65.01 (35) and (38);
  - ATCP 60.01 (18) to (21) as ATCP 65.01 (42) to (46);
  - ATCP 60.01 (22) as ATCP 65.01 (40);
  - ATCP 60.01 (23) as ATCP 65.01 (51);
  - ATCP 60.01 (23m) as ATCP 65.01 (50);
  - ATCP 60.01 (23r) as ATCP 65.01 (56);
  - ATCP 60.01 (24) as ATCP 65.01 (63);
  - ATCP 60.01 (25) as ATCP 65.01 (66);
  - ATCP 60.01 (26) as ATCP 65.01 (67);
  - o ATCP 60.01 (27) as ATCP 65.01 (69); and
  - ATCP 60.01 (29) as ATCP 65.01 (73).
- ATCP 60.02, "Milk producer license; fees," is renumbered as ATCP 65.02 and remains largely unchanged except for the following:
  - ATCP 60.02 (2) (am), "Livestock premises registration," has been incorporated into ATCP 65.02 (2)(a);
  - ATCP 60.02 (7) (b) and (c), "Producer shipping milk to more than one plant," is largely deleted because it is duplicative of other provisions. Portions of ATCP 60.02 (7) (c) are renumbered as ATCP 65.02 (7);
  - ATCP 60.02 (7) (d), "Producer shipping milk to more than one plant," was renumbered as ATCP 65.02 (8) and retitled "Milk produced for custom processing;"

- ATCP 60.02 (8), "Temporary discontinuation of milk shipments," is renumbered as ATCP 65.02 (9); and
- ATCP 60.02 (9), "Dairy plant termination of milk producer," is renumbered as ATCP 65.02 (10) and retitled, "Termination of a milk producer license."
- ATCP 60.03 (1), "Grade "A" permit," is renumbered as ATCP 65.02 (11) and retitled "Grade A permit requirement."
- ATCP 60.03 (2) to (5) (a), "Grade "A" permit," is renumbered as ATCP 65.02 (13) to (16).
- ATCP 60.03 (5) (b), "Grade "A" permit" is renumbered as ATCP 65.02 (17).
- ATCP 60.03 (6), "Temporary discontinuation of milk shipments," is renumbered as ATCP 65.02 (18).
- ATCP 60.04 (1) and (2), "Reinspection fees" are renumbered as ATCP 65.02 (19).
- ATCP 60.05 (2), "Fee payment obligations; enforcement," is renumbered as ATCP 65.02 (20).
- ATCP 60.06. "Milking barn or parlor" is renumbered as ATCP 65.06.
- ATCP 60.07 (1) to (4), "Milkhouse," is renumbered as ATCP 65.08 (1) to (5).
- ATCP 60.08, "Water supply," is renumbered as ATCP 65.10, and retitled "Dairy farm water supply."
- ATCP 60.09, "Equipment and utensils," is renumbered as ATCP 65.12.
- ATCP 60.10, "Milking and milk handling systems," is renumbered as ATCP 65.14.
- ATCP 60.11 (1) to (4), "Bulk tanks and bulk transport containers," is renumbered as ATCP 65.16 (1) to (5).
- ATCP 60.12, "Milking procedure," is renumbered as ATCP 65.18.
- ATCP 60.13, "Abnormal milk; milking diseased animals," is renumbered as ATCP 65.20.
- ATCP 60.14, "Farm premises," is renumbered as ATCP 65.22.
- ATCP 60.15, "Milk quality standards," is renumbered as ATCP 65.70 and retitled "milk quality standards for milk collected from a dairy farm."
- ATCP 60.17 (1) to (3), "Collecting milk samples," is renumbered as ATCP 65.38.
- ATCP 60.18, "Bacteriological testing," is renumbered as ATCP 65.70 (2).
- ATCP 60.19, "Drug residue testing," is renumbered as ATCP 65.72.
- ATCP 60.20, "Testing for somatic cells," is renumbered as ATCP 65.70 (4).
- ATCP 60.22, "Certified testers; test methods; reporting," is renumbered as ATCP 65.76 (2) to (4).
- ATCP 60.23, "Dairy plant operator to furnish producer milk samples to the department upon request," is renumbered as ATCP 65.78 (1) (e).
- ATCP 60.235, "Raw milk sales prohibited, exemptions," is renumbered as ATCP 65.52.
- ATCP 60.24, "Inspection of dairy farms; general," is renumbered as ATCP 65.910.
- ATCP 60.245 (1) to (4), "Performance-based Grade "A" dairy farm inspections," is renumbered as ATCP 65.912 (1) to (5).
- ATCP 60.25, "Suspension or revocation of milk producer license," is renumbered as ATCP 65.920.
- ATCP 60.26, "Suspension or revocation of grade A farm permit; general," is renumbered as ATCP 60.920 and retitled "Suspension or revocation of grade A producer permit or milk producer license."
- ATCP 60.27, "Violation of grade A milk quality standards; suspension of grade A farm permit by food division," is renumbered as ATCP 65.920.

- ATCP 60.275, "Drug residue violations; producer sanctions," is renumbered as ATCP 65.922 and retitled "Enforcement actions taken in response to drug residue violations."
- ATCP 60.28, "Violation of grade A farm standards; suspension of grade A farm permit by food division," is renumbered as ATCP 65.920.
- ATCP 60.29, "Suspension notice; requirements," is renumbered as ATCP 65.925.
- ATCP 60.30, "Holding orders; identification and disposal of adulterated milk," is renumbered as ATCP 65.927.
- ATCP 60.31, "Right of hearing," is renumbered as ATCP 65.928.

## Chapter 80, Dairy Plants

- ATCP 80.01, "Definitions," are renumbered as follows:
  - ATCP 80.01 (1) as ATCP 65.01 (4);
  - ATCP 80.01 (1g) to (4) as ATCP 65.01 (7) to (9);
  - ATCP 80.01 (5) to (8) as ATCP 65.01 (12) to (15);
  - ATCP 80.01 (9) to (12) as ATCP 65.01 (18), (19), (21) and (22);
  - ATCP 80.01 (13) to (15) as ATCP 65.01 (24) to (26);
  - ATCP 80.01 (16) and (17) as ATCP 65.01 (28) and (29);
  - ATCP 80.01 (18) as ATCP 65.01 (31);
  - ATCP 80.01 (19) to (21) as ATCP 65.01 (35) to (37);
  - ATCP 80.01 (22), (23), and (23m) as ATCP 65.01 (40), (41), and (44);
  - ATCP 80.01 (24) to (31) as ATCP 65.01 (47) to (55);
  - ATCP 80.01 (32) to (33j) as ATCP 65.01 (57) and (60) to (62);
  - ATCP 80.01 (34), (35), and (36), and (39) as ATCP 65.01 (64), (66), (68) and (70); and
    ATCP 80.01 (40) as ATCP 65.01 (71).
- ATCP 80.02 (1) to (8), "Dairy plant license," is renumbered as ATCP 65.04 (1) to (7).
- ATCP 80.04 (1) to (7), "Dairy plant fees," is renumbered as ATCP 65.04 (8) to (13).
- ATCP 80.06 (1) to (8), "Grade "A" dairy plant; permit," is renumbered as ATCP 65.04 (14) to (21).
- ATCP 80.08 (1) to (18), "Construction and maintenance," is renumbered as ATCP 65.24 (1) to (19).
- ATCP 80.10, "Personnel; sanitation standards," is renumbered as ATCP 65.26.
- ATCP 80.12, "Equipment and utensils," is renumbered as ATCP 65.28.
- ATCP 80.14, "C-I-P systems," is renumbered as ATCP 65.30.
- ATCP 80.16, "Dairy product packages," is ATCP 65.32.
- ATCP 80.18, "Sanitizers and sanitizing methods," is renumbered as ATCP 65.34.
- ATCP 80.20, "Receiving milk and dairy products," is renumbered as ATCP 65.36.
- ATCP 80.22, "Storing and handling milk and dairy products," is renumbered as ATCP 65.40.
- ATCP 80.24 (2), (3), and (3m), "Milk and dairy products; quality standards," is renumbered as ATCP 65.74 (1), (2), and (3) and ATCP 80.24 (1) is repealed.
- ATCP 80.26,"Milk quality testing," is renumbered as ATCP 65.76 and ATCP 65.84 (3)
- ATCP 80.28, "Persons authorized to perform milk quality tests," is renumbered as ATCP 65.76 (3) and ATCP 65.84 (1) and (2).
- ATCP 80.30, "Test samples," is renumbered as ATCP 65.78.

- ATCP 80.32, "Test methods," is renumbered as ATCP 65.76 (4) (6) and ATCP 65.86 (1) and (2).
- ATCP 80.34, "Milk component testing devices," is renumbered as ATCP 65.86 (3).
- ATCP 80.36, "Milk quality test records and reports," is renumbered as ATCP 65.80.
- ATCP 80.38, "False samples, test results or reports," is renumbered as ATCP 65.82.
- ATCP 80.40 (1) and (2), "Definitions," are renumbered as in ATCP 65.01 (32) and (33).
- ATCP 80.41, "Pasteurization required," is renumbered as ATCP 65.54.
- ATCP 80.42, "Labeling pasteurized and unpasteurized products," is renumbered as ATCP 65.56.
- ATCP 80.44, "Pasteurization time and temperature," is renumbered as ATCP 65.58.
- ATCP 80.46, "Batch pasteurization," is renumbered as ATCP 65.60.
- ATCP 80.48, "HTST and HHST pasteurization," is renumbered as ATCP 65.62.
- ATCP 80.49, "Aseptic processing and packaging," is renumbered as follows:
  - ATCP 80.49 (1), definition of "aseptic processing and packaging system" is moved to ATCP 65.01 (2); and
  - $\circ$  ATCP 80.49 (2) (a) and (b) are renumbered as ATCP 65.64 (1) and (2).
- ATCP 80.50, "Pasteurization records," is renumbered as ATCP 65.66.
- ATCP 80.52, "Pasteurizer testing," is renumbered as ATCP 65.68.
- ATCP 80.54, "Dairy plant records," is renumbered as ATCP 65.44.
- ATCP 80.56, "Dairy plant reports to department," is renumbered as ATCP 65.46.
- ATCP 80.58, "Confidential information," is renumbered as ATCP 65.48.
- ATCP 80.60, "License suspension or revocation," is renumbered as ATCP 65.926.
- ATCP 80.62, "Grade "A" dairy plant; compliance monitoring," is renumbered as ATCP 65.930.
- ATCP 80.70, "Dairy product labeling," is renumbered as ATCP 65.50.

## Federal and Surrounding State Programs

## **Federal Programs**

An important objective of this proposed rule is to modernize current dairy farm and dairy plant inspection rules to ensure compliance with federal PMO requirements. The PMO establishes minimum standards for regulation of Grade "A" dairy farms and milk products. States must set standards equivalent to, or more stringent than, those in the PMO and each state's milk producers and dairy plants must meet these standards to be allowed to ship Grade "A" milk and milk products in interstate commerce. These rule changes will bring Wisconsin's dairy farm and dairy plant regulations into further compliance with the 2013 revision of the PMO. An additional objective of this proposed rule is to ensure that Wisconsin-licensed dairy plants comply with applicable requirements of the federal Preventive Controls–Human Food rule implemented under FSMA.

## Surrounding State Programs

Michigan, Minnesota, Iowa and Illinois adopt the PMO as part of their Grade "A" dairy-related statutes and regulations and therefore enforce Grade "A" dairy regulations similar to those

enforced by Wisconsin. Unlike Wisconsin, none of the surrounding states have adopted performance-based farm inspection, as allowed by the PMO.

#### Data and Analytical Methodologies

The Department reviewed the 2011 and 2013 revisions of the PMO, federal regulations related to standards of identity, 3-A Sanitary Standards and Accepted Practices, results of an FDA audit of Wisconsin's Grade "A" dairy program, scientific data presented by the dairy industry, the Preventive Controls–Human Food rule implementing FSMA, and recent changes in Wisconsin statutes and rules to identify potential changes to the rule.

#### Standards Incorporated by Reference

Pursuant to s. 227.21, Stats., the Department requested and received permission from the Attorney General on March 23, 2015, to incorporate the following standards relating to milk and milk products into ATCP 65. A copy of these documents will be kept on file with the Department and the Legislative Reference Bureau.

"3-A Accepted Practices for the Design, Fabrication and Installation of Milking and Milk Handling Equipment," Number 606-05, 3-A Sanitary Standards, Inc., 6888 Elm Street, Suite 2D McLean, Virginia, 22101-3850, effective November 2002.

"3-A Sanitary Standards for Farm Milk Cooling and Holding Tanks," Number 13-11, 3-A Sanitary Standards, Inc., 6888 Elm Street, Suite 2D, McLean, VA 22101-3850, effective July 23, 2012.

"3-A Accepted Practices for the Sanitary Construction, Installation, Testing, and Operation of High-Temperature Short-Time and Higher Heat Shorter Time Pasteurizer Systems," Number 603-07, 3-A Sanitary Standards, Inc., 6888 Elm Street, Suite 2D McLean, Virginia, 22101-3850, effective November 21, 2005.

"Grade "A" Pasteurized Milk Ordinance (Includes provisions from the Grade "A" Condensed and Dry Milk Products and Condensed and Dry Whey—Supplement to the Grade "A" PMO)," Public Health Service, 2013 Revision.

Marshall, Robert T., "Standard Methods for the Examination of Dairy Products," American Public Health Association, 800 I Street, NW, Washington, D.C., 20001; 16<sup>th</sup> edition (1992).

"Official Laboratory Evaluation Forms (FDA-2400 Series)," Food and Drug Administration, US Department of Health and Human Services. http://www.fda.gov/AboutFDA/ReportsManualsForms/Forms/default.htm "Official Methods of Analysis of AOAC International," AOAC International, 2275 Research Blvd., Rockville, Maryland, 20850. 18<sup>th</sup> edition (2005).

Wehr, Michael, "Standard Methods for the Examination of Dairy Products," American Public Health Association Inc., 800 I Street, NW, Washington, D.C., 20001; 17th edition (2004).

## Effect on Small Business

The proposed rule changes will impact dairy producers and dairy plants, many of which may be small businesses. The rule does not increase license or permit fees. All Grade "A" dairy businesses, whether large or small, must meet regulations that are substantially in compliance with the FDA's PMO in order to produce, transport, and process Grade "A" milk and dairy products and no special accommodation may be made for small businesses. The proposed rule does not make accommodations for small Grade "B" dairy businesses. The proposed rule allows Grade "B" businesses to seek variances from some requirements and incorporates more flexibility than for Grade "A" businesses. However, to protect food safety and the quality of Wisconsin milk and milk products, further flexibility based on business size is not possible.

If the proposed rule is adopted, some dairy producers may incur costs if they need to modify access to the milkhouse to avoid contamination with animal waste. A few milk producers may also be required to participate in a drug residue prevention program if they have milk samples test positive on two or three dates within 12 months. Some farms may need to have load-out doors installed to meet requirements for the location of bulk transport containers that receive milk directly from the milking equipment, called "direct ship" milking. Grade "B" dairy plants will likely incur costs in developing and implementing a food safety plan to comply with the federal Preventive Controls – Human Food rule implementing FSMA.

However, some of the rule changes may result in cost savings or provide other benefits to industry. For example, the rule contains certain exemptions from dairy plant licensing for licensed restaurants and licensed retail food establishments. The rule also allows the division to authorize alternative temperature limits for storing non-Grade "A" milk or milk products. The proposed rule also assists small businesses by consolidating dairy farm and dairy plant regulations into one rule.

## **DATCP** Contact

Questions and comments (including hearing comments) related to this rule may be directed to:

Peter Haase, Director Bureau of Food Safety and Inspection Department of Agriculture, Trade and Consumer Protection P.O. Box 8911 Madison, WI 53708-8911 Telephone: (608) 224-4711 E-Mail: Peter.Haase@Wisconsin.gov

1	SECTION 2	<b>1.</b> ATCP 60 is repealed.
2	SECTION 2	<b>2.</b> ATCP 65 is created to read:
3		CHAPTER ATCP 65
4		MILK AND MILK PRODUCTS
5	SUBCHAPTE	ER I - DEFINITIONS AND GENERAL REQUIREMENTS
6	ATCP 65.01	Definitions
7	ATCP 65.02	Milk producer licenses and permits; fees
8	ATCP 65.04	Dairy plant licenses and permits; fees
9	SUBCHAPTE	ER II -DAIRY FARMS
10	ATCP 65.06	Milking barn or parlor
11	ATCP 65.08	Milkhouse
12	ATCP 65.10	Dairy farm water supply
13	ATCP 65.12	Equipment and utensils
14	ATCP 65.14	Milking and milk handling systems
15	ATCP 65.16	Bulk tanks and bulk transport containers
16	ATCP 65.18	Milking procedure
17	ATCP 65.20	Abnormal milk; milking diseased animals
18	ATCP 65.22	Farm premises
19	SUBCHAPTE	ER III -DAIRY PLANTS
20	ATCP 65.23	Federal requirements
21	ATCP 65.24	Construction and maintenance
22	ATCP 65.26	Personnel; sanitation standards

	1 ATCP 65.2	8 Equipment and utensils
	2 ATCP 65.3	0 C-I-P systems
	3 ATCP 65.3	2 Dairy product packages
	4 ATCP 65.3	4 Sanitizers and sanitizing methods
	5 ATCP 65.3	6 Receiving milk and dairy products
	6 ATCP 65.3	8 Collecting milk samples
	7 ATCP 65.4	0 Storing and handling milk and dairy products
	8 ATCP 65.4	1 Low-acid or acidified dairy products packaged in hermetically sealed containers
	9	for non-refrigerated storage
1	0 ATCP 65.4	2 Recall plan
1	1 ATCP 65.4	4 Dairy plant records
1	2 ATCP 65.4	6 Dairy plant reports to department
1	3 ATCP 65.4	8 Confidential information
1	4 ATCP 65.5	0 Dairy product labeling
1	5 SUBCHAP	TER IV - PASTEURIZATION
1	6 ATCP 65.5	2 Raw milk sales prohibited; exemptions
1	7 ATCP 65.5	4 Pasteurization required
1	8 ATCP 65.5	6 Labeling pasteurized and unpasteurized products
1	9 ATCP 65.5	8 Pasteurization time and temperature
2	0 ATCP 65.6	0 Batch pasteurization
2	1 ATCP 65.6	2 HTST and HHST pasteurization
2	2 ATCP 65.6	4 Aseptic processing and packaging
2	3 ATCP 65.6	6 Pasteurization records

- 1 ATCP 65.68 Pasteurizer testing
- 2 SUBCHAPTER V SAFETY AND QUALITY STANDARDS
- 3 ATCP 65.70 Milk quality standards for milk collected from a dairy farm
- 4 ATCP 65.72 Drug residue testing
- 5 ATCP 65.74 Milk and dairy products; quality standards
- 6 ATCP 65.76 Milk quality testing
- 7 ATCP 65.78 Milk quality test samples
- 8 ATCP 65.80 Milk quality test records and reports
- 9 ATCP 65.82 False samples, test results or reports
- 10 ATCP 65.84 Milk component testing
- 11 ATCP 65.86 Milk component test methods
- 12 SUBCHAPTER VI INSPECTION AND ENFORCEMENT
- 13 ATCP 65.910 Inspection of dairy farms; general
- 14 ATCP 65.912 Performance-based grade A dairy farm inspections
- 15 ATCP 65.920 Suspension or revocation of grade A producer permit or milk producer license
- 16 ATCP 65.922 Enforcement actions taken in response to drug residue violations
- 17 ATCP 65.925 Suspension notice; requirements
- 18 ATCP 65.926 Dairy plant license and grade A permit suspension or revocation.
- 19 ATCP 65.927 Holding orders; identification and disposal of adulterated milk
- 20 ATCP 65.928 Right of hearing
- 21 ATCP 65.930 Grade A dairy plants; compliance monitoring and inspection
- 22

#### SUBCHAPTER I

23 DEFINITIONS AND GENERAL REQUIREMENTS

1

ATCP 65.01 Definitions. In this chapter:

(1) "Abnormal milk" means milk that is visibly changed in color, odor, or texture, or milk
that contains chemical, medicinal or radioactive agents, which may be deleterious to human
health

5 (2) "Aseptic processing and packaging system" means a system that is intended to fill 6 commercially sterilized and cooled milk or milk products into pre-sterilized containers, and then 7 hermetically seal each container with a pre-sterilized closure, in an atmosphere free of 8 microorganisms.

9 (3) "Automated milking installation" or "AMI" means a robotic milking system that 10 identifies, prepares and milks lactating animals; detects and segregates abnormal milk; and 11 automatically cleans and sanitizes all milk contact surfaces, at least once daily and after the 12 segregation of abnormal milk, such that normal milk is not adulterated.

(4) "Bulk milk tanker" means a mobile bulk container used to transport milk, fluid milk products, whey or whey cream in bulk from a dairy farm, or to or from a dairy plant, in this state. "Bulk milk tanker" includes a container, which is permanently mounted on a motor vehicle or that is designed to be towed by a motor vehicle, and includes all equipment and accessories related to the container. "Bulk milk tanker" does not include a container that is used by a milk producer solely to transport that producer's own milk to that milk producer's bulk tank or to a licensed dairy plant operated by that milk producer.

(5) "Bulk milk weigher and sampler" means any person who collects official milk samples
and may transport raw milk from a farm, or raw milk or fluid milk products to or from a dairy
plant, receiving station or transfer station, and is licensed under s. ATCP 82.04.

(6) "Bulk tank" means a permanent or semi-permanent tank, container, or silo used to
 receive, cool or store bulk quantities of milk on a dairy farm. "Bulk tank" does not include milk
 cans.

(7) "Bulk tank unit" or "BTU" means at least one dairy farm that is rated as a single entity 4 and given a single sanitation compliance and enforcement rating by the division. 5 (8) "Bulk transport container" means a vehicle or container into which milk directly flows 6 7 during milking and that a milk producer uses to ship the milk from a dairy farm to a dairy plant. (9) "C-I-P" means clean-in-place, which is the process by which equipment is cleaned and 8 sanitized without being disassembled and by the mechanical circulation of cleaning and 9 sanitizing solutions onto interior milk and dairy product contact surfaces. 10 (10) "Composite sample" means a sample of milk that is collected from 2 or more milk 11 12 shipments from the same milk producer and that is compiled and preserved according to s. 13 ATCP 65.80 (4). (11) "Cowyard" means an enclosed or unenclosed area, approximately adjacent to a milking 14

barn or parlor, in which milking animals congregate. "Cowyard" includes milking animal
 walkways, feeding areas, watering areas, washing areas, and housing areas located outside but
 adjacent to a milking barn or parlor.

(12) "Dairy farm" means a dairy farm, as defined in s. 97.22 (1) (a), Stats., operated by a
milk producer and includes a milkhouse.

20 (13) "Dairy plant" means any of the following:

(a) A place where a dairy product is manufactured or processed for sale or distribution as
human food.

23 (b) A receiving station.

1 (c) A transfer station.

2	(d) For the purposes of assigning milk producer license application responsibilities, a milk
3	contractor, or any business under par. (a) or (b) of this section, that submits a milk producer
4	license application on behalf of a milk producer and thereby certifies that the milk producer's
5	dairy farm and milking operations comply with applicable requirements under this chapter.
6	(14) "Dairy plant operator" means a person who operates a dairy plant. "Dairy plant
7	operator" includes the operator of a dairy plant located outside this state if the operator procures
8	milk from producers located in this state. "Dairy plant operator" does not include a person
9	identified under s. 97.20 (2) (e), Stats.
10	(15) "Dairy product" means any product defined as a dairy product in s. 97.20 (1) (b) 1. to 5.,
11	Stats.
12	(16) "Department" means the department of agriculture, trade and consumer protection.
13	(17) "Division" means the department's division of food and recreational safety.
14	(18) "Drug" has the meaning given in 21 USC 321 (g). "Drug" includes antibiotics and
15	inhibitory substances.
16	(19) "Equipment" means either:
17	(a) An implement, vessel, pipeline, machine, or apparatus, other than a utensil, and including
18	C-I-P systems, that has one or more product contact surfaces and is used in moving, handling,
19	storing, or processing dairy products at a dairy plant, or
20	(b) An implement, vessel, machine, or apparatus, other than a utensil, that has one or more
21	milk contact surfaces that is used to draw milk from milking animals or to transport, hold,
22	handle, cool, or store milk on a dairy farm.

(20) "Fluid milk product" means cream, sour cream, acidified sour cream, half-and-half, sour
half-and-half, whipped cream, concentrated milk, concentrated milk products, reduced fat milk,
low fat milk, nonfat milk, flavored milk, buttermilk, cultured buttermilk, cultured milk, yogurt,
low fat yogurt, nonfat yogurt, eggnog, holiday nog, nog-flavored milk, vitamin and mineral
fortified milk or milk products, and any other fluid milk product made by adding any substance
to milk or any of these products.

7 (21) "Facility" has the meaning given in 21 CFR 117.3.

(22)"Frozen dessert" means ice cream, French ice cream, artificially sweetened ice cream, 8 frozen custard, frozen yogurt, frozen concentrates, ice milk, sherbet, gelato, water ice, 9 quiescently frozen confection, quiescently frozen dairy confection, manufactured frozen-dessert 10 mix, and frozen whipped cream confections. "Frozen dessert" includes frozen-dessert mix. 11 (23) "Frozen-dessert mix" means a mixture of frozen dessert ingredients that has not yet been 12 processed and frozen to create a frozen dessert. "Frozen-dessert mix" includes a mix of 13 previously pasteurized dry dairy ingredients that is combined with potable water to create a 14 liquid mix. 15 (24) "Grade A dairy farm" means a dairy farm owned or operated by a licensed producer for 16

which a Grade A permit is required under s. ATCP 65.02 (11) and s. 97.22 (3), Stats.

(25) "Grade A dairy plant" means a dairy plant required to hold a permit under s. ATCP
65.04 (14) and s. 97.20 (3), Stats.

(26) "Grade A dairy product" means a fluid milk product that is produced from grade A milk
and processed and distributed in compliance with grade A standards under this chapter.

(27) "Grade A milk" means milk produced, processed, and distributed in compliance with
 Grade A requirements under this chapter.

1	(28) "Grade A producer permit" means a grade A dairy farm permit under s. 97.22 (3) Stats.
2	(29) "Grade B dairy plant" means a dairy plant other than a grade A dairy plant.
3	(30) "Grade B dairy product" means a dairy product other than a grade A dairy product.
4	(31) "Grade B dairy farm" means a dairy farm other than a grade A farm.
5	(32) "Grade B milk" means milk other than grade A milk, that is used in the production of
6	dairy products that are not grade A milk products as defined in s. 97.20 (1) (f), Stats.
7	(33) "HHST" means higher heat shorter time.
8	(34) "HTST" means high temperature short time.
9	(35) "Key violation" means any of the following:
10	(a) A repeat violation of any dairy farm standard under subch. II, as determined on 2
11	consecutive inspections of a dairy farm.
12	(b) An initial violation of any dairy farm standard under subch. II if the violation creates a
13	substantial risk of milk adulteration, whether or not the violation constitutes an imminent health
14	hazard. The following conditions are considered key violations under this paragraph unless a
15	division representative determines, under all of the surrounding circumstances, that they do not
16	create a substantial risk of milk adulteration:
17	1. Unclean milk contact surfaces of equipment or utensils.
18	2. Filthy conditions in a milking barn or parlor, such as several days' accumulation of manure
19	in gutters or other areas.
20	3. Filthy conditions in a cowyard that could reasonably be expected to result in milking
21	animals having very dirty flanks, udders, and teats.
22	4. Filthy conditions in a milkhouse.

5. Water supply, water pressure, or water heating facilities not in compliance with this
 chapter.

6. No access to a toilet facility on the farm premises, or to a handwashing facility in the
milkhouse.

5 7. Violation of standards under this chapter related to well construction or potability of water 6 supply, including any cross connection between potable and non-potable water sources.

8. Lack of an approved sanitizer in the milkhouse or adjacent storage areas that could be used
to meet the sanitizing requirements under s. ATCP 65.12 (5).

9 9. Visibly dirty udders and teats on milking animals being milked.

10 10. Milk not cooled in compliance with s. ATCP 65.18 (4).

11 11. Rodent activity in the milkhouse.

12 12. Dead animals in the milking barn or cowyard.

13 13. Violations of standards related to the design, construction or installation of equipment or
14 utensils, if the violation creates a substantial risk of adulteration.

(c) Two or more initial violations of dairy farm standards under subch. II that combine to
create a substantial risk of milk adulteration, whether or not the violations individually create a
substantial risk of adulteration.

(36) "Milk" means the normal lacteal secretion, practically free of colostrum, obtained by the
 complete milking of one or more healthy milking animals, and includes skim milk and cream.

(37) "Milk component test" means a test that determines the amount of milkfat, protein, total
solids, solids-not-fat, or other components in milk, and that may affect the price that a dairy
plant operator, including a milk contactor that submits a milk producer license application on
behalf of a milk producer and thereby certifies that the milk producer's dairy farm and milking

operations comply with applicable requirements under this chapter, pays a milk producer for
 milk.

3 (38) "Milk component testing device" means an automated testing device used to perform
4 milk component tests.

5 (39) "Milk contact surfaces" means all surfaces of equipment or utensils that may come in
6 contact with milk, or from which liquids may drain, splash, or be drawn into milk.

(40)"Milk contractor" means a milk contractor, as defined in s. 126.40(8), Stats., that may
submit a milk producer license application on behalf of a milk producer and thereby certify that
the milk producer's dairy farm and milking operations comply with applicable requirements
under this chapter.

11 (41) "Milk producer" means a milk producer as defined in s. 97.22 (1) (f), Stats.

(42) "Milk quality test" means a bacteria count, somatic cell count, drug residue test, milk component test, or other analytical test, that is used to determine compliance with milk quality standards under ss. ATCP 65.70 or 65.74 or that may affect the price that a dairy plant operator, including a milk contractor that submits a milk producer license application on behalf of a milk producer and thereby certifies that the milk producer's dairy farm and milking operations comply with applicable requirements under this chapter, pays a milk producer for milk.

(43) "Milkhouse" means an enclosed facility, separated from the milking barn or parlor by a
self-closing door, in which milk is cooled or stored and in which equipment and utensils are
cleaned, sanitized, and stored. "Milkhouse" includes a milkhouse sharing one or more walls
with a milking barn or parlor.

(44) "Milking and milk handling system" means an automated system, and all components of
that system, used to draw milk from milking animals or to transport milk to a bulk tank or other

1	container on a dairy farm. "Milking and milk handling system" includes C-I-P milking
2	equipment and C-I-P milk pipelines.
3	(45) "Milking animals" means all of the following:
4	(a) Cows, sheep, and goats.
5	(b) Other hooved or camelid mammals whose milk is collected and distributed for human
6	consumption.
7	(46) "Milking barn" means a roofed and enclosed facility, other than a milking parlor, in
8	which milking animals are milked on a dairy farm.
9	(47) "Milking parlor" means either of the following:
10	(a) A roofed and enclosed facility that is designed and used year-round exclusively for the
11	milking of milking animals, and that is not designed or used to house any animals.
12	(b) A seasonal facility constructed without walls that is used exclusively for the milking of
13	milking animals and that is not designed or used to house any animals.
14	(48) "Multi-use package" means a returnable bottle or other package that is designed for
15	repeated use.
16	(49) "Package" means a container or wrapping, having one or more product contact surfaces,
17	that is designed or used to enclose a dairy product sold or shipped from a dairy plant. "Package"
18	includes package covers and other package components. "Package" includes all of the
19	following:
20	(a) A returnable bottle or other multi-use package.
21	(b) A single-service package.
22	(c) A bulk or shipping container, other than a bulk milk tanker, that has one or more product
23	contact surfaces and is used for the sale or shipment of a dairy product from a dairy plant.

1	(50) "Pasteurize" and "pasteurization" means to thermally process every particle of a dairy
2	product in properly designed and operated equipment according to subch. IV, in order to destroy
3	pathogenic microbes in that dairy product. "Pasteurize" includes batch pasteurization, HTST
4	pasteurization, HHST pasteurization, UHT pasteurization, and other equally effective
5	pasteurization processes that are approved by the division in writing.
6	(51) "PMO" means the Grade A Pasteurized Milk Ordinance, 2013 revision, published by the
7	United States department of health and human services, public health service, food and drug
8	administration.
9	(52) "Person" means an individual, partnership, firm, cooperative, association, or any other
10	business unit or entity.
11	(53) "Potable water" means water that meets the microbiological standards in ch. NR 809.
12	(54) "Potentially hazardous food" has the meaning given in Section 1-201-10 (B) (66), ch.
13	ATCP 75 Appendix (Wisconsin Food Code).
14	(55) "Processing" means pasteurizing, manufacturing, blending, or packaging dairy products,
15	or cooling dairy products previously treated by one of the preceding unit operations.
16	(56) "Processing plant" means a dairy plant at which dairy products are processed.
17	(57) "Procure milk" means to buy milk or acquire the right to market milk from a milk
18	producer licensed under this chapter.
19	(58) "Product contact surface" means a surface of equipment or a surface of a utensil or
20	package with which a dairy product normally comes in direct contact, or from which materials
21	may drain, drip, or be drawn into a dairy product.
22	(59)"Qualified facility" has the meaning given in 21 CFR 117.3.

1	(60)"Receive milk from a milk producer" means to receive milk for which payment will be
2	made to a milk producer, or a milk contractor that submits a milk producer license application
3	on behalf of a milk producer and thereby certifies that the milk producer's dairy farm and
4	milking operations comply with applicable requirements under this chapter.
5	(61) "Receiving station" means a facility that is designed for the receipt and bulk storage of
6	milk and is used to receive or store milk in bulk. "Receiving station" does not include a
7	processing plant or a facility used to distribute pasteurized milk in bottled or packaged form to
8	consumers.
9	(62) "Recombined dairy product" means a dairy product created by recombining separated
10	dairy product components.
11	(63) "Reconstituted dairy product" means a dairy product created by restoring water to
12	dehydrated dairy product ingredients.
13	(64) "Reinspection" means any of the following:
14	(a) A dairy farm inspection, other than a regularly scheduled inspection under s. ATCP
15	65.910 (2) or 65.912, the division makes in response to a key violation.
16	(b) A dairy farm inspection, other than a regularly scheduled inspection under s. ATCP
17	65.910 (2) or 65.912, for which a fee is chargeable under s. ATCP 65.70 (2) (g), 65.72 (10),
18	65.920 (4), 65.920 (7), or 65.922 (2) (c).
19	(c) A dairy plant inspection, other than a regularly scheduled inspection under s. ATCP
20	65.930 (2), that the division makes in response to a violation for which a fee is chargeable under
21	s. ATCP 65.04(11).
22	(65) "Safe temperatures", as applied to refrigerated potentially hazardous foods means
23	temperatures of 45° F. (7° C.) or below. As applied to heated, potentially hazardous foods, "safe

1	temperatures" means temperatures of 135° F. (57° C.) or above. As applied to frozen foods, "safe
2	temperatures" means temperatures of $0^{\circ}$ F. (-17° C.) or below.
3	(66)"Sanitize" means to destroy pathogens and other microorganisms to the maximum extent
4	practicable, by applying a sanitizer at concentrations in compliance with 21 CFR part 178.1010,
5	or by applying a sanitizing method approved by the division, to an otherwise clean surface.
6	(67) "Secretary" means the secretary of the department.
7	(68) "Shipping container" means a box, carton, or similar container in which packaged dairy
8	products are shipped in bulk from a dairy plant.
9	(69) "Single-service articles" means utensils, including containers or packages, filters, and
10	other articles, that are designed to be used only once before disposal.
11	(70) "Standard of identity" means a dairy product standard of identity in 21 CFR 131, 133,
12	135.3, 135.110-135.140, 168.122, 184.1979, 1979a, and 1979c; or in 21 USC 321a and 321c.
13	(71) "Transfer station" means a facility that is designed and used solely to transfer milk from
14	one bulk transport container to another without intervening storage.
15	(72) "UHT" means ultra-high temperature.
16	(73) "Utensil" means any hand-held or similarly portable container, device, article, or
17	implement that has one or more milk contact surfaces and is used for any of the following:
18	(a) To draw milk from milking animals or to transport, hold, strain, handle, or store milk
19	on a dairy farm.
20	(b) To process or handle milk or dairy products at a dairy plant.
21	ATCP 65.02 Milk producer licenses and permits; fees. (1) MILK PRODUCER LICENSE
22	REQUIREMENT. (a) No person may operate as a milk producer offering milk for sale without an
23	annual license from the department for each farm operated, as provided under s. 97.22 (2), Stats.

1	A license expires on April 30 of each year. Whenever the department first issues a milk producer
2	license, that license shall bear a livestock premises code issued under s. ATCP 17.02 (7) for the
3	dairy farm associated with the milk producer license. A license is not transferable between
4	persons or dairy farms. As a condition to licensing, a milk producer shall comply with
5	applicable provisions of this chapter.
6	(b) A separate license is required for any of the following:
7	1. Each species of milking animal milked by each milk producer on a dairy farm.
8	2. Each dairy farm operated by a milk producer at which milk is produced and offered for
9	sale.
10	3. Each dairy plant, if a milk producer is shipping milk to more than one dairy plant,
11	including a milk contractor that submits a milk producer license application on behalf of a milk
12	producer and thereby certifies that the milk producer's dairy farm and milking operations comply
13	with applicable requirements under this chapter.
14	(2)LICENSE APPLICATION; RENEWAL. (a) <i>General</i> . A license application, signed by the milk
15	producer, shall be made on a form provided by the department and shall include the information
16	that is required under s. ATCP 17.02 (4) for the purpose of livestock premises registration. A
17	dairy plant operator, milk contractor, or their representative, after inspecting the dairy farm under
18	s. ATCP 65.910 (1), shall submit the application on behalf of the milk producer and shall certify
19	that the dairy farm and milking operations comply with applicable requirements under this
20	chapter. An annual license may be renewed each year upon payment of the required fees under
21	sub. (4), without further application by the milk producer, provided the milk producer is
22	registered under s. ATCP 17.02 (4).

1	(b) Action on license application. Within 15 days after the department receives a complete
2	license application under par. (a), the department shall do any of the following:
3	1. Grant the application.
4	2. Deny the application.
5	3. Issue a temporary license under par. (c).
6	(c) Temporary license. The department may issue a temporary license, for a period not to
7	exceed 40 days, pending final action on a milk producer's application for an annual milk
8	producer license. The department shall grant or deny the annual license application before the
9	temporary license expires. If the department denies the annual license application before the
10	temporary license expires, the temporary license is automatically terminated when the producer
11	receives written notice of the denial. The holder of a temporary license acquires no rights
12	beyond those conferred by the temporary license under this paragraph.
13	(3) PRE-LICENSE INSPECTION. (a) A division representative, on behalf of the department, may
14	inspect a dairy farm, as the division deems necessary, before issuing a license to a milk producer
15	If the dairy farm does not meet the minimum standards required for licensing, the department
16	shall deny the license application.
17	(b) Automated milking installations must be reviewed and approved by a division
18	representative before a milk producer license is issued by the department.
19	(4)LICENSE FEE. (a) The annual fee for a milk producer license under this section is \$30.
20	(b) A dairy plant operator, including a milk contractor that submits a milk producer license
21	application on behalf of a milk producer and thereby certifies that the milk producer's dairy farm
22	and milking operations comply with applicable requirements under this chapter, shall pay the

annual milk producer license fee under this section by April 30 of each year for each dairy farm
 from which the dairy plant operator receives milk on that date.

3 1. A dairy plant operator, including a milk contractor that submits a milk producer license application on behalf of a milk producer and thereby certifies that the milk producer's dairy 4 farm and milking operations comply with applicable requirements under this chapter, who 5 pays a milk producer license fee, under par. (a), may charge that fee back to a milk producer 6 if the dairy plant operator gives prior written notice to the milk producer, but the dairy plant 7 operator may not deduct the fee from any payment that the dairy plant operator owes the milk 8 producer for milk received by the dairy plant operator. A dairy plant operator may not 9 10 discriminate between milk producers with respect to fee charges under this paragraph, but 11 may charge back license fees to all milk producers who cease shipping milk to the operator's dairy plant during the license year. 12

13 2. The license fee in this subsection is non-refundable.

(5) DENIAL OF LICENSE APPLICATION. If the department denies a milk producer's application for a license under this section, the department shall issue the denial in writing and shall state the reasons for the denial. The denial notice shall include a notice of the applicant's right to hearing under s. ATCP 65.928. If a division representative inspects the applicant's dairy farm, the division representative may deny the application by noting the denial on the inspection report given to the producer, provided that the inspection report includes the required information under this subsection.

(6) TRANSFER BETWEEN DAIRY PLANTS. A dairy plant operator, including a milk contractor
 that submits a milk producer license application on behalf of a milk producer and thereby
 certifies that the milk producer's dairy farm and milking operations comply with applicable

requirements under this chapter, shall notify the department in writing within 3 business days
 after any of the following occurs:

3 (a) The dairy plant operator begins receiving milk shipments from a licensed producer who
4 has previously shipped milk to another dairy plant. No new license is required.

5 (b) A licensed producer is re-assigned, for licensing purposes under this section, to that dairy
6 plant.

7 (7) MILK PRODUCER SHIPPING MILK TO MORE THAN ONE DAIRY PLANT. A milk producer may concurrently ship milk to more than one dairy plant, including a milk contractor that submits a 8 milk producer license application on behalf of a milk producer and thereby certifies that the milk 9 10 producer's dairy farm and milking operations comply with applicable requirements under this 11 chapter, if the milk producer is assigned, for licensing purposes under this section, to each dairy plant. Each dairy plant's operator shall do all of the following on behalf of the milk producer: 12 13 (a) Pay the producer's annual license fees under this section. (b) Pay the producer's reinspection fees, if any, under s. ATCP 65.04. 14 (c) Fulfill other dairy plant operator obligations under this subchapter, if any, related to the 15 16 milk producer's license or grade A producer permit. (8) MILK PRODUCED FOR CUSTOM PROCESSING. A dairy plant operator shall take ownership 17 and market a milk producer's milk unless the dairy plant operator is deemed to be custom 18 19 processing a producer's milk and all of the following apply: 20 (a) The dairy plant operator, on behalf of the milk producer, makes that milk into dairy 21 products. (b) The milk producer retains title to that milk and to all of the dairy products made from that 22

23 milk.

(c) The dairy plant operator does not market that milk, or the dairy products made from that
milk, but promptly returns the dairy products to the milk producer or the milk producer's agent
for consumption or marketing.

4 (d) The dairy plant operator does not commingle milk produced by that milk producer with5 other milk.

6 (e) The dairy plant operator provides the custom processing services pursuant to a written 7 agreement with the milk producer or the milk producer's agent. The agreement shall clearly state 8 that the milk producer retains title to all of the custom processed milk and dairy products and that 9 the milk producer's milk shipments under the custom processing agreement are not secured under 10 ch. 126, Stats.

(f) The milk producer ships, for custom processing under this subsection, not more than 50
percent of the producer's milk production in any month.

(g) The dairy plant operator custom processes not more than a total of 5 million pounds of
milk from all milk producers entering into written agreements with the dairy plant operator,
under par. (e), in any month.

(h) The milk producer or the milk producer's agent notifies the division of the custom
processing agreement before shipping milk to the dairy plant operator for custom processing
under this subsection and annually thereafter, and simultaneously notifies the dairy plant
operator to whom the producer is assigned for licensing purposes, under par. (a), if that dairy
plant operator is not the one providing the custom processing services.

(i) The milk producer or the milk producer's agent files a monthly report with the
department, on or before the 15th day of the month, reporting the volume of milk delivered to the
custom processor during the preceding month. The milk producer or milk producer agent shall

file a copy of the report with the dairy plant operator to whom the producer is assigned for licensing purposes, under par. (a), if that dairy plant operator is not providing the custom processing services.

4 (j) The milk producer or the milk producer's agent pays to the department the dairy plant
5 milk procurement fees, under s. ATCP 65.04 (10), that apply to the milk producer's custom
6 processed milk shipments.

(k) The milk producer or the milk producer's agent pays milk marketing order assessments
and other state or federally mandated assessments that apply to the milk producer's custom
processed milk shipments, in the manner prescribed by state or federal law.

(9) TEMPORARY DISCONTINUATION OF MILK SHIPMENTS. (a) A cow milk producer's license
 remains in effect if the milk producer resumes milk shipments within 180 days after temporarily
 discontinuing shipments to the dairy plant to whom the milk producer is assigned, provided
 shipments were not transferred to another dairy plant.

(b) A sheep or goat milk producer license remains in effect if the milk producer resumes milk
shipments within 240 days after temporarily discontinuing shipments to the dairy plant to whom
the milk producer is assigned, provided shipments were not transferred to another dairy plant.

(c) If the milk producer does not resume milk shipments within the allowed 180 or 240 days,
the department shall summarily revoke the milk producer's license. The department shall give
the milk producer a written revocation notice at least 5 business days before the effective date of
the notice.

(10) TERMINATION OF A MILK PRODUCER LICENSE. If a milk producer stops shipment of milk
 to a dairy plant, including a milk contractor that submits a milk producer license application on
 behalf of a milk producer and thereby certifies that the milk producer's dairy farm and milking

1	operations comply with applicable requirements under this chapter, for any reason, other than a
2	reason identified in sub. (8), or s. ATCP 65.70 (2) (f), or 65.72 (6) or (7), the dairy plant operator
3	shall notify the department in writing within 3 business days after receiving the last shipment of
4	milk from that producer. The department shall summarily revoke the milk producer's license 30
5	days after that last milk shipment date unless, by the scheduled revocation date, the milk
6	producer is shipping milk to another dairy plant operator to whom the producer is assigned for
7	licensing purposes under this section. The department shall give the producer a written
8	revocation notice at least 5 business days prior to the effective date of the notice.
9	(11) GRADE A PERMIT REQUIREMENT. No milk producer may sell or distribute milk as grade
10	A milk without obtaining an annual grade A producer permit from the department, as provided
11	under s. 97.22 (3), Stats. A grade A producer permit is not valid unless the producer also holds a
12	valid milk producer license under s. ATCP 65.02. A grade A producer permit expires on April
13	30 of each year. A separate grade A producer permit is required for each milk producer on a
14	dairy farm at which milk is produced for distribution or sale as grade A milk. A grade A
15	producer permit is not transferable between persons or dairy farms. Except as provided in sub.
16	(12), no more than one milk producer at a dairy farm shall have a grade A permit. A grade A
17	permit may be issued by the department in the form of an endorsement on an inspection report
18	given to the milk producer. As a condition to holding a grade A producer permit, a milk
19	producer shall comply with applicable provisions of this chapter.
20	(12) GRADE A PERMITS AT A SINGLE DAIRY FARM OPERATED BY MULTIPLE MILK PRODUCERS.
21	More than one milk producer at a farm may hold grade A producer permits if each milk producer
22	holding a grade A producer permit ships milk to the same dairy plant. All water test results under
22	$\Delta TCD (5.10) dress and dress that the second seco$

s. ATCP 65.10, drug residue test results under s. ATCP 65.72, milk quality test results under s.

ATCP 65.76, inspection results under ss. ATCP 65.910 and 65.912, and enforcement actions taken under Subchapter VI apply equally to all holders of a milk producer license at a single dairy farm sharing a herd of milking animals; access or use of a barn, milking barn, milking parlor, milking and milk handling system; or any other part of a dairy farm. The division shall simultaneously inspect the milking operations of a dairy farm at which more than one grade A producer permit is held. The inspections shall be in accordance with ss. ATCP 65.910 and 65.912.

7 (13) GRADE A PERMIT APPLICATION; RENEWAL. (a) General. A grade A producer permit application, signed by the milk producer, shall be made on a form provided by the department. 8 9 A dairy plant operator, including a milk contractor that submits a milk producer license 10 application on behalf of a milk producer and thereby certifies that the milk producer's dairy farm 11 and milking operations comply with applicable requirements under this chapter, after inspecting 12 the dairy farm under Subchapter VI shall submit the application on behalf of the milk producer, and shall certify that the dairy farm facilities comply with applicable grade A requirements under 13 14 this chapter. A grade A producer permit may be renewed each year in connection with the renewal of the milk producer's license under s. ATCP 65.02, without further application by the 15 16 milk producer.

(b) *Action on permit application*. Within 15 days after the department receives a complete
grade A producer permit application under par. (a), the department shall do any of the following:
1. Grant the application after inspecting the dairy farm.

20 2. Deny the application.

(14) PRE-PERMIT INSPECTION. A division representative, on behalf of the department, may
inspect a dairy farm before issuing a grade A producer permit for that milk producer.

1	(15) DENIAL OF GRADE A PERMIT APPLICATION. The department shall deny an application for
2	a grade A producer permit if it determines, under sub. (14), that minimum standards are not met.
3	The department shall issue the denial in writing and shall state the reasons for the denial. The
4	denial notice shall include a notice of the applicant's right to hearing under s. ATCP 65.928. A
5	representative of the division, after inspecting the applicant's dairy farm, may deny a grade A
6	producer permit application by noting the denial on the inspection report given to the producer,
7	provided that the inspection report includes the required information under this subsection.
8	(16) TRANSFER OF GRADE A PRODUCERS BETWEEN DAIRY PLANT OPERATORS. A dairy plant
9	operator, including a milk contractor that submits a milk producer license application on behalf
10	of a milk producer and thereby certifies that the milk producer's dairy farm and milking
11	operations comply with applicable requirements under this chapter, shall notify the department in
12	writing within 3 business days after any of the following occurs:
13	(a) The operator begins receiving milk shipments from a grade A producer who has
14	previously shipped milk to another operator.
15	(b) A grade A producer is re-assigned, for permit purposes under this section, to that dairy
16	plant operator.
17	Note: No new grade A producer permit is necessary when a producer transfers to a different dairy plant.
18 19	(17) Grade A milk producer shipping milk to more than one dairy plant. A milk
20	producer holding a grade A producer permit may concurrently ship milk to more than one dairy
21	plant operator, including a milk contractor that submits a milk producer license application on
22	behalf of a milk producer and thereby certifies that the milk producer's dairy farm and milking
23	operations comply with applicable requirements under this chapter, if the milk producer and

dairy plant operators comply with s. ATCP 65.02 (7) and only one of the dairy plants accepts the
milk producer's milk as grade A milk.

3 (18) TEMPORARY DISCONTINUATION OF GRADE A MILK SHIPMENTS. (a) A dairy plant operator, including a milk contractor that submits a milk producer license application on behalf of a milk 4 producer and thereby certifies that the milk producer's dairy farm and milking operations comply 5 with applicable requirements under this chapter, shall notify the department if a grade A milk 6 producer temporarily discontinues milk shipments without transferring milk shipments to another 7 dairy plant. The dairy plant operator shall notify the department in writing within 3 business 8 9 days after the producer discontinues shipments and within 3 business days after the producer 10 resumes milk shipments.

(b) A milk producer's grade A producer permit remains in effect if the milk producer resumes milk shipments, under par. (a), within 60 days after temporarily discontinuing milk shipments to the dairy plant to whom the milk producer is assigned, provided shipments were not transferred to another dairy plant. If the milk producer does not resume milk shipments within 60 days, the department shall summarily revoke the milk producer's grade A producer permit. The department shall give the producer a written revocation notice at least 5 business days before the effective date of the notice.

(19) RE-INSPECTION FEE REQUIREMENT. If a division representative, on behalf of the department, conducts a reinspection, the department shall charge a reinspection fee of \$30 for the reinspection, or \$60 if the reinspection is required for reinstatement of a milk producer's license or grade A producer permit pursuant to s. 97.22 (4), Stats. A reinspection fee is payable when the reinspection is completed, and is due upon written demand from the department.

1 (20) FEE PAYMENT OBLIGATIONS; ENFORCEMENT. If no dairy plant pays the fees required 2 under this subchapter on behalf of a milk producer, the department may demand payment from 3 the milk producer. If, after reasonable notice and demand for payment, a milk producer fails to 4 pay a fee that was due and payable before the current license year, the department may suspend 5 the milk producer's license or grade A producer permit.

(21) BTU REQUIREMENTS. Each farm in a BTU shall be operated by a licensed milk
producer who holds a grade A producer permit, shall be included in only one BTU, and shall
produce milk for pasteurization that is collected by a bulk milk weigher and sampler licensed
under ATCP 82.04.

ATCP 65.04 Dairy plant licenses and permits; fees. (1) DAIRY PLANT LICENSE REQUIRED. 10 (a) License required. Except as provided under sub. (b), no person may operate a dairy plant, or 11 12 act as a milk contractor who submits a milk producer license application on behalf of a milk 13 producer and thereby certifies that the milk producer's dairy farm and milking operations comply with applicable requirements under this chapter, without a valid license issued by the department 14 for that dairy plant or milk contractor. A dairy plant license expires on April 30 annually and is 15 not transferable between persons or locations. A dairy plant receiving or procuring milk from 16 17 milk producers shall hold a current milk contractor license.

18 **Note**: See ss. 97.20, and 126.40 Stats.

19

(b) *License exemptions*. A dairy plant license is not required, under sub. (a), for any of the
following:

A farm manufacturing or processing dairy products solely for consumption by the owner
 or operator of the farm, members of the farm household, or nonpaying farm guests or employees.
 The retail preparation or processing of meals for sale directly to consumers or through
 vending machines if the preparation and processing of dairy products, made from commercially

pasteurized dairy products, is covered under a restaurant license or other license issued under s. 1 97.605, Stats. Packaging of grade A dairy products for retail sale by exempted establishments 2 under this section is prohibited. 3 4 3. A retail food establishment, including a restaurant, licensed under s. 97.30, Stats., if the establishment processes non-grade A dairy products made from commercially pasteurized and 5 packaged dairy products solely for retail sale at the establishment. 6 7 4. A milk receiving station or transfer station operated at the same location, and by the same 8 person, as a processing plant licensed under sub. (1). 5. A milk transfer station operated at the same location, and by the same person, as a milk 9 receiving station licensed under sub. (1). 10 6. A food processing plant licensed, under s. 97.29, Stats., that meets the requirements of s. 11 12 97.20 (2) (e) 5. 13 7. A dairy plant that is exempted from licensing by department rule. (2) LICENSE APPLICATION. An application for a dairy plant license shall be made on a form 14 provided by the department and shall be accompanied by each applicable non-refundable fee 15 required under s. ATCP 65.04. The application shall include the following information, and any 16 other information reasonably required by the department for licensing purposes: 17 (a) The correct legal name of the dairy plant operator and any trade name used by the 18 operator. 19 20 (b) The dairy plant address, including number, street name, and zip code; and telephone number of the dairy plant to which the license application pertains, and the name of a responsible 21 person who may be contacted at that address. 22

(c) A statement indicating whether the dairy plant is a processing plant, receiving station, or
 transfer station.

(d) A description of the processing operations, if any, conducted at the dairy plant.
(3) ACTION ON LICENSE APPLICATION; DEADLINE. The department shall grant or deny a
license application, under sub. (2), within 40 days after the department receives a complete
application, or before the expiration date of any temporary license issued under sub. (5),
whichever occurs later.

8 (4) PREREQUISITES FOR LICENSING. The department shall not issue or renew a dairy plant 9 license, or issue a temporary license under sub. (5), unless all of the following conditions are 10 met:

(a) The license applicant has paid all fees and surcharges, set forth in a statement from the department, that are due and payable by the applicant under this section. The department shall refund a fee or surcharge paid under protest if the department determines that the fee or surcharge is not due and payable under this section.

(b) The license applicant has filed all financial information and security that the department requires of that applicant under ch. ATCP 100. If an applicant has not filed required financial information or security, the department may issue a conditional license that prohibits the licensed operator from buying milk or fluid milk products from producers or their agents, but allows the operator to buy milk or fluid milk products from other sources.

(c) The division has inspected the dairy plant under sub. (6) (b) if the dairy plant is not
currently licensed.

(5) TEMPORARY LICENSE. (a) Except as provided under par. (c), the department may issue a
 temporary dairy plant license to an applicant, under sub. (2), pending the department's final

1	action on that person's license application. A temporary license may be issued for a period of not
2	more than 40 days. If the department denies a license application before the applicant's
3	temporary license expires, the temporary license is automatically terminated when the applicant
4	receives written notice of the denial.
5	(b) The holder of a temporary license, under par. (a), acquires no rights beyond those
6	conferred by the temporary license. The holder of a temporary license may not purchase milk or
7	fluid milk products from milk producers or their agents, but may purchase milk or fluid milk
8	products from other sources.
9	(c) The department may not issue a temporary license, under par. (a), in response to a license
10	renewal application by the holder of an existing license.
11	(6) PRE-LICENSE INSPECTION. (a) The division may inspect a dairy plant, as the department
12	deems necessary, before issuing a license for that dairy plant.
13	(b) The department may not issue a dairy plant license, under sub. (1), or a temporary license,
14	under sub. (5), for a dairy plant that is not currently licensed until the division inspects that dairy
15	plant for compliance with this chapter.
16 17 18	<b>Note:</b> The department is not required to inspect a currently licensed dairy plant before renewing the license of the current operator, or before issuing a license to a new operator of that dairy plant.
18 19	(7) ADDED OPERATIONS. No dairy plant operator may add a new category of operations at a
20	licensed dairy plant during the time period for which the license was issued unless the operator
21	notifies the division and obtains written authorization for the new category of operations. A
22	dairy plant operator adding the processing of low-acid or acidified foods packaged in
23	hermetically sealed containers, seafood or juice, shall comply with the applicable requirements in
24	s. ATCP 70. In this subsection, "new category of operations" includes the manufacture or

- 1 processing of any of the following that was not identified in the operator's most recent license
- 2 application under sub. (2):
- 3 (a) Fluid milk products.
- 4 (b) Cheese and cheese products.
- 5 (c) Ice cream or frozen desserts.
- 6 (d) Dairy products dried at the dairy plant.
- 7 (e) Multi-ingredient dried dairy products blended at the dairy plant.

8 (8) ANNUAL DAIRY PLANT LICENSE FEES. (a) Fees based on receipts or production. An

applicant for a dairy plant license shall pay an annual license fee. The license fees in this
subsection are not refundable. Except as provided under par. (b), license fees are based on the
dairy plant's milk receipts or production during the previous calendar year, regardless of who
operated that dairy plant in the previous calendar year.

13 (b) Fees for plants with no milk receipts or production during previous year. If a dairy plant had no milk receipts or production during the previous calendar year, license fees shall be based 14 on projected milk receipts or production during the license year for which application is made. 15 At the end of that license year, the license holder shall report the actual milk receipts or 16 production during the license year, and the department shall determine the appropriate fee, under 17 par. (a), based on actual receipts or production. If the fee based on actual receipts or production 18 differs from the fee based on projected receipts or production, the license holder shall pay the 19 20 balance due or receive a credit from the department on the next year's license fee.

(c) *License fee amounts*. The license fee, under par. (a), is \$120 plus whichever of the
 following applies:

1. For a grade A processing plant, a supplementary license fee of \$955 if the plant received
 more than 2,000,000 pounds of milk from milk producers, or a supplementary license fee of
 \$735 if the plant received 2,000,000 pounds or less of milk from producers.

2. For a grade B processing plant that manufactured or processed more than 1,000,000
pounds of dairy products or more than 200,000 gallons of frozen dairy products, a supplementary
license fee of \$400.

7 3. For a grade A receiving station, a supplementary license fee of \$370.

(9) SURCHARGE AND PAST FEES FOR OPERATING WITHOUT LICENSE. (a) An applicant for a 8 dairy plant license shall pay a license fee surcharge if the department determines that, within 365 9 days before submitting the license application, the applicant operated the dairy plant without a 10 license in violation of s. ATCP 65.04 (1). The amount of the surcharge is \$100, or \$500 if the 11 12 dairy plant operator procured milk or fluid milk products from milk producers or their agents. 13 (b) In addition to paying the license fee surcharge under par. (a), an applicant who violated s. ATCP 65.04 (1) shall pay all fees, set forth in a statement from the department, that are due for 14 the license year in which the applicant violated s. ATCP 65.04 (1). 15

(c) Payment of the license fee surcharge and past fees, under pars. (a) and (b), does not
relieve the applicant of any other civil or criminal liability that results from the unlicensed
operation of a dairy plant, but does not constitute evidence of any violation of law.

(10) MILK PROCUREMENT FEE; MONTHLY PAYMENT. (a) *Monthly fee required*. On or before the 25th day of each month, a dairy plant operator, including a milk contractor that submits a milk producer license application on behalf of a milk producer and thereby certifies that the milk producer's dairy farm and milking operations comply with applicable requirements under this chapter, shall pay a milk procurement fee in the amount specified under par. (b). The monthly

fee shall be based on the amount of milk that was procured by the dairy plant or milk contractor, 1 directly from milk producers in the month preceding the month when the fee payment is due, 2 regardless of who procured the milk during that preceding month. 3 4 (b) *Fee amounts*. Milk procurement fees, required under par. (a), are as follows: 1. For each 100 pounds of grade A milk procured from milk producers, 1.048 cent. 5 2. For each 100 pounds of grade B milk procured from milk producers, 0.2 cent. 6 7 (c) Out-of-state milk shipments. A milk producer who ships milk to an out-of-state dairy plant shall pay a monthly milk procurement fee on that milk, as required under par. (a), in the 8 amount specified under par. (b), unless the operator of that out-of-state dairy plant voluntarily 9 pays that fee for the milk producer. 10 (11) REINSPECTION FEES. (a) Dairy plant to pay reinspection fee for milk producer. A dairy 11 plant operator, including a milk contractor that submits a milk producer license application on 12 behalf of a milk producer and thereby certifies that the milk producer's dairy farm and milking 13 operations comply with applicable requirements under this chapter, shall pay the dairy farm 14 reinspection fee under this section for a milk producer if, at the time of a reinspection, the 15 producer was assigned to that operator for licensing purposes under s. ATCP 65.02. The 16 department may issue a statement of reinspection fees payable by a dairy plant operator and may 17 demand payment from the dairy plant operator when it issues an application form for the renewal 18 of the dairy plant operator's license under s. 97.20, Stats. 19 (b) Fee amounts. The reinspection fee required, under par. (a), includes, for each 20 reinspection, a basic reinspection fee of \$60 plus a supplementary reinspection fee as follows: 21

1. For a grade A processing plant, a supplementary reinspection fee of \$240 if the plant

received more than 2,000,000 pounds of milk from milk producers during the previous calendar

year, or a supplementary reinspection fee of \$190 if the plant received 2,000,000 pounds or less
 of milk from milk producers during the previous calendar year.

3 2. For a grade B processing plant, a supplementary reinspection fee of \$210.

4 3. For a grade A receiving station, a supplementary reinspection fee of \$90.

5 (12) DAIRY PRODUCT GRADING FEE. (a) A person applying for a license to produce gradable 6 butter, for which grading is required under s. 97.176, Stats., or cheese at a grade B dairy plant 7 shall pay an annual grading fee under s. 97.177, Stats.

8 (b) The grading fee, under par. (a), is 1.35 cents per 100 pounds of butter and cheese for which grading is required under s. 97.176 or 97.177, Stats., and that is produced at the dairy 9 plant by any operator during the previous calendar year. If the dairy plant was not in operation 10 during the previous calendar year, the license applicant shall pay a grading fee based on 11 12 estimated production for the calendar year in which the application is made. At the end of the 13 license year, the license holder shall report the actual calendar year production, and the department shall re-calculate the grading fee based on that actual production. If the grading fee 14 based on actual production differs from the fee based on estimated production, the license holder 15 shall pay the balance due or receive a credit from the department on the next year's grading fee. 16 17 (c) For purposes of this subsection, ungraded cheese in 55 gallon metal or fiber barrels shall

18 not be graded.

(13) DAIRY TRADE PRACTICES FEE; MONTHLY PAYMENTS. A dairy plant operator shall pay a
 monthly dairy trade practice fee if required under s. 100.201 (6), Stats.

- Note: A dairy plant operator is required to pay a monthly dairy trade practice fee under s. 100.201 (6), Stats., if the operator sells milk, fluid milk products, ice cream, or other frozen desserts at wholesale or retail, in consumer package form, to persons in this state.
- (14) GRADE A PERMIT REQUIRED. (a) Except as provided under sub. (15), no person operating
  a dairy plant at which milk or fluid milk products are received, transferred, or processed may sell

1 or distribute that milk or those fluid milk products as grade A milk or grade A milk products unless that person holds a valid grade A dairy plant permit issued by the department for that 2 dairy plant. If a grade A receiving station or transfer station is operated at the same location as a 3 4 grade B processing plant, a grade A permit is required for that receiving station or transfer 5 station. (b) A grade A dairy plant permit expires on April 30 annually and is not transferable between 6 7 persons or locations. A grade A dairy plant permit may be issued in the form of an endorsement 8 on a dairy plant license under sub. (1). (15) GRADE A PERMIT EXEMPTIONS. A grade A permit is not required, under sub. (14), for 9 any of the following: 10 (a) A grade A receiving station or transfer station operated at the same location, and by the 11 same person, as a grade A processing plant covered by a permit under sub. (14). 12 (b) A grade A transfer station operated at the same location, and by the same person, as a 13 grade A receiving station covered by a permit under sub. (14). 14 (16) GRADE A PERMIT APPLICATION. An application for a grade A dairy plant permit shall be 15 made on a form provided by the department. A grade A permit application may be made in 16 conjunction with a dairy plant license application under s. ATCP 65.04 (2). 17 (17) SURCHARGE FOR OPERATING WITHOUT A GRADE A PERMIT. An applicant for a grade A 18 dairy plant permit shall pay a permit surcharge of \$100 if the department determines that, within 19 20 365 days before submitting the permit application, the applicant operated the dairy plant as a grade A dairy plant without a grade A permit in violation of sub. (14). Payment of the surcharge 21 does not relieve the applicant of any other civil or criminal liability that results from the 22

operation of a grade A dairy plant without a grade A permit, but does not constitute evidence of
 any violation of law.

(18) ACTION ON GRADE A PERMIT APPLICATION; DEADLINE. The department shall grant or
deny a permit application, under sub. (16), within 40 days after the department receives a
complete application or before the expiration of any temporary permit issued under sub. (19),
whichever occurs later.

7 (19) TEMPORARY GRADE A PERMIT. The department may issue a temporary grade A permit to an applicant, under sub. (16), pending final action on that person's permit application. A 8 temporary permit may be issued for a period of not more than 40 days and may not exceed the 9 term of the dairy plant license or temporary license. If the department denies a permit 10 application before the term of the temporary permit expires, the temporary permit is 11 12 automatically terminated when the applicant receives notice of the denial. The department may 13 not issue a temporary permit in response to a permit renewal application by the holder of an existing permit. 14

(20) PREREQUISITES FOR GRADE A PERMIT. The department may not issue or renew a grade A
 dairy plant permit, or issue a temporary permit under sub. (19), unless all of the following
 conditions are met:

(a) The permit applicant holds a dairy plant license under s. ATCP 65.04 or the department
issues the permit and license simultaneously. The department may issue a temporary grade A
permit, under sub. (19), to an applicant holding a temporary dairy plant license under s. ATCP
65.04 (5) or may issue the temporary permit and temporary license simultaneously.

(b) The division inspects the dairy plant if the dairy plant is not currently covered by a gradeA dairy plant permit.

1	(c) The applicant pays any surcharge, set forth in a statement from the department, which is
2	due and payable by the applicant under sub. (9). The department shall refund a surcharge paid
3	under protest if the department determines that the surcharge was not due and payable under sub.
4	(9).
5	(21)GRADE A STANDARDS. A grade A dairy plant shall comply with standards applicable to
6	the receipt, testing, transfer, processing, and distribution of grade A milk and grade A milk
7	products under this chapter. A grade A dairy plant may not receive, transfer, or process grade B
8	milk unless the receipt, transfer, or processing is authorized by the division in writing.
9	SUBCHAPTER II
10	DAIRY FARMS
11	ATCP 65.06 Milking barn or parlor. All milking operations on a dairy farm shall be
12	conducted in a milking barn or parlor, which shall be constructed and maintained in compliance
13	with the following requirements:
14	(1) FLOORS AND GUTTERS; CONSTRUCTION. Except as authorized by the division in writing,
15	floors, gutters, and gutter covers in milking barns and parlors shall comply with all of the
16	following requirements:
17	(a) They shall be constructed of concrete or other materials that are equally impervious and
18	cleanable.
19	(b) They shall be constructed and maintained so they can be kept clean.
20	(c) They shall be sloped to drain sufficiently to prevent pooling of liquids and shall be free
21	of excessive breaks or worn areas that may allow pooling of liquid wastes. Floors and gutters
22	constructed after July 1, 1989, shall have a slope of at least one inch per 10 feet.

1	(2) MANURE HANDLING SYSTEMS. Gravity flow manure handling systems and liquid manure
2	storage under milking barns shall comply with applicable standards contained in PMO Appendix
3	C, "Dairy Farm Construction Standards and Milk Production."
4 5 6 7	<b>Note:</b> Copies of the PMO, including Appendix C, are on file with the division and the legislative reference bureau. Copies are available online at www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/milk.
8	(3) WALLS AND CEILINGS; CONSTRUCTION. Walls and ceilings in milking barns and parlors
9	shall be constructed and maintained so that they can be kept clean. Walls and ceilings shall be
10	painted, whitewashed or otherwise finished so that they are light colored and easy to clean.
11	Ceilings shall be constructed and maintained to prevent dust and chaff from entering the milking
12	barn or parlor from above. The wall finish and wall cleaning requirements under this subsection
13	do not apply to seasonal milking parlors constructed without walls
14	(4) LIGHTING. Natural or artificial lighting, or both, shall be provided in milking barns and
15	parlors to ensure illumination that allows evaluation of teat and milking equipment cleanliness
16	for daytime and nighttime milking operations. Except where additional lighting is required for
17	milking parlors under sub. (10), there shall be at least 10 foot-candles of illumination in all
18	working areas where milking operations are being performed.
19	(5) VENTILATION. Ventilation in milking barns and parlors shall be adequate to prevent
20	visible condensation on walls and ceilings, and to prevent excessive odors.
21	(6) ANIMALS EXCLUDED. No swine, fowl, or non-milking livestock may be housed in, or
22	allowed to enter a milking barn or parlor. Milking areas shall be kept free of excrement from
23	non-milking livestock.
24	(7) MAINTENANCE AND CLEANLINESS; GENERAL. The interior of every milking barn or parlor,
25	and all areas used in connection with milking operations, shall be kept clean and in a good state

of repair. Floors, gutters, walls, ceilings, animal confinement facilities, pipelines, and equipment

1	shall be kept free of accumulated litter and filth. Bedding material shall be clean and dry. Milk
2	stools, surcingles, and anti-kickers shall be kept clean, and shall be stored above the floor when
3	not in use. Manure shall be removed from milking barns daily, and after every milking in a
4	milking parlor.
5	(8) FEED STORAGE AND HANDLING. Dust-tight covered containers or separate storage
6	facilities shall be used to store ground, chopped, or concentrated feed. Feed may be stored in the
7	milking portion of the barn only in a manner that does not increase the dust content of the air,
8	attract flies, or interfere with the cleaning of the floor. Open feed dollies or carts may be used
9	for distributing feed, but not for storing feed in the milking barn.
10	(9) OVERCROWDING PROHIBITED. Areas used for milking operations shall not be
11	overcrowded.
12 13	<b>Note:</b> Evidence of overcrowded conditions may include inadequate ventilation, excessive odors, livestock in walks or feed alleys, or non-milking livestock tied between milking animals in a milking line.
14 15	(10) MILKING PARLOR; ADDITIONAL REQUIREMENTS. (a) Cleaning and storage of C-I-P
16	milking equipment. C-I-P milking equipment may be cleaned, sanitized, and stored in a milking
17	parlor if all of the following conditions are met:
18	1. There are at least 30 foot-candles of illumination in all areas of the milking parlor where
19	C-I-P milking equipment is cleaned, sanitized, or stored.
20	2. Doorways to and from the milking parlor are provided with tight-fitting solid doors that
21	are kept closed when the doorways are not in use.
22	3. Openings to the milking parlor are protected against entry by insects, rodents and other
23	pests.
24	4. No animals are housed in the milking parlor at any time.

5. Liquid wastes from milking parlor operations are drained and removed in a sanitary
 manner, so that there are no liquid waste accumulations in the milking parlor.

6. C-I-P milking equipment, if cleaned, sanitized, or stored in the milking parlor, is designed,
installed, handled, and stored so that milk contact surfaces are protected from contamination at
all times. Cleaning, handling, and storage shall comply with applicable requirements under s.
ATCP 65.14.

(b) *Manual cleaning of milk contact surfaces prohibited in milking parlor*. If manual
cleaning of milk contact surfaces is necessary, the milk contact surfaces shall be manually
cleaned in the milkhouse. Milk contact surfaces may not be manually cleaned in a milking
parlor.

(c) *Pre-milking stalls; hot water supply*. If milking animals are hosed clean in a milking parlor pre-milking stall before milking, rather than being manually cleaned at the milking stanchions, hot water under pressure shall be supplied to the pre-milking stall and used for cleaning purposes. There shall be an adequate supply of hot water so that all milking animals processed through the pre-milking stall can be fully cleaned without depleting the availability of hot water for other milking parlor or milkhouse operations.

(11) DRUG STORAGE. No drug or medicinal item, or drug administering device such as a bolus wand or syringe, may be kept in a milkhouse unless it is intended or prescribed for use on dairy animals. If drugs or medicinal items are kept in a milkhouse, they shall be stored in an enclosed cabinet, separate from all other articles stored in the milkhouse. Drugs and medicinal items shall be clearly labeled to indicate their identity and intended use, and prescription drugs shall be labeled as provided under s. ATCP 65.20 (5). Drugs and medicinal items intended solely

for treatment of non-lactating milking animals shall be kept separate from those used for
 treatment of lactating milking animals.

3	ATCP 65.08 Milkhouse. (1) REQUIREMENT. Every dairy farm shall have a milkhouse.
4	Except as provided in s. ATCP 65.16 (5), a milk producer shall cool and store milk in the
5	milkhouse. A milkhouse shall be separate from a milking barn or parlor, but may share common
6	walls with a milking barn or parlor. All milking equipment and utensils shall be cleaned,
7	sanitized and stored in the milkhouse, except for C-I-P milk pipelines that are mechanically
8	cleaned in place in a milking barn or parlor, or C-I-P milking equipment that is mechanically
9	cleaned and stored in a milking parlor under s. ATCP 65.06 (10) (a).
10	(2) ACCESS TO MILKHOUSE. Every access driveway and every exterior access door to the
11	milkhouse shall be located in such a manner that no vehicle or a person traveling to the
12	milkhouse must pass through an animal walkway, holding area, or yard where excessive animal
13	waste may accumulate on the ground near these access areas.
14	(3) CONSTRUCTION. (a) <i>Floors</i> . A milkhouse floor shall be constructed of concrete or one or
15	more other impervious materials, and shall be easily cleanable. This requirement does not
16	prohibit construction with anti-slip floor surfaces that are easily cleanable. The floor shall be
17	sloped for drainage to a floor drain. Floor drains shall be readily accessible. A floor drain shall
18	be equipped with a trap if the floor drain is connected to a sanitary sewer system.
19	(b) Walls and ceilings. Milkhouse walls and ceilings shall be constructed and finished so
20	that they are impervious to water, are light colored, and are easily cleanable.
21	(c) Doors and windows. A milkhouse shall not open directly into a barn, stable or milking
22	parlor, or into a room not used for the operation of the dairy farm unless the opening is equipped
23	with a tight-fitting, self-closing and solid door. All milkhouse external openings shall be

screened or otherwise protected against entry of insects, rodents, or other pests. External doors 1 and windows shall be tight-fitting and shall be kept closed during dusty conditions. External 2 doors shall be self-closing. All swinging screen doors on the milkhouse shall open outward. 3 4 (d) *Lighting*. Natural or artificial lighting, or both, shall be provided in a milkhouse to ensure adequate illumination for daytime and nighttime operations. There shall be at least 30 foot-5 candles of illumination in all working areas of the milkhouse. Artificial lights located over a 6 7 bulk tank shall be shatterproof or shielded to protect milk from contamination with broken glass. 8 (e) *Ventilation*. Ventilation in a milkhouse shall be adequate to minimize odors and to prevent visible condensation on floors, walls, ceilings, clean equipment, and clean utensils. 9 Vents shall be screened and shall be located and maintained to prevent contamination of bulk 10 tanks or clean equipment and utensils. Exhaust fans shall be screened or louvered to prevent 11 12 entry of pests when not in operation. Ventilation in an AMI room shall be sufficient to minimize odors from any nearby manure storage. 13

(f) *Water heating capacity*. Hot water capacity shall be adequate for all milkhouse operations. Hot water heaters or hot water supply systems shall have a capacity of at least 10 gallons for washing equipment and utensils. The division may authorize alternative systems, including heat recovery and continuous flow systems that provide adequate hot water for all milkhouse operations. Authorization shall be in writing and valid for 5 years. Re-authorization for each subsequent 5-year period shall be obtained in writing from the division.

(g) *Wash and rinse vat.* A milkhouse shall be equipped with a 2-compartment wash and rinse
vat for cleaning equipment and utensils. The vat shall be served by potable hot and cold running
water from a faucet or faucets located directly over the vat. Water shall enter and leave the vat
by means that preclude splashing. A vat designed to hold cleaning or sanitizing solutions drawn

through C-I-P milking equipment may serve as one compartment of a two-compartment wash and rinse vat under this paragraph, provided that the C-I-P inflation rack and all C-I-P milking equipment are completely removed from the vat while other equipment and utensils are being washed, rinsed, and sanitized in the vat. This paragraph shall apply to an AMI for which manual cleaning and sanitizing of AMI components must be done on a routine basis.

(h) *Handwashing facility*. A milkhouse shall be equipped with a fixed hand washing facility 6 7 that is separate from the wash and rinse vat under par. (g). The hand washing facility shall be served by potable hot and cold running water from a faucet or faucets located directly over the 8 facility. Water shall enter and leave the handwashing facility by means that preclude splashing. 9 Soap and single service sanitary towels or another approved means of drying hands shall be 10 available at all times for use at the hand washing facility. A hand washing facility may be 11 12 located in a room immediately adjacent to the milkhouse, provided that it is readily accessible 13 from the milkhouse. This paragraph applies to an AMI room in which the operator's hands will contact milk filters or other milk contact surfaces. This paragraph does not apply to licensed 14 milk producers who do not hold a grade A producer permit but operate a dairy farm on which the 15 currently used bulk tank was installed before January 1, 1979, or on which milk is stored and 16 cooled only in cans. 17

(i) *Bulk tank hose port*. If a bulk tank is used to receive and hold milk in a milkhouse, the
milkhouse shall have a hose port opening in the outside wall to permit the removal of milk from
the bulk tank. The hose port opening shall be at least 6 inches above the floor of the milkhouse,
and shall be equipped with a tight-fitting door that shall be kept closed except when the hose port
is in use. A paved surface of concrete or other readily cleanable material shall be installed
adjacent to the outside wall of the milkhouse, immediately under the bulk tank hose port. The

paved surface shall be at least a 4 foot by 4 foot square and shall cover as much additional
 ground area as is necessary to protect the milk hose from ground contamination.

(4) MAINTENANCE AND SANITATION. The floors, walls, ceilings, windows, hose port
assembly, and all equipment of a milkhouse shall be kept clean and in a good state of repair.
Liquid wastes from milkhouse operations shall be drained and removed in a sanitary manner.
Equipment and utensils shall be cleaned and maintained in compliance with s. ATCP 65.12. A
milkhouse shall be kept free of insects, rodents, and other pests. Animals shall be kept out of the
milkhouse at all times. Potential sources of milk contamination, including materials that may
attract or harbor pests, shall be excluded from the milkhouse.

(5) STORAGE. (a) *General*. No equipment, supplies, or other articles may be stored in a
milkhouse, unless the articles are used in milkhouse operations. Articles stored in a milkhouse
shall be stored above the floor, on racks, or in a cabinet. Articles shall be stored in a manner that
prevents both the contamination of milk and contact of equipment or utensils with milk.
Washing machines, laundry dryers, and pasteurizers used to prepare milk-replacement
formula for calves shall not be stored in the milkhouse.

(b) Drugs and medicinal items. No drug or medicinal item, or drug administering device 16 such as a bolus wand or syringe, may be kept in a milkhouse unless it is intended or prescribed 17 for use on dairy animals. If drugs or medicinal items are kept in a milkhouse, they shall be 18 stored in an enclosed cabinet, separate from all other articles stored in the milkhouse. Drugs and 19 medicinal items shall be clearly labeled to indicate their identity and intended use, and 20 prescription drugs shall be labeled as provided under s. ATCP 65.20 (5). Drugs and medicinal 21 items intended solely for treatment of non-lactating milking animals shall be kept separate from 22 23 those used for treatment of lactating milking animals.

1	(c) Pesticides. No pesticides, except for sanitizers, germicides, disinfectants, or pesticides
2	labeled and used for routine milkhouse sanitation purposes, may be stored in a milkhouse. Any
3	of the chemicals labeled for routine use in a milkhouse must be stored in a manner that precludes
4	contamination of milk and milk handling equipment.
5	ATCP 65.10 Dairy farm water supply. (1) GENERAL. An adequate supply of potable water
6	shall be supplied under pressure for milkhouse and milking operations. Water used for
7	milkhouse and milking operations, including water used to cool milk in a plate or tubular cooler,
8	shall be potable. Potable water shall comply with the microbiological drinking water standards
9	set forth in s. NR 809.30.
10 11 12	A properly designed and installed water supply tank that utilizes static head pressure to provide potable running water to the milkhouse is minimally adequate to comply with this paragraph.
13	(2) BACKFLOW PROTECTION; CROSS-CONNECTIONS. A potable water supply system on a
14	dairy farm shall be designed, constructed, installed, and maintained to prevent contamination of
15	the potable water supply through backflow, backsiphonage, cross-connections, or any other
16	connection to the potable water supply system. An air gap adequate to prevent the back-
17	siphonage or backflow of any liquids shall be maintained between every potable water outlet and
18	the flood rim of the fixture that it supplies, and between the potable water outlet and every other
19	source of potential contamination, unless alternative protection is approved under s. SPS 382.41.
20	(3) WELL CONSTRUCTION. Wells used to supply water for milkhouse and milking operations
21	on dairy farms shall comply with ch. NR 810, 811, or 812 in the case of a community water
22	system.
23	(4) WATER TRANSPORTED TO DAIRY FARM. A person transporting water in containers or tanks
24	to a dairy farm for milkhouse or milking operations shall seal the containers or tanks to prevent

25 contamination. The containers and tanks shall be thoroughly cleaned and sanitized before being

filled with potable water for use at the dairy farm. A sanitarily designed, cleaned, and sanitized 1 pump, hose, and fittings shall be used to transfer water from transport containers and tanks to 2 previously cleaned and sanitized storage tanks at the dairy farm so that the water is not 3 4 contaminated during transfer or by the storage tanks. 5 (5) WATER QUALITY TESTING BY DAIRY PLANT. A dairy plant operator, including a milk contractor that submits a milk producer license application on behalf of a milk producer and 6 7 thereby certifies that the milk producer's dairy farm and milking operations comply with 8 applicable requirements under this chapter, shall do all of the following for each milk producer from whom the dairy plant operator procures milk: 9 (a) Sample the milk producer's water supply at least once every two years. If the water 10 supply system has more than one well, water from each well shall be sampled. The water sample 11 12 from each well shall be taken from water before it has flowed into a pressure tank or any water 13 treatment equipment. (b) Sample the milk producer's water supply whenever the milk producer installs, alters, or 14 repairs the water supply system. 15 (c) Sample any transported water supply used by the milk producer at the point of use, at or 16 17 before first use and monthly thereafter. (d) Have each water sample under this subsection analyzed at a laboratory that is certified 18 under ch. ATCP 77 to perform water quality analyses. The laboratory shall analyze the water 19 20 samples for compliance with the microbiological drinking water standards set forth in s. NR 809.30. The dairy plant operator shall submit each water quality analysis result to the division 21 within 30 days after the dairy plant receives the water quality analysis result. If the analysis of 22 23 any water sample indicates that the water supply of a dairy farm may be unsafe, the dairy plant

1	operator, within 3 business days of the water quality analysis result being reported to the dairy
2	plant operator, shall report the analysis result to the division and resample the water supply and
3	have it analyzed.
4	(6) RECIRCULATING WATER SYSTEM. (a) A milk producer may use re-circulated water in a
5	plate cooler to cool milk on a dairy farm if all of the following apply:
6	1. The recirculated water originates from a safe source that complies with applicable
7	provisions of chs. NR 810, 811, or 812.
8	2. The recirculated water meets the microbiological standards of s. NR. 809.30.
9	3. The recirculated water is protected from contamination.
10	4. The coolant used in the water recirculation system is non-toxic food or pharmaceutical
11	grade propylene glycol meeting the specifications in 21 CFR 184.1666, and does not contain
12	coliform bacteria as determined by sampling and analysis done at least semi-annually by the
13	dairy plant operator.
14	5. The dairy plant operator who procures milk from the milk producer tests the recirculated
15	water for coliform bacterial contamination at least semi-annually.
16	(b) If a recirculating water system, under par. (a), becomes contaminated, the milk producer
17	shall stop using the system until all the following conditions are met:
18	1. The milk producer eliminates the contamination source and treats the recirculated water to
19	make it potable.
20	2. The dairy plant operator who procures milk from the milk producer retests the recirculated
21	water to determine whether the contamination is eliminated.
22	3. Retesting shows that the recirculated water complies with the bacteriological standards
23	under par. (c).

(c) Recirculated water shall meet all the following bacteriological test standards: 1 1. The most probable number (MPN) of coliform organisms shall be less than 1.1 per 100 ml. 2 as determined using the multiple tube fermentation technique, or less than 1.0 per 100 ml. as 3 4 determined using the membrane filter technique. 2. Bacteriological testing using the membrane filter technique shall show not more than 200 5 total bacterial colonies per 100 ml. 6 7 3. Bacteriological testing using a heterotrophic plate count technique shall show not more than 500 colonies per ml. 8 (7) WATER RECLAIMED FROM A HEAT EXCHANGER. (a) Water reclaimed from a heat 9 exchanger, may be used for milkhouse and milking operations, including cooling milk in a plate 10 or tubular cooler, if all of the following conditions are met: 11 1. The water is stored in a cleaned and sanitized vessel that is constructed of non-12 contaminating materials and is designed to protect the water supply from contamination. The 13 storage vessel shall have a drain and access point that allow for cleaning and sanitizing. 14 2. There is no cross-connection between the reclaimed water and any potential contamination 15 source or potentially unsafe water supply. 16 17 3. There are no submerged inlets through which the reclaimed water may be contaminated. 4. The water is of satisfactory organoleptic quality. 18 5. The water complies with the microbiological drinking water standards in s. NR 809.30. 19 20 6. The dairy plant operator who procures milk from the milk producer collects and analyzes samples of the reclaimed water supply before the milk producer first uses the water for 21 milkhouse and milking operations, and at least semi-annually thereafter. 22

7. Any chemicals used to suppress bacterial growth, tastes, and odors are registered for that
use with the U.S. environmental protection agency. Milk processed in or exposed to any system
using chemicals to suppress bacterial growth, tastes, and odors shall not be allowed to become
contaminated with those chemicals. A milk producer who uses any chemical to suppress
bacterial growth, tastes, or odors shall comply with the chemical label use instructions, and shall
routinely monitor chemical concentrations in treated water.

7 8. Sanitizers used to sanitize equipment, utensils, teats of milking animals, or to backflush

8 systems, shall be chemical sanitizers that comply with 21 CFR 178.1010, are registered with the

9 U.S. environmental protection agency, and are thereby suitable for use on food contact surfaces.

10 An approved sanitizer may be added by an automatic metering device that is located downstream

11 from the storage vessel but upstream from the end-use application of the sanitizer.

12 (b) Water obtained directly from the discharge of an unpasteurized milk heat exchanger after

13 a milking may be used once to pre-rinse dairy equipment including milk lines, milking claw

14 assemblies, and milk receivers if all of the following apply:

15 1. The water is collected directly from the heat exchanger into a cleaned and sanitized washvat or utensil sink.

17 2. The water piping system complies with s. ATCP 65.10 (2).

18 3. After pre-rinse use, the water is discharged to waste.

Note: Paragraph (b) does not prevent the use of heat exchanger discharge water for non-potable uses involving no contact with potable water, milk, milk contact surfaces or potable water contact surfaces. Before using or discharging heat exchanger discharge water, contact the Division of Water, Bureau of Drinking Water and Ground Water, at the Department of Natural Resources, P.O. Box 7921, Madison, WI 53707, telephone 608-266-0821 or TTY access via relay — 711 or http://www.dnr.state.wi.us/environmentprotect/water.html.

- 25 (8) WATER RECLAIMED FROM SOURCES OTHER THAN A HEAT EXCHANGER Water reclaimed
- 26 from a compressor cooling unit, manure treatment, or from other dairy farm systems or processes

1 may be used as non-potable water for milking barn or parlor operations, not to include rinsing, cleaning and sanitizing of milking systems, if all of the following conditions are met: 2 (a) The water is reclaimed by means of evaporation, reverse osmosis, ultra-filtration, or 3 4 another method approved by the division. 5 (b) The water is stored in a cleaned and sanitized vessel that is constructed of noncontaminating materials and is designed to protect the water supply from contamination. The 6 7 storage vessel shall have a drain and access point that allow for cleaning and sanitizing. 8 (c) There is no cross-connection between the reclaimed water and potable water supplies or between the reclaimed water and any potential contamination source or potentially unsafe water 9 supply. 10 (d) There are no submerged inlets through which the reclaimed water may contaminate the 11 potable water system. 12 13 (e) Any chemicals used to suppress bacterial growth, tastes, and odors are registered for that use with the U.S. environmental protection agency. A milk producer who uses any chemical to 14 suppress bacterial growth, tastes, or odors shall comply with the chemical label use instructions, 15 and shall routinely monitor chemical concentrations in the treated water. 16 ATCP 65.12 Equipment and utensils. (1) CONSTRUCTION; GENERAL. Equipment and 17 utensils shall be constructed of smooth, non-absorbent, corrosion-resistant, and non-toxic 18 19 materials. Equipment and utensils shall be designed and constructed so that they can be easily 20 cleaned and shall be durable under repeated conditions of use. Surfaces shall be free of breaks and corrosion. Joints and seams shall be smooth and flush. Milk pails used for hand milking and 21 stripping shall be seamless. Multiple-use woven material shall not be used for straining milk. 22 23 Milking and milk handling systems shall comply with s. ATCP 65.14.

(2) MILK CONTACT SURFACES; CONSTRUCTION. Milk contact surfaces of equipment and
 utensils shall be constructed of smooth, non-toxic, and non-absorbent materials. Only the
 following materials may be used on milk contact surfaces, unless another material is specifically
 authorized by the division in writing:

(a) Stainless steel of the American Iron and Steel Institute 300 Series, or an equally
corrosion-resistant metal.

7 (b) Heat resistant glass.

8 (c) Plastic, rubber or rubber-like materials that are fat resistant and insoluble; that are 9 resistant to scratching, scoring, decomposition, crazing, chipping and distortion under normal use 10 conditions; that do not impart chemicals, flavor or odor to milk; and that maintain their original 11 properties under repeated and prolonged use.

(3) MAINTENANCE. Equipment and utensils shall be kept in good repair and shall be readily
 accessible for inspection by the division upon request.

(4) CLEANING. Equipment and utensils shall be kept clean. Utensils and milk contact
 surfaces of equipment shall be rinsed immediately after each use and then washed with an
 effective detergent and rinsed clean. C-I-P equipment shall be pre-washed with warm water
 before being cleaned with a detergent solution, according to manufacturer's instructions.

(5) SANITIZING. After being cleaned and rinsed, utensils, and milk contact surfaces of
 equipment shall be sanitized before being used.

(6) STORAGE. Equipment and utensils, unless stored in sanitizing solutions, shall be handled
 and stored in a manner that will ensure complete drainage and protection from contamination
 before use. Equipment and utensils stored in sanitizing solutions shall be rinsed in potable water
 before use.

(7) SINGLE SERVICE ARTICLES. Single-service articles shall be clean and sanitary, and shall be
 packaged, handled, and stored in a sanitary manner. Single-service articles shall be stored in
 their original containers inside a dispensing cabinet. Single service articles may not be reused.

4

ATCP 65.14 Milking and milk handling systems. (1) SANITARY REQUIREMENTS; GENERAL.

5 Milking and milk handling systems shall be of sanitary design and construction, and shall be

6 installed and maintained for sanitary operation. Pressurized air that contacts a milk or milk

7 contact surface shall be clean, safe, and free of contaminants. The milking and milk handling

8 system shall comply with "3-A Accepted Practices for the Design, Fabrication and Installation of

9 Milking and Milk Handling Equipment, 606-05." Milk contact surfaces shall be accessible for

10 inspection. If it is necessary to disassemble any portion of a milking or milk handling system in

11 order to inspect a milk contact surface, all tools necessary for the disassembly shall be readily

12 available in the milkhouse.

**Note:** Guidelines for sanitary design and construction of milking and milk handling systems are set forth in the 13 "3-A Accepted Practices for the Design, Fabrication and Installation of Milking and Milk Handling Equipment," 14 606-05, as amended effective November 2002, published by 3-A Sanitary Standards, Inc., 6888 Elm Street, Suite 15 2D, McLean, VA 22101-3850, telephone (703) 790-0295, website www.3-a.org. Milking and milk handling 16 systems manufactured in compliance with the "3-A Accepted Practices" meet the sanitary design and construction 17 requirements of this subsection. Copies of the "3-A Accepted Practices" are on file with the division and the 18 19 legislative reference bureau. Copies may be obtained from 3-A Sanitary Standards, Inc. Online Store," at 20 http://www.techstreet.com.

21 22

(2) MILK CONTACT SURFACES; CONSTRUCTION. Milk contact surfaces of milking and milk

handling systems shall be constructed of smooth, nontoxic, and nonabsorbent materials.

24 Materials shall be of any of the following types, unless another material is specifically authorized

25 by the division in writing:

## 26 (a) Stainless steel of the American Iron and Steel Institute 300 series, or an equally corrosion

- 27 resistant metal.
- 28 (b) Heat resistant glass.

(c) Plastic, rubber or rubber-like materials that are fat resistant and insoluble; that are
 resistant to scratching, scoring, decomposition, crazing, chipping and distortion under normal use
 conditions; that do not impart chemicals, flavor or odor to milk; and that maintain their original
 properties under repeated use conditions.

5 (3) MILK PIPELINES. (a) Milk contact surfaces of permanently mounted milk pipelines shall 6 be constructed of stainless steel or an equally non-toxic, corrosion resistant metal, or of heat 7 resistant glass. Plastic or rubber-like materials may be used for pipeline gaskets, connections, and 8 sealing applications, but not for other purposes. Paper gaskets are prohibited.

9 (b) All joints of permanently mounted milk pipelines, including joints in solution lines, shall 10 be welded or equipped with fittings designed for C-I-P. Welded joints shall be smooth and free 11 of pits, cracks, or other defects. Removable fittings shall be designed to form substantially flush 12 interior joints.

(c) Permanently mounted pipelines shall be supported at intervals of not more than 10 feet so that the pipelines remain in constant alignment and position. Permanently mounted pipelines shall be self-draining, and shall have a minimum slope of one inch per 10 feet. The support system shall be designed and constructed to prevent electrolytic reactions between supports and pipelines.

(d) Milk pipeline systems shall be designed and constructed so that cleaning, rinsing and
sanitizing solutions cannot enter the pipeline while milk is being transferred through the pipeline.
(4) NON-PIPELINE SYSTEMS. The transfer of milk to the milkhouse by a method other than a
pipeline or vacuum transfer system shall comply with requirements under s. ATCP 65.18 (2). If
milk from milking animals is initially collected in a portable transfer receptacle and pumped to
the milkhouse through a flexible tube, rather than being pumped directly to the milkhouse

through a permanently mounted pipeline, the transfer receptacle and tube system shall comply
with the following requirements:

3 (a) The portable transfer receptacle shall be constructed of stainless steel or an equally
4 corrosion resistant metal and shall have an overlapping self-closing cover. The receptacle shall
5 be supported off the floor on a cart or mobile structure that can be easily cleaned.

6 (b) The tube used to transfer milk from the portable transfer receptacle to the milkhouse 7 shall consist of a single length of transparent tubing material. The milk transfer tube shall be 8 supported off the floor at all times. The interior milk contact surface of the transfer tube shall be 9 mechanically cleaned and sanitized, and dried after each use. The opening through which the 10 milk transfer tube enters the milkhouse shall be kept closed when the tube is not in use. A milk 11 transfer tube shall not be left suspended in a milking barn or parlor between uses, but shall be 12 stored in the milkhouse.

(5) MILKING EQUIPMENT. (a) Surfaces of milking equipment, including surfaces of milker claws, inflations, weigh jars, meters, milk hoses, milk receivers, and milk pumps, shall be smooth and readily amenable to cleaning and sanitizing by mechanical or manual methods. If thorough cleaning requires the removal of any part, that part shall be easily removable. Milking equipment shall be designed and constructed so that milk, milk cleaning solutions, rinsing solutions, and sanitizing solutions will drain completely from the equipment.

(b) Milking equipment that deposits milk into a bucket or container, rather than into a permanently mounted pipeline, shall be equipped with a check valve or other device that prevents moisture and contaminants from entering the milk through the temporary creation of vacuum. The moveable portion of the check valve shall consist of a single piece, or pieces that are permanently and completely bonded to each other.

(c) Automated milking installations shall comply with the requirements of s. ATCP 65.12
 and this section, Appendix Q of the PMO, and all of the following:
 1. All equipment shall be designed for effective C-I-P cleaning and sanitizing.

2. Valves and equipment shall effectively prevent the contamination of milk with abnormal
milk or chemicals used in cleaning and sanitizing, in accordance with a written testing and
verification procedure acceptable to the division. The written procedures shall be kept at the
dairy farm and made available to a division representative upon request.

8 3. The AMI shall ensure the detection, diversion and proper handling of abnormal milk, in 9 accordance with a written testing and verification procedure acceptable to the division. The 10 written procedure shall include a description of the equipment cleaning and sanitizing protocol to 11 be followed after milking of animals whose milk is intended to be excluded from the collected 12 milk, and before milking of animals whose milk will be shipped. The written procedure shall be 13 kept at the dairy farm and made available to a division representative upon request.

4. The AMI operator shall follow a written procedure for verifying the effectiveness of the computer software and hardware. The written procedure shall be acceptable to the division and shall be kept at the dairy farm and made available to a division representative upon request. The written procedure shall include the following items:

a. A description of the location and function of all sensors used to control and monitor theoperation of the AMI.

b. A description of changes made to, or maintenance performed on, the AMI software,
control and monitoring devices, instrumentation, and sensors; and other hardware associated
with the AMI.

23 c. Instructions on how to obtain operating information stored in the AMI computer system.

5. The AMI operator shall keep a copy of the AMI manufacturer's teat preparation protocol 1 and a written procedure for verifying the effectiveness of this protocol. This protocol shall be 2 accepted by the federal food and drug administration and made available to a division 3 4 representative upon request. 5 6. Verification and records review to ensure compliance with subd. 1-5 shall be done at a frequency determined by the division. 6 7 (6) REVIEW OF PLANS. (a) Before installing, reconstructing, or extensively altering a bulk tank, milking system, milk handling system, milkhouse, milking parlor, or dairy farm water 8 supply system, the installer shall, on behalf of the milk producer, submit plans to the division for 9 review. Plans for a new automated milking installation shall indicate how proper computer 10 performance and compliance with par. (5) (c) 1. - 3 are to be verified. The department shall 11 12 charge a fee of \$25, as allowed by s. 93.06 (1w), Stats., to recover costs for providing the review service. The division shall return the plans, together with any comments or objections, within 14 13 days after the plans are received by the division. No review is required for a portable transfer 14 receptacle or its appurtenances. 15

(b) No manufacturer or distributor of milking or milk handling systems may sell, or 16 distribute for sale in this state, any portion of a milking or milk handling system unless 17 specifications or prototype equipment are first reviewed by the division. Within 30 days after 18 specifications or prototype equipment are received by the division, the division shall return them 19 20 with any comments or objections. The division may require field testing of the equipment prior to sale if the division finds that field testing is necessary to determine whether the requirements 21 of this section are met. Field testing shall be conducted under conditions prescribed by the 22 23 division.

(c) Plans and specifications submitted under this subsection shall be sufficiently detailed to
 permit review by the division within the time periods specified under this subsection.

(7) CERTIFICATION OF COMPLIANCE BY INSTALLER. A person who installs, reconstructs or 3 4 extensively alters a milking system, milk handling system, milkhouse, milking parlor, or dairy 5 farm water supply system shall certify to the owner of the system that the system has been installed or modified in compliance with this section and in compliance with the plans filed with 6 7 the division under sub. (6) (a). The installer, immediately after installing or modifying the 8 system, shall provide to the milk producer and the division a signed written statement certifying compliance. The milk producer shall post a copy of the certificate in the milkhouse for at least 9 12 months after it is provided to the milk producer. 10

ATCP 65.16 Bulk tanks and bulk transport containers. (1) BULK TANK LOCATION. If a bulk 11 12 tank is used to receive, cool, or store milk on a dairy farm, the bulk tank shall be installed in the 13 milkhouse. A bulk tank may be installed so that a portion of the bulk tank protrudes through the 14 wall of a milkhouse, provided that all bulk tank openings are located inside the milkhouse. Agitator seals, other than weatherproof agitator seals approved in writing by the division, shall be located 15 inside the milkhouse. Clearance of at least 24 inches on the top and milk-outlet side shall be 16 maintained on a bulk tank not protruding through the milkhouse wall to permit effective cleaning, 17 sanitizing, and maintenance of the bulk tank. No bulk tank opening may be located directly under 18 19 a ventilator. No bulk tank may be located directly over a floor drain.

(2) BULK TANK CONSTRUCTION. (a) The lining and milk contact surfaces of a bulk tank shall
 be constructed of stainless steel or other materials that are equally smooth, nontoxic, stable, non absorbent, corrosion resistant, and capable of withstanding cleaning and sanitizing treatment.
 Milk contact surfaces shall be readily accessible for inspection.

1	(b) A bulk tank shall be self-draining. Openings shall be equipped with self-draining covers.
2	Openings and covers shall be constructed and installed to prevent drainage into milk or onto milk
3	contact surfaces.
4	(c) A bulk tank shall be equipped with all of the following:
5	1. An indicating thermometer that has a range of at least 32° F to 80° F.
6	2. A temperature recording device approved by the division, if the bulk tank was
7	manufactured after January 1, 2000. The temperature recording device shall comply with sub.
8	(3).
9	(d) A bulk tank with a capacity of less than 1,500 gallons shall be equipped with a
10	mechanical agitator that will ensure homogeneity of all milk contained in the bulk tank within 5
11	minutes after the agitator begins operating. A bulk tank with a capacity of 1,500 gallons or more
12	shall be equipped with an agitator that will ensure homogeneity of all milk contained in the bulk
13	tank within 10 minutes after the agitator begins operating.
14	(e) A C-I-P bulk tank shall be designed and constructed so that cleaning, rinsing, and
15	sanitizing solutions cannot enter the bulk tank while it contains milk.
16 17 18 19 20 21	<b>Note:</b> Bulk tanks manufactured in compliance with the "3-A Sanitary Standards for Farm Milk Cooling and Holding Tanks" meet the sanitary design and construction requirements of this subsection. The "3-A Standards" are published by 3-A Sanitary Standards, Inc., 6888 Elm Street, Suite 2D, McLean, VA 22101-3850, telephone (703) 790-0295, website www.3-a.org. Copies of the "3-A Standards" as amended effective July 23, 2012, are on file with the division and the legislative reference bureau. Copies may be obtained from "3-A Sanitary Standards, Inc., Online Store," at http://www.techstreet.com.
22 23	(3) BULK TANK TEMPERATURE RECORDING DEVICE. All of the following requirements apply
24	to a temperature recording device under sub. (2) (c) 2.:
25	(a) The temperature recording device shall be capable of accurately recording temperatures
26	between 40°F (4° C.) and 180°F (82° C.).

(b) A temperature recording chart on which the temperature recording device records milk 1 temperatures shall have graduations of not more than 2° F. (1° C.) at temperatures below 100° F. 2 (38° C.) and shall have at least one time span division per hour. The circular chart shall make 3 4 one revolution in not more than 7 days and shall be graduated for a maximum record of 7 days. 5 (c) The milk producer shall retain milk temperature records for at least 6 months after the temperature recording device makes those records. Milk temperature records shall identify the 6 7 milk producer, the date or dates to which the records pertain, the bulk tank to which the records 8 pertain if there is more than one bulk tank on the dairy farm, the signature of the person who removed the temperature records from the temperature recording device, and any unusual 9 10 occurrences related to milk temperature. (d) The dairy plant operator who procures milk from the milk producer, or a milk contractor 11

who procures milk from the producer, shall calibrate the temperature recording device every 6 months, or more often if specified by the manufacturer, and shall keep complete and accurate records of the calibration. The dairy plant operator shall make the records required under this section available to the division for inspection and copying upon request.

(e) A milk producer keeping electronic records in conformance with par. (b), (c), and (d)
shall develop a written procedure for a division representative to use to review the records. The
written procedure shall be acceptable to the division and made available to a division
representative upon request.

(4) BULK TANK COOLING CAPACITY. A bulk milk tank shall be capable of cooling all milk
placed in the tank to 50°F. (10°C.) or less within 4 hours after the start of the first milking, and to
45°F. (7°C) or less within 2 hours after the end of milking. The temperature of the blended milk
from the first milking and later milkings shall not exceed 50°F. (10°C.).

2 to a bulk milk tanker holding a grade A permit issued by the department or an equivalent 3 regulatory agency in another state, if all the following apply: (a) The milk producer controls the operation and maintenance of the bulk milk tanker. 4 5 Note: The milk producer is not required to own the bulk milk tanker. A milk producer may not collect milk from another milk producer, or commingle that milk with the milk producer's milk, unless the milk producer 6 operates as a bulk milk weigher and sampler under ch. ATCP 82. A milk producer operating as a bulk milk weigher 7 8 and sampler must hold a grade A bulk milk tanker permit (if applicable), and a bulk milk weigher and sampler 9 license. The producer must also collect and sample milk according to ch. ATCP 82. 10 11 (b) The bulk milk tanker is constructed and maintained according to bulk milk tanker 12 standards set forth in s. ATCP 82.06. (c) The bulk milk tanker has an access port that can be sealed. 13 14 (d) The bulk milk tanker, while parked at the dairy farm, is kept on a pad of concrete or equally impervious material. The pad shall be sloped for proper drainage and shall be kept in a 15 clean condition. 16 17 (e) All permanent pipelines connecting the bulk milk tanker to the milk handling system end in the milkhouse. 18 (f) The bulk milk tanker is parked such that the distance between the back of the tanker and 19 20 the milkhouse is minimized and the tanker to pipeline connection is made inside the milkhouse. (g) The milk producer cools all milk to a temperature of 45° F. (7° C.) or lower before the 21 milk enters the bulk milk tanker. The milk producer may use a plate cooler, tube cooler or bulk 22 23 tank to cool the milk. Coolant used in cooling devices shall comply with the requirements of s. ATCP 65.10 (6). 24 25 (h) A temperature recording device that records milk temperatures downstream from the cooling device under par. (g). The probe of the temperature recording device shall be mounted 26 27 in a well in the milk pipeline except that if the producer cools the milk in a bulk tank the probe

(5) MILKING DIRECTLY TO BULK TRANSPORT CONTAINER. A milk producer may milk directly

may be mounted in the bulk tank. The temperature recording device shall comply with all of the
requirements that apply to bulk tank temperature recording devices under sub. (3).

3 (i) An indicating thermometer is installed as close as possible to the temperature recording
4 device, under par. (h), to verify recorded temperatures.

5 (j) The bulk milk tanker outlet valve is close-coupled and protected with an effective dust
6 cover.

(k) The milk producer keeps the bulk milk cooling device, transport hose and bulk milk
tanker outlet valve in clean and sanitary condition. The milk producer shall clean and sanitize
the outlet valve before attaching the transport hose to it. The milk producer shall clean and
sanitize the bulk milk cooling device and transport hose between milkings or at least once every
24 hours if the producer milks continuously.

(L) The dairy plant operator who receives the bulk milk shipment does all of the following
before unloading any milk from the bulk milk tanker or commingling it with milk from another
producer:

15 1. Tests the bulk shipment for drug residues according to s. ATCP 65.72.

2. Ensures that a person, licensed under s. 97.17 or 98.146, Stats., has collected a sample
from the bulk shipment according to s. ATCP 82.12.

(m) The dairy plant operator cleans and sanitizes the bulk milk tanker after each milk
shipment, the same as the operator would clean and sanitize a bulk milk tanker under s. ATCP
82.08. The dairy plant operator shall seal the access port after cleaning and sanitizing the bulk
milk tanker.

ATCP 65.18 Milking procedure. (1) PREPARING MILKING ANIMALS FOR MILKING. A milk producer shall clip the flanks, udder, belly, and tail of each milking animal as often as necessary

to facilitate cleaning. The tail, belly, and flanks shall be reasonably free of visible dirt at the time
of milking. If flanks and udders are brushed, brushing shall be completed before milking begins.
Hair on udders shall be kept short enough so that it is not incorporated with the teat in the
milking machine inflation during milking. The udder of each milking animal shall be clean at
the time of milking. Teats shall be cleaned, sanitized, and dried immediately before milking.
Wet hand milking is prohibited.

7 (2) TRANSFER AND PROTECTION OF MILK. Milk shall be protected from contamination at all times. Upon being drawn from milking animals, milk shall immediately be transferred from the 8 milking barn or parlor to the milkhouse. Containers of milk may not be stored in the milking 9 barn or parlor. If milk is transferred to the milkhouse in containers, rather than through a 10 pipeline or other vacuum transfer system, the milk producer shall transfer each container of milk 11 12 to the milkhouse immediately after it is filled. Milk contact surfaces of equipment and utensils 13 used to collect or transfer milk shall be protected from contamination before and during use. Inflations that contact unclean substances such as manure or water on the milking parlor floor 14 after milking of an animal is complete shall be cleaned and sanitized before being used to milk 15 the next animal. Milk containers shall be covered to protect milk and milk contact surfaces from 16 contamination, except when milk is being poured into or out of the container. Milk that 17 overflows, leaks, or spills from its proper container or transfer vessel shall be discarded. 18 (3) PERSONNEL; CLEANLINESS. Milkers and milk handlers shall wash and dry their hands 19 20 before engaging in milking or milk handling operations, and before resuming such operations after engaging in other activities. Milkers and milk handlers shall wear clean outer garments so 21 that milk, milk contact surfaces, or the hands of a milker or milk handler do not become 22

23 contaminated by contact with soiled outer garments. If outer garments become soiled, they must

1	be changed. No person may engage in milking or milk handling operations if that person
2	exhibits reportable symptoms of a communicable disease as defined in s. ATCP 75 Annex 2-
3	201.11 (A) (1) or has received a reportable diagnosis of communicable disease as defined in s.
4	ATCP 75 Annex 2-201.11 (A) (2).
5	(4) COOLING MILK. (a) Except as provided under par. (b), milk shall be cooled to $50^{\circ}$ F.
6	(10°C.) or less within 4 hours after the start of the first milking, and to $45^{\circ}F$ . (7°C) or less within
7	2 hours after the end of milking. The temperature of the blended milk from the first milking and
8	later milkings shall not exceed 50°F. (10°C.).
9	(b) Grade B milk in cans shall be cooled to 50° F. (10° C.) or less within 2 hours after
10	milking, and shall be kept at or below 50° F. (10° C.) until it is delivered to the dairy plant. If
11	milk is stored or cooled in cans, milk from a morning milking shall not be commingled with milk
12	from an evening milking.
13	(c) Frozen sheep milk shall be maintained in a frozen state for not more than 60 days from
14	the time it was collected on a dairy farm and shall remain frozen until received by a dairy plant.
15	(5) STRAINING MILK. Milk shall be strained before it flows into a bulk tank or shipping
16	container. Only clean, single-service filters may be used to strain milk. Filters shall not be
17	reused.
18	(6) COMMINGLING OF MILK FROM DIFFERENT MILKING SPECIES PROHIBITED. A milk producer
19	may not commingle milk from one species of milking animal with the milk of another species of
20	milking animal.
21 22 23	<b>Note:</b> Cows are the same species, even if they are of different breeds, so their milk may be commingled. However, cows and goats are different species and their milk may not be commingled.
23 24	(7) MILK COOLING AND STORAGE. Milk cooled and stored on a dairy farm shall be cooled
25	and stored in facilities that comply with this chapter.

ATCP 65.20 Abnormal milk; milking diseased animals. (1) Milking animals that appear to be secreting abnormal milk from one or more quarters shall be milked last or with separate equipment, and their milk shall be discarded.

4 (2) If milking animals consume or are treated with chemical, medicinal, or radioactive agents
5 which may be secreted in milk and that may be deleterious to human health, the milking animals
6 shall be milked last or with separate equipment, and their milk shall be discarded.

7 (3) Milk that is bloody, stringy, off-colored, visibly abnormal, abnormal in odor, or
8 abnormal in any other respect shall be discarded.

9 (4) Equipment and utensils used to handle abnormal milk shall not be used to handle milk
10 produced for human consumption unless the equipment and utensils are first thoroughly cleaned
11 and sanitized.

12 (5) Drugs prescribed by a veterinarian for use on milking animals shall be clearly labeled with the name of the drug, each active ingredient, directions for use, the length of time for which 13 milk must be withheld following the cessation of drug therapy, any applicable warnings or 14 precautions to be observed by the milk producer, and the name and complete address, including 15 zip code, of the prescribing veterinarian. No drug or medicinal item may be used in a manner 16 inconsistent with label directions or the veterinarian's prescription, or in a negligent manner. 17 (6) Abnormal milk or milk from diseased animals shall not be stored or held in the 18 milkhouse or milking parlor after being collected. The milk shall be immediately removed and 19 discarded. 20

ATCP 65.22 Farm premises. (1) GENERAL. Farm premises adjacent to a milking barn, milking parlor, or milkhouse shall be kept free of conditions that may result in the contamination of milk.

(2) MANURE STORAGE AND DISPOSAL. Manure shall be removed and stored in a manner that
 inhibits the breeding of flies. No milking animals may have access to a manure storage area.
 This does not prohibit a cold weather manure pack in a cowyard if the manure pack is properly
 maintained to prevent excessive accumulations of manure on the udders and flanks of milking
 animals.

(3) COWYARD. A cowyard shall be graded for proper drainage and shall be kept free of
standing pools of water and accumulations of manure or feed waste. In loafing pens, manure
shall be removed or clean bedding added with sufficient frequency to prevent visible soiling on
the udders and flanks of milking animals. Waste feed shall be promptly removed. Manure packs
shall be properly drained and shall provide a reasonably firm footing. Swine shall be kept out of
the cowyard.

(4) STATIONARY FEEDERS IN COWYARD. Stationary feeders in a cowyard shall be fully surrounded by a paved surface on which milking animals stand while feeding. The paved surface shall extend at least 12 feet in all directions from the feeder, except that a paved surface installed before January 1, 1979, shall extend at least 8 feet in all directions from the feeder. If the distance between a feeder and another building or permanent structure is less than the paved surface width prescribed under this subsection, the paved surface shall extend to the building or other permanent structure.

(5) STOCK WATERING DEVICES AND PORTABLE FEEDERS IN COWYARD. Stock watering devices
 and portable feeders shall be located in an area that is well drained and provides reasonably firm
 footing for animals using the facilities.

1	(6) TOILETS. (a) Every dairy farm shall have one or more sanitary toilets that are
2	conveniently accessible by persons engaged in milking operations. A conveniently accessible
3	toilet may include a toilet in a farm residence or other farm building.
4	(b) Toilets, under par. (a), shall comply with chs. SPS 362. Toilets shall be kept in clean and
5	sanitary condition.
6	(c) There shall be no mixing or storage of human waste or septage with animal manure on a
7	dairy farm.
8	(7) PEST CONTROL. Insects, rodents, and other pests shall be controlled to prevent the
9	contamination of milk and milk contact surfaces of equipment and utensils. Pesticides shall not
10	be stored, handled or used in a manner that might contaminate milk, milk contact surfaces, feed,
11	or water.
12 13 14	<b>Note:</b> Pesticide storage and use must comply with ss. 94.67 to 94.71, Stats., and ch. ATCP 29. Pesticides must be registered for use by the U.S. environmental protection agency or by the department. Pesticides shall not be stored, handled or used in a manner inconsistent with label directions, or in a negligent manner.
15 16	(8) ANIMAL DRUG STORAGE. No animal drug or medicinal item may be kept in or
17	immediately adjacent to dairy farm facilities used for dairying operations unless the animal drug
18	or medicinal item is designed or prescribed for use on milking animals. Animal drugs and
19	medicinal items stored immediately adjacent to the milking barn, milking parlor, or milkhouse
20	shall be protected from outdoor conditions and shall be stored above the floor, on racks or in a
21	cabinet. Animal drugs and medicinal items shall be stored in a manner that prevents
22	contamination of milk and equipment and utensils coming in contact with milk. Animal drugs
23	and medicinal items shall be clearly labeled to indicate their identity and intended use and
24	prescription drugs shall be labeled as provided under s. ATCP 65.20 (5). Animal drugs and
25	medicinal items intended solely for non-lactating milking animals shall be stored separately from
26	those used on lactating milking animals.

1	SUBCHAPTER III
2	DAIRY PLANTS
3	ATCP 65.23 Federal requirements. (1) GRADE A DAIRY PLANTS. (a) A grade A dairy plant
4	that is a qualified facility shall comply with the requirements of 21 CFR 117 Subpart B and
5	117.201.
6	(b) A grade A dairy plant that is a facility shall comply with the requirements of 21 CFR 117
7	Subpart B and the PMO.
8	(2) GRADE B DAIRY PLANTS. (a) A grade B dairy plant that is a qualified facility shall comply
9	with the requirements of 21 CFR Subpart B, 117.201, and Subpart F.
10	(b) A grade B dairy plant that is a facility shall comply with the requirements of 21 CFR
11	Subparts B, C, F, and G.
12	ATCP 65.24 Construction and maintenance. (1) GENERAL. (a) Buildings, facilities, and
13	equipment used in the operation of a dairy plant shall be soundly constructed and shall be
14	capable of being maintained in a clean and sanitary condition. The interior and exterior portions
15	of a dairy plant and the premises on which a dairy plant is located shall be kept free of
16	unhealthful and unsanitary conditions and shall be maintained in compliance with this chapter.
17	(b) The division may issue a written waiver granting a variance from a construction standard
18	under this subchapter if the division finds that the variance is reasonable and necessary under the
19	circumstances, and will not compromise the purpose served by the construction standard and the
20	facility does not hold a grade A permit. A waiver under this paragraph may be issued by the
21	administrator of the division or the administrator's designee.
22	(c) After the effective date of this chapter, a dairy plant may not be directly connected to a
23	milking barn, milking parlor or animal housing area. A dairy plant may be separated from a

1 milking barn, milking parlor or animal housing area by a room not used for animal husbandry or 2 milking, provided doors between the dairy plant, the room not used for animal husbandry or 3 milking, and the milking barn, milking parlor, or animal housing area are self-closing and kept 4 closed when not in use. 5 (2) FLOORS. The floors of all rooms in which dairy products are processed, handled, or stored or in which dairy product containers, equipment, or utensils are cleaned and sanitized shall 6 7 be all of the following: 8 (a) Kept clean and in good repair. 9 (b) Smooth enough to be easily cleanable. (c) Constructed of concrete or equally impervious and easily cleanable materials. This 10 paragraph does not prohibit tightly joined wooden floors in storage rooms used solely for the 11 12 storage of dry ingredients or packaging materials, or both. 13 (d) Sloped to provide adequate drainage. This paragraph does not apply to floors in storage rooms used solely for the storage of dry ingredients or packaging materials, or both. 14 (e) Equipped with an adequate number of trapped floor drains, so that any liquids draining 15 onto the floors are promptly removed. Floors in refrigerated storage rooms need not have floor 16 17 drains if the floors are sloped to drain to one or more exits to prevent pooling of liquids. This paragraph does not apply to floors in storage rooms used solely for the storage of dry ingredients 18 19 or packaging materials, or both. 20 (3) WALLS AND CEILINGS. (a) Walls and ceilings of rooms in which dairy products are handled, processed, or stored, or in which dairy product containers, equipment, or utensils are 21 cleaned and sanitized, shall have a smooth, washable, and light-colored surface, and shall be kept 22 23 clean and in good repair. Suspended ceiling panels are prohibited in any room where powdered

dairy products are packaged or processed if that room was constructed or substantially altered
 after December 1, 1994.

3 Note: Walls and ceilings may consist, for example of smooth finished concrete construction panels or cement 4 plaster. 5 (b) If condensation may accumulate on overhead pipes, ducts, or other fixtures, those fixtures 6 shall be arranged or shielded so that condensation does not drop into dairy products or 7 8 ingredients, or onto product contact surfaces of equipment, utensils, or packaging materials. 9 (c) In rooms constructed or substantially altered after the effective date of this chapter, the junctions of walls and floors in processing areas shall be coved to facilitate cleaning. 10 (4) DOORS, WINDOWS, AND OTHER OPENINGS. (a) Doors, conveyor openings, and other 11 12 openings to the outside environment shall be kept closed when not in use, and shall at all times 13 be protected against the entry of insects, rodents, and excessive dust. Doors to the outside, other 14 than overhead doors and electronic sliding doors in delivery areas of milk receiving stations and grade B dairy plants, and emergency exit doors routinely used by dairy plant personnel shall be 15 16 self-closing. External screen doors, if any, shall open outward. 17 Note: Air curtains, strip curtains, and similar devices may be used to prevent insects and excessive dust from entering through doors and other openings while those openings are in use. 18 19 (b) Windows, if not permanently closed, shall be screened against flying insects, rodents, and 20 21 birds. In dairy plants constructed or substantially altered after the effective date of this chapter, 22 window ledges shall be sloped to an angle of at least 45° below horizontal to facilitate cleaning. (c) Outside openings of dairy product pipelines shall be tightly capped when not in use. 23 24 When a pipeline is in use, the pipeline cap shall be tethered or placed on a sanitary hanger or rack to protect it from contamination. Pipeline openings through walls shall be completely 25 cemented or fitted with tight metal collars. 26

1 (d) At each doorway leading from a non-processing area to a processing area in which 2 exposed dairy products are processed, a dairy plant operator shall provide a sanitizing footbath, disposable footwear, dedicated footwear, or other facilities to ensure that footwear worn in the 3 4 processing area is clean and sanitary. 5 (5) LIGHTING. (a) Lighting in every area of a dairy plant shall be fully adequate for the purpose for which the area is used. Except as provided under par. (b) or (c), there shall be at 6 7 least 5 foot candles (54 lux) of illumination, measured at 30 inches above the floor, in every part 8 of a dairy plant. (b) Except as provided under par. (c), there shall be at least 30 foot candles (323 lux) of 9 illumination at every place where dairy products are processed and at every place where 10 equipment or utensils are cleaned and sanitized. 11 12 (c) There shall be at least 50 foot-candles (538 lux) of illumination on every surface where dairy products are graded or examined for condition and quality, and on every surface where 13 multi-use packages are inspected before being reused. 14 (d) Light bulbs, fluorescent light tubes, skylights, and other overhead glass fixtures shall be 15 shielded to prevent broken glass from falling into dairy products or onto dairy product contact 16 surfaces. 17 (6) VENTILATION. (a) Every room in a dairy plant shall be adequately ventilated and 18 adequately controlled for temperature and humidity to keep the room reasonably free of fumes, 19 20 odors, mildew, and excessive condensation. (b) Ventilation systems, including exhaust fans, intake fans, and ventilation ducts, shall be 21 kept clean and in good repair and shall be screened or louvered to prevent contamination of dairy 22 23 products, ingredients, equipment, utensils, or packaging materials by dust, insects, or other

1	contaminants. Intake fans shall be equipped with filters that are readily removable for cleaning
2	and replacement. Air intake filters shall be capable of removing at least 85% of particulate
3	matter that is 5 microns or larger in size.
4	(c) Ventilation systems in a dairy plant shall be positioned so that exhaust air does not
5	contaminate exposed dairy products, clean dairy product packages, or clean equipment or
6	utensils.
7	(7) ROOMS. (a) Dairy plant rooms shall be large enough so that activities conducted in those
8	rooms can be conducted in a safe and sanitary manner.
9	(b) Within a dairy plant, all of the following areas shall be located in separate rooms:
10	1. Raw milk unloading areas.
11	2. Areas used to clean and sanitize bulk milk tankers or bulk transport containers. Bulk milk
12	tankers and bulk transport containers may be cleaned and sanitized in the same room where they
13	are unloaded.
14	3. Processing areas.
15	4. Areas used to clean or sanitize dairy product packages or containers.
16	5. Areas used to store or fabricate dairy product packages. Packaging materials required for
17	each day's processing operations may be kept in a processing area on that day.
18	6. Areas used to store dairy product ingredients, other than raw milk. Ingredients required
19	for each day's processing operations may be kept in the processing area on that day.
20	7. Areas used to receive, handle, or store returned packaged dairy products.
21	8. Areas used for boiler, heating plant, utility, or maintenance equipment.
22	9. Employee toilet areas.
23	10. Employee locker areas, dressing areas, break areas, and lunch areas.

1	11. Areas, if any, used as living quarters. Processing or storage rooms that are constructed
2	after the effective date of this chapter, and share one or more walls with adjacent living or
3	sleeping quarters, shall have a separate entrance and shall not provide direct access to the living
4	or sleeping quarters.
5	(c) In dairy plants constructed or licensed after December 1, 1994, raw milk shall be
6	unloaded in a fully enclosed intake room.
7	(d) Notwithstanding par. (b), a dairy plant operator may store, cool, separate, and clarify raw
8	milk in an area that the operator uses to unload bulk milk shipments if all the following apply:
9	1. The area is within a fully enclosed room.
10	2. Containers used to store, cool, separate, and clarify the raw milk are filtered or vented to a
11	separate room to protect the milk from airborne contamination in the unloading area. If
12	containers are vented to a separate room, that room shall comply with processing area sanitation
13	standards under this chapter.
14	(e) Notwithstanding par. (d), a dairy plant operator may not store, cool, separate, or clarify
15	raw milk in a room used to unload bulk milk shipments if any of the following apply:
16	1. The dairy plant was constructed or licensed after December 1, 1994.
17	2. The dairy plant is a grade A dairy plant constructed or licensed after July 1, 1980.
18	3. The storage, cooling, separating, or clarifying operations were initiated after December 1,
19	1994.
20	(f) Rooms, other than rooms adjacent to sleeping or living quarters, are considered separate,
21	for purposes of this subsection, if they are fully separated by permanent floor-to-ceiling
22	partitions and if doorways between the rooms are equipped with solid, tight-fitting, self-closing
23	doors. Rooms adjacent to sleeping or living quarters must comply with sub. (11) above.

(8) DAIRY PLANT WATER SUPPLY. (a) Water used in dairy plant operations, or as an 1 ingredient in dairy products, shall be obtained from a source that complies with applicable 2 provisions of chs. NR 811 or 812. All water obtained for use in a dairy plant shall comply with 3 4 the microbiological standards in ch. NR 809. Water shall be available in consistently adequate quantity for all dairy plant operations, including processing, cleaning, handwashing, and 5 drinking. The division may grant a conditional waiver for elevated levels of non-microbial 6 7 contaminants as defined in NR 809 in processing water or ingredient water. 8 (b) If a dairy plant uses water from a privately owned water system, the dairy plant operator or, in the case of a grade A dairy plant, the division shall, at least once every 6 months, and after 9 a repair or alteration to the water system, collect and analyze a sample of the water for 10 compliance with the microbiological standards under s. NR 809.30. If a dairy plant produces 11 12 grade A and grade B products, a division representative shall collect and analyze the water samples. If the water supply is from more than one well, each well shall be sampled and tested. 13 Each sample shall be taken upstream from any pressure tank or other water treatment equipment. 14 Microbiological analyses shall be conducted in a laboratory certified under ch. ATCP 77. 15 (c) At the division's request, a dairy plant operator who receives water from a municipal 16 17 source shall provide the division with documentation showing that the water complies with the microbiological standards under s. NR 809.30. 18 (d) Recirculated water may be used in a cooler or heat exchanger that may come in contact 19 20 with any dairy product if it is all of the following: 1. Obtained from a safe source that complies with par. (a), or reclaimed in compliance with s. 21 ATCP 65.24 (9) (b). 22

23 2. Bacteriologically safe, protected from contamination, and

3. Tested by the dairy plant operator at least semiannually or, in the case of a grade A dairy
 plant, by the department at least semiannually.

3 (e) If a recirculating water system becomes contaminated, that system may not be used until 4 it is properly treated and retested to ensure that the contamination has been eliminated. The freezing point depressants used in recirculating water systems shall be food or pharmaceutical 5 grade, non-toxic propylene glycol, and shall not contain coliform bacteria as determined by 6 7 sampling and analysis which the dairy plant operator has done at least semi-annually. 8 (f) A dairy plant operator may use only potable water, or reclaimed water in compliance with sub. (9) (c), to produce culinary steam. In boilers used to produce culinary steam, boiler water 9 additives shall comply with 21 CFR. 173.310. 10 (g) All of the following requirements apply to water that is transported to a dairy plant in a 11 12 container or tank, for use in dairy plant operations: 13 1. The water shall be potable. 2. The container or tank shall be thoroughly cleaned and sanitized before being filled. 14 3. The container or tank shall be sealed, and the water shall be protected from contamination 15 during transit. 16 17 4. A food-contact appropriate, cleaned and sanitized pump, hose, and fittings shall be used to transfer water from the container or tank to a storage tank at the dairy plant, so that the water is 18 19 not contaminated during transfer. 20 (h) If a grade A dairy plant uses water to flush pasteurized milk or milk products from milk processing systems, that water shall be of a microbiological quality equivalent to that of 21 pasteurized milk. 22

1	(9) RECLAIMED WATER. (a) A dairy plant operator may use water reclaimed from heat
2	exchanger processes or from the condensation of milk or dairy products if all the following
3	apply:
4	1. The water is reclaimed from a heat exchanger process or by means of evaporation, reverse
5	osmosis, or ultrafiltration.
6	2. The water meets applicable use conditions under par. (c).
7	(b) Except as provided in par. (c), reclaimed water may not be used for any purpose requiring
8	potable water unless all the following apply:
9	1. The department pre-inspects and pre-approves the reclamation system.
10	2. The reclaimed water contains less than 1 coliform bacterium per 100 ml. of water.
11	3. The reclaimed water otherwise meets the microbiological standards set forth in s. NR
12	809.30.
13	4. The organic content of the water is less than 12 mg. per liter as measured by the chemical
14	oxygen demand or permanganate-consumed test, or the water has a standard turbidity of less
15	than 5 units. The dairy plant operator shall use an automatic fail-safe monitoring device to
16	identify, and automatically divert to a waste water system, any water reclaimed from the
17	condensation of dairy products if that water fails to meet this standard.
18	5. The reclaimed water is of satisfactory organoleptic quality. The dairy plant operator shall
19	sample and organoleptically test reclaimed water at weekly intervals.
20	6. Any chemicals used to suppress bacterial growth, tastes, or odors in the reclaimed water
21	are registered for that use with the U.S. environmental protection agency. The dairy plant
22	operator who uses any chemical to suppress bacterial growth, tastes, or odors shall comply with
23	the chemical label instructions. An added chemical may not contain any substance that may

contaminate dairy products or limit the use of reclaimed water. An automatic proportioning
 device shall add the chemicals to the water before the water enters the storage tank. The dairy
 plant operator shall test reclaimed water at least daily to verify that each added chemical is
 present at an approved level.
 7. The reclaimed water is stored in a properly constructed tank. The tank shall be constructed

of a material that can be easily cleaned and sanitized and will not contaminate the water.
8. The dairy plant operator or, in the case of a grade A dairy plant, the division tests the
reclaimed water for compliance with microbiological and organic content standards at least semiannually. The operator shall test the reclaimed water for 14 working days after the department
approves the reclamation system under subd. 1., and for at least 7 working days after any repairs
or alterations to the system.

9. There are no cross-connections between reclaimed water lines and any public or privatewater system.

14 10. Reclaimed water from membrane processing of unpasteurized milk or unpasteurized 15 dairy products shall be heat-treated for a time and at a temperature providing at least the same 16 lethality against microorganisms as milk pasteurization.

(c) Reclaimed water may be used for the limited purposes of producing culinary steam, pre rinsing food contact surfaces of equipment or utensils, or preparing cleaning solutions if all the
 following apply:

1. The reclaimed water meets all conditions under par. (b) 1., 2., 4. to 7., and 9.

2. The reclaimed water is used only on the day that it is reclaimed, except that reclaimed
water may be stored for later use if it is automatically maintained at a temperature of not less

than 145° F. (63° C.), or is chemically treated to suppress bacterial propagation. Chemical
treatments shall comply with par. (b) 6.

3 3. Distribution lines and hose stations used to distribute the reclaimed water are clearly
4 identified as "limited-use reclaimed water."

5 4. The dairy plant operator posts clear instructions for the use of the reclaimed water. The 6 operator shall post the instructions so that they will be seen by persons using the reclaimed 7 water, and the instructions shall be written in such a way that they will be understood by the 8 persons using the reclaimed water. The instructions shall disclose the limited purposes for which 9 the reclaimed water may be used.

5. Water lines distributing the reclaimed water are not permanently connected to dairy product vessels. If a water line is temporarily connected to a dairy product vessel, there shall be an atmospheric break and automatic controls to prevent the reclaimed water from contacting dairy products.

(d) Reclaimed water that does not qualify for use, under par. (b) or (c), may only be used asboiler feedwater.

(10) PLUMBING SYSTEM; DISPOSAL OF SEWAGE AND LIQUID WASTE. (a) All dairy plant
 plumbing, plumbing fixtures, and equipment shall comply with state and local plumbing codes
 and shall be designed, installed, and maintained to prevent backflow, backsiphonage, and cross connections.

(b) Sewage and liquid waste from a dairy plant shall be removed in a sanitary manner, in
compliance with applicable state and local regulations.

Note: Plumbing and plumbing fixtures must comply with applicable rules of the Wisconsin department of
 safety and professional services under chs. SPS 382 to 386.

(11) CLEANING FACILITIES. (a) If equipment or utensils in a dairy plant are cleaned or
 sanitized manually, the dairy plant shall be equipped with wash and rinse sinks that are suitable
 for all manual cleaning and sanitizing operations. Sinks shall be conveniently located and
 adequate in number, and shall comply with all of the following requirements:

5 1. Every sink shall be constructed of stainless steel or one or more other materials approved6 by the division.

2. Every sink shall have at least 2 compartments. If a dairy plant is also engaged in food
processing as defined under s. 97.29 (2) (b), Stats., every sink installed in a food processing area
after December 1, 1994 shall have at least 3 compartments for washing, rinsing, and sanitizing
equipment and utensils unless the dairy plant operator uses an alternative method for sanitizing
equipment and utensils that the division has approved in writing.

3. Every sink compartment shall be large enough so that the largest item cleaned or sanitized
in the sink can be halfway immersed in the sink. Every sink compartment shall be served by hot
and cold running water and shall be cleaned prior to each use.

(b) Sinks used to clean and sanitize equipment and utensils may not be used as handwashingsinks.

(c) Brushes and other cleaning tools used to clean equipment and utensils shall be cleaned
after each use and sanitized prior to their next use. Single-service disposable towels, if used to
clean equipment or utensils, shall be discarded after a single use.

(d) If a mechanical system is used to clean or sanitize equipment or utensils, the mechanical
system shall be designed, installed, and maintained so that it is fully effective for the purpose
used.

(e) A dairy plant shall be equipped with conveniently located hose connections to facilitate
 cleaning operations in the dairy plant. When hoses are not in use, they shall be neatly stored off
 the floor on racks or reels.

4 (12) TOILET FACILITIES. (a) Every dairy plant shall have toilet facilities that comply with chs.
5 SPS 361 to 365.

(b) Toilet rooms shall be conveniently located, but shall not open directly into any room
where milk or dairy products are processed. Every toilet room shall be completely enclosed and
shall have a tight-fitting, solid, self-closing door. The door shall be kept closed except when in
use or when the toilet room is being cleaned or repaired.

(c) Toilet rooms and fixtures shall be kept clean, sanitary, and in good repair. A supply of
toilet tissue shall be provided at each toilet at all times.

12 (d) Every toilet room shall be equipped with hand-washing facilities with hot and cold running water, soap, and single-service towels or air hand-drying equipment. Common towels 13 are prohibited. Easily cleanable, covered receptacles shall be provided for waste materials. 14 (e) One or more conspicuous signs, directing personnel to wash their hands before returning 15 to work, shall be prominently posted in every toilet and dressing room. Signs shall be clearly 16 printed in a language or languages that can be understood by all dairy plant personnel. 17 (13) LOCKER AND LINEN FACILITIES. (a) Clothing and personal items of dairy plant personnel, 18 when not being worn or carried, shall be neatly stored in lockers or comparable facilities 19 provided for that purpose. Clothing and personal items may not be stored in areas where milk, 20

21 dairy products, or ingredients are received, processed, handled, or stored, or in areas where dairy

22 product containers, equipment, or utensils are cleaned or stored.

1 (b) Work clothing, when not being worn by dairy plant personnel, shall be stored in an orderly and sanitary manner. Soiled linen and clothing shall be kept in nonabsorbent containers 2 or laundry bags until removed for laundering or disposal. Soiled linen and clothing shall be 3 4 removed as often as necessary to prevent unsanitary conditions. 5 (14) HANDWASHING SINKS IN PROCESSING AREAS. (a) Handwashing sinks shall be provided for use by all dairy plant personnel working in each processing room or area. The sinks shall be 6 7 conveniently accessible, and shall be kept in a clean and sanitary condition. 8 (b) A supply of soap or detergent, and a sanitary, single-service means for drying hands, shall be provided at each handwashing sink at all times. Common towels are prohibited. If disposable 9 10 towels are used, a clean, covered waste receptacle shall be provided for their disposal. (c) A handwashing sink may not be used to rinse, wash, or sanitize equipment or utensils. 11 (d) A handwashing sink installed to serve a processing area shall be located in that 12 processing area. The sink shall be served by potable tempered water, or by potable hot and cold 13 water delivered through a mixing valve or combination faucet. The sink shall not be hand 14 operated. If a self-closing, slow-closing, or metered faucet is used, the faucet shall provide an 15 uninterrupted flow of water for at least 15 seconds before it becomes necessary to reactivate the 16 faucet. 17 (e) An automatic handwashing device may be substituted for a handwashing sink under this 18 subsection if the automatic handwashing device operates in a safe and effective manner. 19 20 (15) INTERIOR PREMISES; CLEANLINESS. Every room of a dairy plant shall be kept in a clean and orderly condition. 21 (16) EXTERIOR PREMISES; CLEANLINESS. (a) The premises surrounding a dairy plant shall be 22 23 well drained and shall be kept in an orderly condition. The premises shall be kept free of

accumulated trash, garbage, excess vegetation, and other objects that may harbor vermin, be a
 source of airborne dust or dirt, or hold standing water. Driveways and parking lots shall be
 surfaced or maintained to minimize airborne dust and dirt.

4 (b) Every outdoor storage tank used for liquid food ingredients shall be located on a drained
5 impermeable surface. All loading and unloading of liquid food ingredients from that storage
6 tank shall be conducted above a drained impermeable surface.

(17) GARBAGE AND SOLID WASTE DISPOSAL. (a) Garbage and solid waste shall be removed
from the dairy plant premises as often as necessary to keep the premises in a clean and sanitary
condition.

(b) Garbage and solid waste storage areas shall be constructed and maintained so that they
are easily cleanable and do not attract or harbor insects, rodents, or other animals; do not hold
standing water, and are not a source of airborne dust or dirt.

(c) Garbage and solid waste shall be held in durable, leak-proof, easily cleanable, and pestresistant containers. Containers shall be covered with tight-fitting lids, and shall be cleaned
when necessary to prevent unsanitary conditions. Waste containers receiving solid waste from
packaging and bottle washing operations may be uncovered, if necessary, when those operations
are in progress.

(d) No garbage or solid waste may be burned on the dairy plant premises, except in
 compliance with state and local regulations. No garbage or solid waste may be burned on the
 premises if the burning may contaminate dairy products.

(18) PEST CONTROL. A dairy plant shall be free of any evidence of insect, rodent, or other
pest infestation. A dairy plant operator shall take effective measures to prevent and, if necessary,
eradicate pest infestations. No pesticide may be stored, handled, or used in a manner

inconsistent with label directions, in a negligent manner, or in a manner that may contaminate
 dairy products.

3 4	<b>Note:</b> Pesticides must be handled, stored, and used in compliance with ss. 94.67 to 94.71, Stats., and ch. ATCP 29.
5 6	(19) CONSTRUCTION PLANS; NOTIFICATION; REVIEW. Before constructing, substantially
7	reconstructing, or extensively altering a dairy plant, a dairy plant operator shall provide the
8	division with complete plans and specifications for the construction, reconstruction, or alteration.
9	Within 30 days after a dairy plant operator files plans with the division under this subsection, the
10	division shall return its comments or objections, if any, in writing.
11	ATCP 65.26 Personnel; sanitation standards. (1) CLEANLINESS AND SANITATION;
12	GENERAL. (a) Within a dairy plant, access to processing areas shall be restricted to dairy plant
13	employees and other authorized personnel.
14	(b) Persons who handle or process dairy products shall maintain a high degree of personal
15	cleanliness, and shall observe good hygienic practices during all working periods.
16	(c) Persons who handle or process dairy products shall thoroughly wash their hands before
17	beginning work and before returning to work after using toilet facilities, eating, smoking, or
18	engaging in other activities that may contaminate their hands.
19	(d) A person with a discharging or infected lesion on a hand or arm may not handle or
20	process unpackaged dairy products without appropriate sanitary protection. Appropriate sanitary
21	protection shall include any of the following:
22	1. An impermeable bandage on the lesion.
23	2. Single-use sanitary gloves or, if the lesion is on the arm, a full sleeved garment with tight
24	fitting cuffs.

(e) A person who handles or processes dairy products shall keep his or her fingernails clean
 and neatly trimmed and shall not wear fingernail polish unless he or she wears sanitary gloves at
 all times when working.

(f) No person exhibiting reportable symptoms of communicable disease, as defined in s.
ATCP 75 Annex 2-201.11 (A) (1), or who has received a reportable diagnosis of communicable
disease as defined in s. ATCP 75 Annex 2-201.11 (A) (2) may work in a dairy plant in any
capacity that may contaminate dairy products.

8 (2) CLOTHING AND JEWELRY. (a) Whenever any person is in a processing area or is engaged 9 in handling unpackaged milk or dairy products, that person shall wear clean, washable outer 10 garments and an effective hair restraint, including an effective hair restraint for any beard longer 11 than 1/2 inch. Hair restraints may include hair nets, caps, and snoods, but do not include 12 hairsprays, visors, or headbands.

(b) No person may wear any jewelry while working in a processing area or handling
 unpackaged dairy products. This paragraph does not apply to plain band wedding rings or
 medical alert necklaces worn under garments and secured by adhesive tape to the inside of
 undergarments.

(3) CONSUMPTION OF FOOD AND BEVERAGES, AND USE OF TOBACCO. No person may consume food or beverages, or use tobacco in any processing area or in any area where dairy processing equipment, utensils, or packaging materials are cleaned or stored. Employees may not consume food or beverages or use tobacco except in designated areas that are separated from food storage or processing areas. This subsection does not prohibit a sanitary water fountain in a processing area, nor does it prohibit on-line quality control sampling and organoleptic evaluation according to written quality control procedures established by the dairy plant operator.

1	ATCP 65.28 Equipment and utensils. (1) CONSTRUCTION AND MAINTENANCE. (a)
2	Equipment and utensils, including C-I-P systems, shall be of sanitary design and construction.
3	Equipment and utensils, including C-I-P systems installed after the effective date of this chapter,
4	shall comply with applicable "3-A Sanitary Standards" and "3-A Accepted Practices" listed in
5	ch. ATCP 65 APPENDIX A.
6 7 8 9 10 11	<b>Note:</b> The "3-A Sanitary Standards" and "3-A Accepted Practices" listed in APPENDIX A are published by 3-A Sanitary Standards, Inc., 1451 Dolley Madison Boulevard, Suite 210, McLean, VA 22101-3850, telephone (703) 790-0295, website www.3-a.org. Copies are on file with the division and the legislative reference bureau and may be obtained from the "3-A Sanitary Standards, Inc. Online Store" at http://www.techstreet.com.
12	(b) Equipment and utensils shall be readily accessible for cleaning and inspection and shall
13	be designed and constructed so that they can be easily cleaned. Equipment and utensils shall be
14	kept clean and in good repair.
15	(c) Tanks, vats, separators, and other containers used to store or process dairy products shall
16	be designed or equipped with appropriate devices to prevent surface condensation and drainage
17	from entering the container.
18	(d) Pipeline systems used to convey dairy products shall contain no dead ends in which dairy
19	products may collect. Pipelines and other equipment shall be designed and constructed to
20	prevent cross-contamination between pasteurized dairy products, unpasteurized dairy products,
21	and cleaning and sanitizing solutions.
22	(e) If it is necessary to disassemble any equipment or utensil to inspect a product contact
23	surface, all tools needed for the disassembly shall be readily available at the dairy plant.
24	(f) Water hoses used to wash dairy products or add ingredient water to dairy products shall be
25	constructed of approved food grade materials and shall be used and stored in a sanitary manner.

(g) A dairy plant operator may use sanitary flexible pipelines to transfer partially processed
 products in the intermediate stages of production or to load and unload bulk loads of milk from
 transport vehicles, if all the following apply:

1. The use of rigid pipelines for that purpose in a sanitary manner is not possible due to the
location of walls, floors, ceiling or other equipment.

6 2. The dairy plant operator properly cleans and sanitizes the flexible pipeline after
7 completing the transfer of product, or at least once during each day of use.

3. The operator uses only a length of flexible pipeline necessary to conduct the transferoperation.

(2) PRODUCT CONTACT SURFACES. (a) Product contact surfaces of equipment and utensils
 shall be made of materials that are smooth, impervious, nontoxic, noncorrosive, nonabsorbent,
 and durable under foreseeable use conditions. A product contact surface shall be constructed of
 one or more of the following materials unless the division specifically authorizes another
 material in writing:

1. Stainless steel of the American Iron and Steel Institute 300 series, or an equally corrosion
 resistant metal.

17 2. Heat resistant glass.

3. Plastic, rubber, or rubber-like materials that are fat resistant and insoluble; that are resistant to scratching, scoring, decomposition, crazing, chipping, and distortion under normal use conditions; that do not impart chemicals, flavor, or odor to milk; and that maintain their original properties under conditions of repeated use.

(b) Product contact surfaces shall be easily cleanable and shall be free of breaks, open seams,
 cracks, or similar defects. Product contact surfaces shall not impart any odor, color, taste, or

adulterating substance to food. Product contact surfaces, other than product contact surfaces of
 approved C-I-P systems, shall be readily accessible for manual cleaning. Joints and fittings shall
 be of sanitary design and construction.

(3) LOCATION AND INSTALLATION OF DAIRY PROCESSING EQUIPMENT. (a) Dairy processing
equipment shall be located and installed to prevent overcrowding and to prevent contamination
of dairy products or product contact surfaces by splash, condensation, or manual contact.
(b) Dairy processing equipment that cannot be easily moved shall be installed in a manner

8 that prevents liquid or debris from accumulating under or around the equipment.

9 (c) Dairy processing equipment shall be installed so that there is adequate clearance on all 10 sides for cleaning and maintenance. This does not apply to that portion of a tank or container 11 that is designed to protrude into or through a wall or the ceiling of a dairy plant.

(4) BULK STORAGE TANKS; VENTING. A tank used for the bulk storage of milk, whey, or liquid
food products shall be equipped with an air filter to prevent contamination of tank contents, or
shall be vented only to one of the following:

15 (a) A processing area.

(b) A tank gallery room that complies with processing area sanitation standards under thischapter.

(5) MEASURING DEVICES AND CONTROLS. (a) Every storage tank, freezer, and cold storage
compartment used to hold milk or dairy products shall be equipped with a thermometer or other
device that accurately indicates the temperature in the storage tank, freezer, or compartment.
(b) Each of the following bulk storage tanks shall be equipped with a 7-day temperature
recording device that shows the temperature of dairy products stored in that bulk storage tank:

1 1. Every bulk storage tank used to store grade A milk or grade A dairy products for longer
 than 24 hours.

3 2. A silo tank installed after December 1, 1994.

4 (c) Instruments and controls used for measuring, regulating, and recording temperature, pH,
5 acidity, water activity, or other conditions that control or prevent the growth of undesirable
6 microorganisms in milk or dairy products shall be accurate, fully functional, and adequate for
7 their intended use.

8 (6) LUBRICATION. Equipment shall be designed and constructed so that gear and bearing 9 lubricants do not come in contact with milk or dairy products, ingredients, or product contact 10 surfaces. Food grade lubricants shall be used if there is any chance that lubricants may come in 11 contact with milk or dairy products, ingredients or product contact surfaces.

(7) CLEANING AND SANITIZING EQUIPMENT AND UTENSILS. (a) A dairy plant operator shall
 clean and sanitize product contact surfaces of equipment and utensils to keep them at all times in
 sanitary condition. Sanitizing methods shall comply with s. ATCP 65.34.

(b) Except as provided in pars. (c) to (f), a dairy plant operator shall at a minimum clean all
product contact surfaces of equipment and utensils after each day's use, sanitize those surfaces
before each day's use, and clean and sanitize those surfaces before any change in use that may
cross-contaminate dairy products with major food allergens, as defined in s. ATCP 70.01 (19m),
or other contaminants.

(c) A dairy plant operator shall clean and sanitize tanks used to store liquid dairy products
whenever the dairy plant operator empties those tanks. Tanks used to store raw milk or grade A
dairy products shall be emptied at least once every 72 hours.

(d) A dairy plant operator shall clean evaporators at the end of a continuous operation, not to
 exceed 44 hours.

(e) Paragraph (b) does not apply to any of the following equipment, provided that the dairy 3 4 plant operator cleans and sanitizes the equipment according to manufacturer specifications or a 5 cleaning and sanitizing process approved under par. (f), and complying with par. (a): 1. Drying equipment. 6 7 2. Cloth collector systems. 3. Dry product packaging equipment and storage containers. 8 4. Equipment used in brining, aging, curing, and dry product blending processes. 9 5. Reverse osmosis equipment that utilizes a permeate stream from a previously pasteurized 10 product that has passed through a nanofiltration system achieving an efficiency of not more than 11 12 1,000 daltons. 13 6. Food contact surfaces of equipment used only to process foods or food ingredients with water activity not exceeding 0.85, or foods that are not potentially hazardous foods. 14 7. Food contact surfaces located downstream from the sterilization step in an aseptic 15 processing and packaging system, provided that system sterility is maintained. If system sterility 16 17 is not maintained, the surfaces shall be cleaned, sanitized, and sterilized before processing. (f) The division may authorize an alternative cleaning and sanitizing schedule for 18 continuously-operated equipment, in lieu of the schedule under par. (b), based on a proposal 19 20 under par. (g). The division's authorization of a proposal for cleaning and sanitizing of 21 equipment in contact with grade A dairy products is contingent upon consultation with, and acceptance of the proposal by, the US food and drug administration, and shall be valid for 5 22 23 years. The division's authorization may be renewed after a review requested in writing by the

dairy plant operator. A dairy plant operator shall adhere to the practices described in an
approved proposal. A dairy plant operator may not alter practices described in an approved
proposal without division approval. Division approval of a proposed changes for cleaning and
sanitizing of equipment in contact with grade A dairy products is contingent upon consultation
with, and acceptance of the changes by, the US food and drug administration, and shall be valid
for 5 years.

(g) A dairy plant operator's proposal, under par. (f), shall include all of the following:
1. A complete description of the continuously-operated equipment covered by the proposal,
including relevant design and sanitation features.

A complete description of the processing, handling, or storage operations for which the
 continuously-operated equipment is used. The description shall identify the types of dairy
 products involved, and the type and duration of continuous operations conducted.

3. A complete description of the cleaning and sanitizing procedure proposed by the dairy
plant operator. The description shall include cleaning and sanitizing frequency, cleaning and
sanitizing methods and materials, and other relevant process parameters such as time,
temperature, and concentration. The description shall include relevant process diagrams and
specifications.

4. A certification, by the dairy plant operator, that the proposed cleaning and sanitizing
 procedure complies with par. (a). The certification shall be based on a thorough hazard analysis
 and safety assessment by qualified personnel.

(h) A dairy plant operator shall keep records to document, on an ongoing basis, the operator's
 compliance with this subsection.

(8) STORING CLEAN EQUIPMENT AND UTENSILS. Clean equipment and utensils, unless stored in
 an approved sanitizing solution, shall be stored so that they drain dry. Utensils and equipment
 components disassembled for cleaning shall be stored above the floor in metal racks or other
 storage facilities which allow drainage. Clean equipment and utensils shall be protected from
 contamination prior to use.

(9) SINGLE-SERVICE UTENSILS. Single-service utensils shall be stored in the original
 containers in which they were received, or in other closed containers that will protect them from
 contamination until they are used. Single-service utensils shall not be reused.

9 (10) CLEANING COMPOUNDS, DETERGENTS, AND SANITIZERS; STORAGE AND LABELING.

Cleaning compounds, detergents, and sanitizers used in a dairy plant shall be clearly labeled.
When they are not being used, they shall be stored in designated areas and in an appropriate
manner so that they do not contaminate dairy products, ingredients, equipment, or utensils.

ATCP 65.30 C-I-P systems. (1) CONSTRUCTION AND MAINTENANCE; GENERAL. C-I-P
 systems shall be designed, constructed, installed, and maintained in compliance with s. ATCP
 65.28.

(2) CLEANING AND SANITIZING C-I-P SYSTEMS. (a) A dairy plant operator shall clean and
 sanitize all C-I-P systems in compliance with s. ATCP 65.28 (7). Surfaces that cannot be
 cleaned and sanitized by C-I-P procedures shall be cleaned and sanitized manually or by a clean out-of-place mechanical process.

(b) A dairy plant operator shall keep records on the cleaning and sanitizing of all C-I-P
systems. The records shall identify every C-I-P system that has been cleaned and sanitized, the
date and time when each C-I-P system was cleaned and sanitized, the temperature of the cleaning
and sanitizing solutions, and the length of time for which the C-I-P system was exposed to the

1 cleaning and sanitizing solutions. Records shall be made at the time the cleaning and sanitizing process is completed. Records shall be signed or initialed by a responsible person at the dairy 2 plant. The division shall review the records as part of every routine inspection of the dairy plant. 3 4 (3) REVIEW OF PLANS. (a) Before installing a C-I-P system or adding equipment to any existing C-I-P system, the dairy plant operator shall submit to the division a plan for the 5 installation or addition. The plan shall clearly describe each C-I-P circuit at a level of detail 6 7 sufficient to permit review by the division within the time periods specified under this 8 subsection. (b) Plans for a C-I-P system, under par. (a), shall include the manufacturer's specifications for 9 the system, including the manufacturer's specifications for operating, maintaining, cleaning, and 10 sanitizing the system. 11 12 (c) Within 20 business days after any person files plans with the division under this subsection, the division shall return its comments or objections, if any, in writing. 13 ATCP 65.32 Dairy product packages. (1) GENERAL. (a) Dairy product packages shall be of 14 sanitary design and construction. Packages shall be designed and constructed to protect 15 packaged dairy products from reasonably foreseeable contaminants. 16 17 (b) Product contact surfaces of dairy product packages shall be smooth, nontoxic, noncorrosive, nonabsorbent, and durable under foreseeable use conditions. Product contact 18 surfaces shall not impart any odor, color, taste, or adulterating substance to packaged dairy 19 20 products. (c) Dairy product packages shall be clean, sanitary, and free of any extraneous or deleterious 21 substance. Dairy products shall not be sold or distributed in packages with a broken seal or that 22

are damaged to the extent that package contents could become adulterated as a result of the
 damage.

3 (d) Single-service packages shall be made of clean and sanitary materials, shall be protected
4 from contamination prior to use, shall be handled in a sanitary manner, and shall be clean and
5 sanitary at the time of use. Single service packages shall not be re-used.

6 (2) GRADE A DAIRY PRODUCT PACKAGES. (a) The residual bacteria count on product contact 7 surfaces of grade A dairy product packages shall not exceed one per milliliter of capacity when 8 the rinse test is used, or 50 per 8 square inches (one per square centimeter) when the swab test is 9 used, in 3 out of 4 samples randomly taken and analyzed on a given day. Product contact 10 surfaces shall be free of coliform bacteria as determined using a rinse test or a swab test.

(b) A grade A dairy product package shall be designed so that the product, the package pouring lip if any, and the package opening rim and area are protected from contamination during handling, storage, and initial opening. A grade A dairy product package shall be designed so that it cannot be opened without breaking the cap or closure seal, or leaving other readily apparent evidence that the package has been opened.

(c) Product contact surfaces of multi-use packages used for grade A milk or dairy products
 shall be constructed of one or more of the following materials unless the division specifically
 authorizes another material in writing:

19 1. Stainless steel of the Iron and Steel Institute 300 series or an equally corrosion resistant
 20 metal.

21 2. Heat resistant glass.

3. Plastic materials that maintain their original properties under repeated use conditions; that
 are fat resistant and insoluble; and that are resistant to scratching, scoring, decomposition,
 crazing, chipping, and distortion under normal use conditions.

4 (d) Product contact surfaces of multi-use packages used to contain grade A milk or dairy
5 products shall have rounded corners, and shall be easily cleanable.

6 (e) Multi-use packages used to contain grade A milk or dairy products shall be effectively 7 cleaned and sanitized before being reused. Cleaning and sanitizing procedures shall remove all 8 extraneous matter and potential adulterants from each package. Sanitizing procedures shall 9 comply with s. ATCP 65.34. If returnable glass bottles are sanitized in an automatic bottle 10 washer by soaking those bottles in a caustic solution, the sanitizing procedure shall comply with 11 sub. (3).

(f) Multi-use packages used to contain grade A milk or dairy products shall be inspected
before they are reused. Inspection shall be adequate to detect extraneous materials, adulterants,
and damage to product contact surfaces. Inspection shall be performed on surfaces lighted in
compliance with s. ATCP 65.24 (5) (c).

(g) No multi-use plastic package may be reused for grade A milk or dairy products unless 16 17 that package is tested for the presence of volatile organic compounds using method ASTM D 3530 or an equivalent method approved by the department before the package is filled. An 18 automatic testing device, capable of detecting volatile organic compounds at levels of public 19 20 health significance, shall be used to test each package. The testing device shall be installed in conjunction with the dairy product packaging apparatus so that no packages can be filled unless 21 the testing device is operating properly, and so that packages containing unsatisfactory levels of 22 23 volatile organic compounds are automatically made unusable. The dairy plant operator shall test

1 the system daily with a test solution consisting of 0.5 ppm petroleum distillate or another test

2 solution approved in writing by the division.

- 3 Note: A copy of ASTM D 3530 may be obtained from ASTM International, P.O. Box C700, West
- 4 Conshohocken, PA 19428-2959; 1-877-909-2786; www.astm.org.
- 5 (h) No plastic multi-use package may be used to contain grade A milk or dairy products
- 6 unless all of the following requirements are met:
- 7 1. The package is identified to show the plant at which the package was manufactured, the
- 8 date of manufacture, and the type and class of plastic material used. This information may be
- 9 coded if the code is provided to the division.
- 10 2. The phrase "Use only for food" appears on the package.
- 11 3. The division has provided a written approval of a prototype of the package.
- 12 (i) Single-service packages used to contain grade A milk or dairy products shall be
- 13 manufactured by a manufacturer listed in the "Certified Manufacturers of Single-Service
- 14 Containers and Related Products" published online by the Food and Drug Administration, Public
- 15 Health Service, United States Department of Health and Human Services.
- Note: Copies of "Certified Manufacturers of Single-Service Containers and Related Products" are available
   online at http://www.fda.gov/food/guidanceregulation/federalstatefoodprograms/ucm2007965.htm or from the Milk
   Safety Team, HFS-626, Food and Drug Administration, Public Health Service, United States Department of Health
   and Human Services, 5100 Paint Branch Parkway, College Park, MD 20740-3835.
- 20 21
- (j) Packaged grade A milk and dairy products shall be conspicuously labeled as grade A milk
- 22 or dairy products.
- 23 (3) AUTOMATIC BOTTLE WASHING. (a) Returnable glass bottles cleaned in an automatic bottle
- 24 washer shall be sanitized while in the washer. Bottles cleaned in an automatic bottle washer may
- 25 be sanitized by being soaked in a caustic solution. The causticity of the sanitizing solution shall
- 26 be monitored and maintained at an appropriate level in relation to solution temperature and
- 27 soaking time. Table 1 shows minimum causticity levels required for sanitizing solutions,

1 expressed in terms of percent concentration of sodium hydroxide (NaOH) in the sanitizing

2 solution, based on applicable soaking times and temperatures.

0.53

3 (b) After being soaked in caustic solution under par. (a), bottles shall be rinsed with water
4 that has been treated with heat or chemicals to destroy viable pathogenic or other harmful
5 microorganisms that may be present in the rinse water.

6 7

8

о 7	Minimun	n Causticity	Levels Re		Sanitizing S	olutions (%	of NaOH),	Based on
3		·	Soak	ting Time a	nd Tempera	ature		
	Time in	F 170	160	150	140	130	120	110
	Minutes	C 77	71	66	60	54	49	43
	3	0.57	0.86	1.28	1.91	2.86	4.27	6.39
	5	0.43	0.64	0.96	1.43	2.16	3.22	4.80

Table 1

9

7

(4) PACKAGING GRADE A DAIRY PRODUCTS. (a) Grade A dairy products shall be packaged in
 a sanitary manner at the dairy plant where they are pasteurized.

1.19

1.78

2.66

12 (b) Grade A dairy products shall be mechanically packaged using mechanical capping,

0.80

13 closing, or sealing equipment approved by the division. When mechanical equipment for

14 capping, closing, or sealing containers holding 3 gallons (12.8 liters) or more is not available,

15 manual methods approved by the division may be used. Hand capping is otherwise prohibited.

16 (c) A drip deflector, designed and adjusted to deflect condensation away from open

17 packages, shall be installed on each filler valve.

18 (d) Conveyors that feed packages to packaging machines shall have overhead shields to

19 protect open packages from contamination.

0.36

20 (e) If a filled package is imperfectly sealed, the contents of that package shall be emptied into

21 a sanitary container. The contents shall be discarded or shall be examined for physical

22 adulterants, filtered if necessary, and repasteurized before being repackaged.

3.98

1	ATCP 65.34 Sanitizers and sanitizing methods. (1) SANITIZING METHODS. Cleaned
2	product contact surfaces shall be sanitized by using any of the following methods:
3	(a) Complete and continuous exposure to clean water at a temperature of at least 170° F. (70°
4	C.) for at least 5 minutes.
5	(b) Complete and continuous exposure to steam resulting in a food contact surface
6	temperature of at least 170° F. (70° C.) for at least 15 minutes or resulting in a food contact
7	surface temperature of at least 200° F. (93° C.) for at least 5 minutes.
8	(c) Complete and continuous exposure for at least 2 minutes to a sanitizing solution
9	containing at least 50 ppm of free residual chlorine and having a pH not higher than 8.3, at a
10	temperature not less than 75° F. (24° C.) or more than 110° F. (44° C.)
11	(d) Complete and continuous exposure for at least one minute to a sanitizing solution
12	containing at least 12.5 ppm of available iodine and having a pH not higher than 5.0, at a
13	temperature of not less than 75° F. (24° C.) or more than 110° F. (44° C.).
14	(e) Complete and continuous exposure to a caustic sanitizing solution according to s. ATCP
15	65.32 (3).
16	(f) Application of chemical sanitizers that comply with 21 CFR 178.1010, are registered with
17	the U.S. environmental protection agency and applied according to manufacturer's instructions.
18	(g) Application of a chemical sanitizer or sanitizing method that has been shown to be as
19	effective as the methods specified under pars. (a) to (f), and that the division has approved in
20	writing.
21	(2) SANITIZERS; MAXIMUM CONCENTRATIONS. The use of a sanitizer shall leave no toxic
22	residue on a product contact surface. Sanitizing solutions shall not exceed the maximum
23	concentrations specified by the US food and drug administration, under 21 CFR 178.1010. A

1	test kit or other device that measures the concentration of sanitizing solutions in appropriate units
2	of measurement shall be used as necessary to ensure compliance with this subsection at all times.
3	ATCP 65.36 Receiving milk and dairy products. (1) MILK FROM DAIRY FARMS. (a) No
4	dairy plant operator may collect or receive milk from a dairy farm located in this state, unless the
5	milk producer holds a current milk producer license for that dairy farm under s. 97.22 (2), Stats.,
6	and s. ATCP 65.02.
7	(b) No dairy plant operator may collect or receive a milk shipment from a dairy farm in this
8	state unless a person, licensed under s. 97.17 or 98.146, Stats., does all the following before that
9	milk shipment is commingled with milk from any other dairy farm:
10	1. Collects a sample of milk from the shipment, according to s. ATCP 65.38.
11	2. Accurately measures and records the temperature and quantity of milk in the shipment.
12 13 14	<b>Note:</b> A dairy plant operator shall comply with applicable requirements under subch. V, which requires dairy plant operators to sample and test producer milk and report test results. Dairy plant operators must reject milk shipments and take follow-up action in some cases.
15 16	(2) GRADE A MILK FROM DAIRY FARMS. No dairy plant operator may collect or receive as
17	grade A milk any of the following:
18	(a) Milk from a dairy farm in this state, unless the milk producer holds a current grade A
19	permit for that dairy farm under s. 97.22 (3), Stats., and s. ATCP 65.02 (10).
20	(b) Milk from a dairy farm in any other state, unless the milk producer holds a current grade
21	A permit for that dairy farm from the responsible regulatory authority in that state.
22	(3) BULK MILK TANKER DELIVERIES AND SHIPMENTS. (a) No dairy plant operator may receive
23	or ship any grade A milk or grade A fluid milk products transported in a bulk milk tanker, unless
24	the bulk milk tanker operator holds a current grade A permit for that bulk milk tanker issued
25	under s. 97.21 (2) (b), Stats., and s. ATCP 82.02 (7) or issued by another state's regulatory
26	agency.

(b) Before a dairy plant operator unloads milk from a bulk milk tanker or commingles it with
milk from another milk producer, the dairy plant operator shall test the bulk shipment for drug
residues according to s. ATCP 65.72 (3).

(c) An on-farm dairy plant may not receive milk from the same dairy farm which is
transported by means other than a bulk milk tanker unless each bulk shipment of milk is sampled
and the milk is tested for drug residues according to s. ATCP 65.72 (3). After the sampling, all
remaining unpasteurized milk shall be pasteurized and all equipment that contacted the
unpasteurized milk shall be cleaned and sanitized before the next receipt of unpasteurized milk
by the dairy plant. The sample of milk shall be obtained from one of the following locations:
1. The dairy farm bulk milk tank or silo.

An unpasteurized milk tank, silo, other unpasteurized milk storage container, or vat
 pasteurizer raw milk receptacle in the dairy plant.

(4) GRADE A DAIRY PLANT MAY NOT RECEIVE GRADE B MILK. A grade A dairy plant operator
may not process grade B milk at a grade A dairy plant unless the division authorizes that
processing in writing. A grade A dairy plant operator may not receive, transfer, or process grade
A milk or dairy products through the same equipment used to receive, transfer, or process grade
B milk or dairy products unless the dairy plant operator first rinses the equipment.
(5) MANUFACTURED DAIRY INGREDIENTS; APPROVED SOURCES. Manufactured dairy

19 ingredients used in the manufacture or processing of dairy products shall originate from dairy

20 plants licensed under s. 97.20, Stats., and this chapter, or licensed or inspected under laws of

21 other states or nations deemed acceptable by the FDA.

(6) RECEIVING FACILITIES. (a) A dairy plant's facilities for receiving milk shipments shall be
constructed and maintained in compliance with s. ATCP 65.24 and shall be separated from other
areas of the dairy plant as required by s. ATCP 65.24 (7).

(b) An on-farm dairy plant may not receive milk from the same dairy farm unless the milk is
transported in a bulk milk tanker and received in a facility complying with s. ATCP 65.24 or
stored on the dairy farm in a bulk milk tank or silo that is directly connected to an raw milk tank,
silo, other raw milk storage container, or vat pasteurizer raw milk receptacle in the dairy plant.
(7) CLEANING AND SANITIZING BULK MILK TANKERS. A dairy plant operator shall ensure that
bulk milk tankers transporting milk or dairy products to or from a dairy plant are cleaned and
sanitized after each day's use as required by s. ATCP 82.08.

(8) CLEANING AND SANITIZING MILK CANS. If a dairy plant operator receives raw milk in
 cans, the dairy plant operator shall clean, sanitize, and thoroughly dry those cans before the cans
 are removed from the dairy plant for reuse. Can washing equipment shall be kept clean and in
 good repair.

ATCP 65.38 Collecting milk samples. (1) SAMPLE REQUIRED. A dairy plant operator who receives a milk shipment from a milk producer shall collect a representative milk sample from that shipment. Sufficient agitation or a milk sampling method approved by the division shall be used to ensure that the milk sample is representative of the milk shipment. A person licensed under s. 97.17 or 98.146, Stats., shall collect the sample before the dairy plant operator commingles the milk with milk from any other milk producer.

(2) SAMPLE COLLECTED AT THE DAIRY FARM. A bulk milk weigher and sampler who collects
a bulk milk shipment from a dairy farm shall collect the milk sample for the dairy plant operator,
under sub. (1), in accordance with ch. ATCP 82. The bulk milk weigher and sampler shall

promptly deliver the sample to the dairy plant operator, or to a milk testing laboratory designated
 by the dairy plant operator.

(3) SAMPLE COLLECTED FROM BULK TRANSPORT CONTAINER. A person who receives a bulk 3 4 transport container at a dairy plant shall collect the milk sample for the dairy plant operator under sub. (1), in accordance with ch. ATCP 82. The person shall promptly deliver the sample to the 5 dairy plant operator or to a milk testing laboratory designated by the dairy plant operator. 6 (4) INCREASED SAMPLING FREQUENCY. If milk from any dairy farm violates a standard under 7 8 s. ATCP 65.70 on any single test, the dairy plant operator shall do any of the following: 9 (a) Collect and test a milk sample from that farm at least once every 2 days until a subsequent test shows that the violation has been corrected. 10 (b) Reject milk shipments from the producer, if the operator is required to reject those milk 11 shipments under s. ATCP 82.10 (4), 65.70 (2) (f), or 65.70 (4). 12 ATCP 65.40 Storing and handling milk and dairy products. (1) GENERAL. Dairy 13 products shall be protected from contamination and decomposition while being received, 14 processed, handled, conveyed, or held at a dairy plant. Dairy products shall be received, 15 processed, handled, conveyed, and held in a manner that keeps the products in a safe, 16 17 wholesome, and unadulterated condition. (2) STORAGE TEMPERATURES. (a) Milk and dairy products shall be stored at temperatures 18 listed in pars. (b) to (e), unless the division has authorized alternative temperature limits in 19 20 writing. An authorization by the division shall be valid for 5 years, and may be renewed upon a 21 written request from the dairy plant operator. (b) Except as provided under par. (e), unpasteurized grade A milk and grade A dairy products 22

23 received for processing at a dairy plant shall be kept at a temperature of 45° F. (7° C.) or less

until pasteurized or, if pasteurization is not required, until processed. This paragraph does not
apply to unpasteurized grade A milk received at a dairy plant within 2 hours after milking,
provided that the unpasteurized milk, after subsequent pasteurization, is held in compliance with
par. (d).

5 (c) Except as provided under par. (e), unpasteurized grade B milk and other grade B dairy products received for processing at a dairy plant shall be kept at a temperature of 50° F. (10° C.) 6 7 or less until pasteurized or, if pasteurization is not required, until processed. This paragraph does 8 not apply to unpasteurized milk received at a dairy plant within 2 hours after milking, provided that the unpasteurized milk, after subsequent pasteurization, is held in compliance with par. (d). 9 (d) Except as provided under par. (e), all pasteurized milk and dairy products, after being 10 pasteurized, shall be cooled to a temperature of 45° F. (7° C.) or less and shall then be kept at that 11 12 temperature at all times. This paragraph does not apply to a grade A cultured dairy product while being cultured, to a dried milk product, or to a grade A dairy product that is sterilized and 13 packaged in a hermetically sealed package. 14 (e) No milk or dairy product may be held at a dairy plant for more than 4 hours at a 15

16 temperature that is between 45° F. (7° C.) and 140° F. (60° C.). This paragraph does not apply to 17 any of the following:

Grade A cultured dairy products and grade A acidified dairy products while being
 cultured, provided process controls are monitored and documented by the dairy plant operator in
 accordance with item 17 (p) of the PMO.

21 2. Dried dairy products.

22 3. Butter during micro-fixing.

4. Cheese while being cured, ripened, or tempered for further processing.

1 5. Pasteurized cream while being ripened for churning into butter.

6. Whey and whey products during the process of crystallization, provided process controls
for crystallization of grade A whey and whey products are monitored and documented by the
dairy plant operator in accordance with item 17 (p) of the PMO.

7. Acid whey with titratable acidity of not less than 0.40%, expressed as % lactic acid, or a
pH of not higher than 4.6.

7 8. Dairy products that are sterilized and packaged in hermetically sealed packages.

9. Grade B whey originating from pasteurized milk to which one or more starter cultures was
added, if the surfaces contacted by that whey have been cleaned and sanitized before holding,

10 transport, and receipt of the whey and the received whey is either pasteurized or cooled to  $50^{\circ}$  F.

11 or colder not more than 8 hours after its generation at a licensed dairy plant.

12 (3) PASTEURIZATION. Dairy products shall be pasteurized in compliance with subch. IV.

(4) STORING DAIRY PRODUCTS AND INGREDIENTS. (a) Areas used to store dairy products and
 ingredients shall be kept in a clean, sanitary, and orderly condition, free from conditions that may
 adulterate the dairy products or dairy product ingredients.

16 (b) Dairy products shall be stored at temperatures specified under sub. (2). Other potentially

17 hazardous foods, including potentially hazardous ingredients used in making dairy products,

shall be stored at safe temperatures as defined in s. ATCP 65.01 (60).

19 (c) Dairy products and ingredients shall be stored in an orderly manner, so that storage areas

20 can be easily inspected and cleaned. Dairy products and ingredients may not be stored under

21 conditions that may cause adulteration. Storage areas shall be constructed and maintained so that

22 waste liquids do not accumulate in those areas.

(d) Dairy products and ingredients may not be stored in a manner that may attract or harbor
 pests. No pesticides or other toxic materials may be stored in a manner that may contaminate
 dairy products, dairy product ingredients, or packaging materials.

4 (5) REPROCESSING AND DISPOSAL OF DAIRY PRODUCTS. (a) A dairy plant operator may not
5 reprocess, for use in any dairy product, packaged grade A dairy products that have left the
6 custody of the dairy plant or that have originated from another dairy plant. This does not
7 prohibit any of the following:

8 1. The use, as ingredients, of packaged dairy products that are specifically manufactured and
9 packaged for use as ingredients in other dairy products.

2. Reprocessing dry milk and dry milk products returned to the dairy plant, provided that theproduct package is intact.

3. Reprocessing dairy products collected from a packaging defoamer system or drained from
processing equipment at the end of a run, if those dairy products are collected and handled in a
sanitary manner, held at a temperature of 45° F. (7° C.) or less, and re-pasteurized.

4. Reprocessing specifically authorized in writing by the division, under conditions specifiedby the division.

(b) A dairy plant operator shall discard any packaged grade A dairy products that are
returned to a dairy plant by a wholesaler or retailer. Pending disposal, returned grade A dairy
products shall be kept in an area that is clearly designated as a holding area for returned products.
The holding area shall be separate from other areas used for the receipt, storage, or processing of
dairy products.

(c) A dairy plant operator shall discard all milk and dairy products that have spilled,
 overflowed, or leaked from equipment, utensils, or packages. This paragraph does not apply to

milk and dairy products caught and collected in a sanitary manner, in equipment specifically
designed for that purpose.

(6) DAIRY PRODUCTS INTENDED FOR NON-FOOD USE. Milk and dairy products not intended for
human consumption shall be clearly and conspicuously labeled as being not for use as human
food. No person may repackage or sell, for use as human food, any milk or dairy products
labeled or intended for non-food use.

Note: The manufacture and sale of animal feed is subject to separate licensing and regulation under s. 94.72,
 Stats.

(7) RECONSTITUTED OR RECOMBINED DAIRY PRODUCTS; PASTEURIZATION. (a) A dairy plant
 operator shall pasteurize reconstituted or recombined dairy products after those dairy products
 are reconstituted or recombined, except when the resulting product is exempt from pasteurization
 under s. ATCP 65.54 (2).

(b) A dairy plant operator may not commingle pasteurized dairy products with unpasteurized
 milk or dairy products unless the dairy plant operator pasteurizes the resulting product or the
 resulting product is exempt from pasteurization under s. ATCP 65.54 (2).

17 (c) A dairy plant operator shall take effective measures to prevent cross contamination

18 between pasteurized and unpasteurized dairy products.

(8) PRESSURIZED AIR AND STEAM; CONTACT WITH DAIRY PRODUCTS. Pressurized air and steam
 coming in contact with a dairy product or product contact surface shall be clean, safe, and free of
 contaminants. The system used to generate and supply pressurized air and steam shall comply
 with applicable "3-A Sanitary Standards" and "3-A Accepted Practices" listed in ch. ATCP 65
 APPENDIX A.

Note: The "3-A Sanitary Standards" and "3-A Accepted Practices" listed in APPENDIX A are published by 3-A Sanitary Standards, Inc., 1451 Dolley Madison Boulevard, Suite 210, McLean, VA 22101-3850, telephone (703)790-0295, website www.3-a.org. Copies are on file with the division and the legislative reference bureau. Copies may be purchased from the "3-A Sanitary Standards, Inc. Online Store" at http://www.techstreet.com. (9) FIRE, FLOOD, OR CALAMITY DAMAGE. If a dairy product or ingredient is subjected to
possible contamination in a fire, flood, or other calamity, no person may sell or reprocess that
product or ingredient for human consumption unless the division first inspects the product or
ingredient and authorizes its sale or reprocessing for human consumption. A dairy plant operator
shall notify the division whenever dairy products or ingredients in the operator's possession have
been subjected to possible damage or contamination because of fire, flood, or other calamity.

ATCP 65.41 Low-acid or acidified dairy products packaged in hermetically sealed
containers for non-refrigerated storage. (1) Manufacturing of low-acid dairy products, that
have a pH greater than 4.6 and a water activity greater than 0.85, and are packaged in a
hermetically sealed container for non-refrigerated storage, shall be done in compliance with 21
CFR 108.35 and 113.

(2) Manufacturing of acidified dairy products, as defined in 21 CFR 114.3 (b), that are
 packaged in a hermetically sealed container for non-refrigerated storage, shall be done in
 compliance with 21 CFR 108.25 and 114.

**ATCP 65.42 Recall plan.** (1) PLAN REQUIRED. An operator of a dairy plant at which dairy 15 products are manufactured or processed shall prepare a written plan for identifying and recalling 16 17 milk and dairy products processed at that dairy plant, and any other food processed at the facility, should a recall become necessary. The dairy plant operator shall update the plan as necessary 18 and shall make it available to the division for inspection and copying upon request. This 19 20 requirement does not apply to the operator of a receiving station or a transfer station. (2) PLAN CONTENTS. A plan, written pursuant to sub. (1), shall do all of the following: 21 (a) Identify key individuals or positions that are responsible for planning, approving, and 22 23 implementing recalls on behalf of the dairy plant operator.

(b) Identify key individuals or entities to be contacted or consulted in connection with arecall.

3 (c) Include procedures for the routine identification, dating, and tracking of milk and dairy
4 product lots so that in a recall the affected lots can be identified and distinguished from
5 unaffected lots.

(d) Include procedures to enable routine identification, dating, and tracking of milk and dairy
product shipments from the dairy plant. Tracking shall identify shipment recipients and
contents, cross-referenced to lots, so that in a recall recipients of affected lots can be contacted.
(e) Include procedures for determining the nature and scope of a recall, including affected
milk and dairy product lots, shipments, and shipment recipients.

(f) Include procedures for identifying and communicating with affected persons, including
 suppliers, milk and dairy product shipment recipients, down-line buyers, consumers, government
 agencies, and others.

14 (g) Identify potential target audiences for recall information, including consumers,

15 distributors, and government agencies.

16 (h) Identify potential methods for communicating with target audiences, under par. (g).

(i) Identify key information, including the identity of the affected milk and dairy products,
the reason for the recall, and suggested actions to be taken by affected persons, that may be
necessary to communicate to affected persons in a recall.

ATCP 65.44 Dairy plant records. (1) MANDATORY RECORDS. A dairy plant operator, including a milk contractor that submits a milk producer license application on behalf of a milk producer and thereby certifies that the milk producer's dairy farm and milking operations comply with applicable requirements under this chapter, shall keep all of the following records, as applicable to their operation, and shall retain those records for the period of time specified under
this subsection:

(a) Records related to milk receipts and producer payrolls, as required by s. ATCP 100.32
(1). Records under this paragraph shall include milk collection records received from bulk milk
weighers and samplers under s. ATCP 82.10 (10). Records under this paragraph shall be
retained for at least 3 years.

(b) Records of all dairy product ingredients received at the dairy plant, including the sources
from which the ingredients were received. Records under this paragraph shall be retained for at
least two years.

(c) Daily records of all finished products produced at the dairy plant. Records under this
 paragraph shall be retained for at least one year.

(d) Records of all milk quality tests and sediment tests conducted on milk shipments received
by the dairy plant operator, including but not limited to tests required under subch. V. Records
under this paragraph shall be retained for at least 2 years.

(e) Records of all in-plant tests, performed by a dairy plant operator on milk and dairy
products held or processed by the dairy plant operator, to determine bacterial counts or identify
possible adulteration of that milk or those dairy products. Records under this paragraph shall be
retained for at least 2 years.

19 (f) Records of private water supply tests, if any, conducted under s. ATCP 65.24 (8).

20 Records under this paragraph shall be retained for at least 2 years.

21 (g) Cleaning and sanitizing records for all C-I-P systems, as required under s. ATCP 65.30.

22 (2) (b). Records under this paragraph shall be retained for at least 2 years. Records may be

stored in electronic form, with or without hard copy printouts, if the electronic records are
 readily accessible by a division representative.

(h) A record of every calibration, daily performance check, daily reference check, and 3 4 hourly reference check performed on a milkfat or protein testing device, as required by s. ATCP 5 65.84 (10). Records under this paragraph shall be retained for at least one year. (i) Pasteurization records required under s. ATCP 65.66. Records under this paragraph shall 6 7 be retained for at least 2 years. 8 (i) Cleaning and sanitizing records for bulk milk tankers cleaned and sanitized at a dairy 9 plant, as required under s. ATCP 82.08 (4). Records under this paragraph shall be retained for at least 15 days. 10 (k) Temperature monitoring records made by the dairy plant operator, including records of 11 dairy product temperatures, storage temperatures, and processing temperatures. Records under 12 this paragraph shall be retained for at least 2 years. 13 (L) Inventory control records for vitamin fortification of fluid milk products, including 14 vitamins used and the quantity of fortified fluid milk products produced. Records under this 15 paragraph shall be retained for at least 2 years. 16 17 (m) Vitamin assay test results conducted on fortified dairy products under s. ATCP 65.74 (4). Records under this paragraph shall be retained for at least 2 years. 18 (n) Cleaning and sanitizing records required under s. ATCP 65.28 (7) (g). Records under this 19 20 paragraph shall be retained for at least 2 years. (o) Bills of lading or other shipping documents relating to the bulk shipment of dairy 21

products from the dairy plant to another dairy plant, or to the dairy plant from another dairy

22

1	plant. The dairy plant operator shall retain each shipping document for at least 3 years. Each
2	shipping document shall include all of the following information:
3	1. The name, address, and license number of the dairy plant from which the shipment
4	originates. If the dairy product is a grade A dairy product, the shipping document shall also
5	include the dairy plant shipper identification number assigned under the PMO.
6	2. If grade A milk or dairy product was shipped in a bulk milk tanker, the bulk milk tanker
7	grade A permit identification number, assigned under ch. ATCP 82 or the PMO, and the seal
8	number on the bulk milk tanker inlet, outlet, wash connections, and vents.
9	3. The name of the dairy product shipped.
10	4. The weight of the dairy product shipped.
11	5. The temperature of the dairy product when loaded for shipment.
12	6. The date of shipment.
13	7. The name of the dairy regulatory agency at the shipment point of origin.
14	8. Whether the dairy product was raw, pasteurized, or treated with heat to an extent less than
15	pasteurization.
16	9. The grade of product.
17	(p) Milk producer affidavits certifying that the milk producers do not use bovine
18	somatotropin, as required under ss. ATCP 83.02 (5) and (7).
19	(2) ACCESSIBILITY OF RECORDS; ELECTRONIC RECORDS. Records under sub. (1) shall be kept
20	at the dairy plant or, for records kept by a milk contractor that submits a milk producer license
21	application on behalf of a milk producer and thereby certifies that the milk producer's dairy farm
22	and milking operations comply with applicable requirements under this chapter, at the milk
23	contractor's business location, and shall be made available to the division for inspection and

copying upon request. Records may be kept in electronic form, with or without hard copy
 printouts, if the electronic records are readily accessible to a division representative and comply
 with the applicable provision of Appendix H, sections IV and V of the PMO.

ATCP 65.46 Dairy plant reports to department. (1) REPORTS RELATED TO LICENSES, PERMITS, FINANCIAL STATEMENTS AND MILK QUALITY. A dairy plant operator, including a milk contractor that submits a milk producer license application on behalf of a milk producer and thereby certifies that the milk producer's dairy farm and milking operations comply with applicable requirements under this chapter, shall submit all of the following reports to the department:

(a) Reports required for the issuance or annual renewal of a dairy plant license or grade A
permit under s. ATCP 65.02.

(b) Financial statements and reports required as part of an application for a milk contractorlicense under ch. ATCP 100, if any.

(c) Monthly milk quality test reports required under subch. V and dairy farm inspection
reports required as part of a milk producer or grade A producer permit application under ss.
ATCP 65.910 and 65.912.

(2) REPORTS RELATED TO RESULTS OF PRODUCT TESTING FOR MICROBIAL PATHOGENS OR
 TOXINS. (a) Except as provided in par. (b), a dairy plant operator shall report to the division the
 result of any microbiological test or laboratory analysis that confirms the presence of a
 pathogenic organism or toxin in a ready-to-eat dairy product produced by the operator. The
 operator shall report to the division within 24 hours after the operator obtains the test result. The
 operator may report orally, electronically, or in writing.

(b) A dairy plant operator is not required to report a test result under par. (a) if all thefollowing apply:

3 1. The ready-to-eat dairy product is identified by a product code or production lot number
4 and remains under the control or custody of the dairy plant operator.

5 2. The operator does not sell or distribute any ready-to-eat dairy product that bears the 6 product code or production lot number under subd. 1.

ATCP 65.48 Confidential information. (1) None of the following information, received by the department from a dairy plant operator, including a milk contractor that submits a milk producer license application on behalf of a milk producer and thereby certifies that the milk producer's dairy farm and milking operations comply with applicable requirements under this chapter, is subject to public inspection under s. 19.35, Stats.

12 (a) Financial information protected from disclosure under s. 126.84 (1) (a), Stats.

13 (b) Information qualifying as a trade secret as defined in s. 134.90 (1) (c), Stats.

14 (2) None of the following information received by the department from a dairy plant

15 operator, including a milk contractor that submits a milk producer license application on behalf

16 of a milk producer and thereby certifies that the milk producer's dairy farm and milking

17 operations comply with applicable requirements under this chapter, is subject to public

18 inspection under s. 19.35, Stats., unless the department determines that inspection is necessary to

19 protect the public health, safety, or welfare:

(a) Information that identifies individual milk producers who deliver milk to the dairy plant
 operator, or sell milk to a milk contractor, if the information is in the form of a composite list
 identifying those producers with that dairy plant operator or milk contractor, except as provided

under s. 126.70 (6) (b) and (c), Stats.

24 **Note:** See s. 97.20 (3m), Stats.

(b) Information pertaining to individual milk producer production and milk quality records if
 that information identifies the producer.

**Note:** See s. 97.22 (10), Stats.

4	ATCP 65.50 Dairy product labeling. (1) GENERAL. Dairy product labeling shall comply
5	with applicable requirements in ch. 97, Stats., this chapter, and chs. ATCP 81, 83, 85, and 90.
6	(2) PRODUCTS NOT FOR HUMAN CONSUMPTION. No dairy plant operator may distribute any
7	dairy product manufactured by that dairy plant operator unless any of the following applies:
8	(a) The dairy product complies with, and has been produced according to, this chapter and
9	ch. ATCP 82.
10	(b) The dairy product is prominently labeled as animal feed according to ch. ATCP 42.
11	(c) The dairy product is prominently labeled as "NOT FOR HUMAN FOOD OR ANIMAL
12	FEED" and is sold only for non-food and non-feed purposes. The label shall include the
13	manufacturer's name and address and the address of the location where the product was
14	manufactured. The label may not include any dairy plant license or identification number issued
15	by the department.
16	SUBCHAPTER IV
17	PASTEURIZATION
18	ATCP 65.52 Unpasteurized milk sales prohibited; exemptions. No person may sell or
19	distribute unpasteurized milk or dairy products to consumers or to any person for resale or
20	redistribution in unpasteurized form to consumers. This section does not prohibit any of the
21	following:
22	(1) The sale or distribution of milk or dairy products that are heat sterilized in hermetically
23	sealed containers.

(2) The distribution of unpasteurized fluid milk, produced on a dairy farm, to any of the
 following:

3	(a) The milk producer who is licensed under s. ATCP 65.02 (1) to operate that dairy farm,
4	and who, as license holder, assumes legal responsibility for dairy farm and milking operations.
5	(b) An individual who has a bona fide ownership interest in the dairy farm and milking
6	operation under par. (a), if the milk producer operating the dairy farm and milking operation is a
7	legal entity other than an individual or married couple.
8	(c) A family member or nonpaying household guest who consumes the milk at the home of
9	an individual milk producer or bona fide owner under par. (a) or (b).
10	(3) The sale or distribution of unpasteurized milk, produced on a dairy farm, to the
11	employees of that dairy farm.
12	(4) The incidental sale of unpasteurized milk to a consumer at the dairy farm where the milk
13	is produced. A sale is not incidental if the consumer subsequently sells the milk or distributes the
14	milk, other than distribution for consumption by the consumer, the consumer's family, or the
15	consumer's nonpaying household guests. A sale is not incidental if it is made in the regular
16	course of business, or is preceded by any advertising, offer or solicitation made to the general
17	public through any communications medium.
18	ATCP 65.54 Pasteurization required. (1) Except as provided under sub. (2), every dairy
19	product shall be pasteurized at the dairy plant where that dairy product is manufactured.
20	(2) Subsection (1) does not apply to any of the following:
21	(a) A dairy product shipped in bulk to another dairy plant for use in manufacturing dairy
22	products, provided that the shipment is accompanied by a bill of lading that identifies the dairy

23 product as unpasteurized.

(b) A dairy product made entirely from dairy products that have been pasteurized at the same
 dairy plant.

3 (c) Ice cream or frozen dessert made from pasteurized ice cream mix or pasteurized frozen4 dessert mix, provided that no unpasteurized dairy product is added to the pasteurized mix.

(d) A dairy product for which the standard of identity provides that the dairy product and its
ingredients need not be pasteurized.

7 (e) A dairy product that is sterilized and packaged in a hermetically sealed package.

(f) Cream, skim milk, or low-fat milk that have been treated with heat to an extent less than 8 pasteurization, and then shipped in bulk to another dairy plant for use in manufacturing dairy 9 products, provided that the bulk shipment is accompanied by a bill of lading that identifies the 10 contents of the bulk shipment as being unpasteurized and heat-treated. The heat-treated cream, 11 12 skim milk, or low-fat milk may be heated not more than once for separation purposes, to a temperature that is not less than 125° F. (52° C.) nor more than 161° F. (72° C.). Heat-treated 13 cream may be heated to a greater extent, up to a temperature of 166° F. (75° C.) in a continuing 14 heating process, if further heating is necessary to deactivate enzymes for functional reasons. 15 Cream, skim milk, and low-fat milk, after being heated to an extent less than pasteurization, shall 16 immediately be cooled to a temperature of 45° F. (7° C.) or less. 17 (g) Dried condensed whey produced by drying condensed whey that was previously 18

19 pasteurized at another dairy plant, provided that all of the following apply:

1. The pasteurized condensed whey received for drying contained at least 40% total solids,
 and was partially crystallized by cooling at the dairy plant where it was pasteurized.

22 2. The partially crystallized condensed whey was kept at a temperature of 45° F. (7° C.) or
23 less prior to drying.

3. The bulk milk tanker used to transport the partially crystallized condensed whey was 1 washed and sanitized immediately before filling, was sealed immediately after filling, and 2 remained sealed until it was unloaded at the receiving dairy plant. 3 4 4. The receiving dairy plant unloaded the partially crystallized condensed whey using unloading pumps and pipelines that are used only for that purpose and have been cleaned and 5 sanitized as a separate C-I-P circuit before use in unloading. 6 7 (h) Grade B dairy products produced by adding previously pasteurized and dried dairy 8 products with a water activity not greater than 0.85 to previously pasteurized grade B dairy 9 products, if approved in writing by the division. 10 (i) Grade B dairy products produced by adding previously pasteurized packaged dairy products to previously pasteurized grade B dairy products, if approved in writing by the division. 11 12 (3) A dairy product, required to be pasteurized under sub. (1), shall be pasteurized by, or under the direct supervision of, a pasteurizer operator who has successfully completed any of the 13 following: 14 (a) A pasteurization training course, of at least 8 hours duration, provided by the University 15 of Wisconsin or an equivalent course approved by the division. 16 17 (b) A competency examination approved by the division. (4) If a dairy product standard of identity requires that any ingredient of that product be 18 pasteurized, the ingredient shall be pasteurized according to s. ATCP 65.58. 19 20 (5) Except as provided in subs. (6) to (8), a dairy product that is required to be pasteurized 21 under sub. (1) or (4) shall be pasteurized before it is introduced into any membrane or condensing processing system. 22

(6) Subsection (5) does not apply to grade B whey or whey product if at least one of the
following applies:

(a) The whey or whey product is derived from milk pasteurized in the same dairy plant. 3 4 (b) The whey is acid whey, which has a pH less than 4.7 when drawn from the curd. 5 (c) The whey or whey product is processed in a membrane processing system that complies with sub. (9) and is designed and maintained to keep the whey or whey product at a temperature 6 7 of 65° F. (18.3° C.) or below during processing. If the whey or whey product temperature exceeds 65° F. (18.3° C.) for more than 15 minutes during processing, or exceeds 70° F. (21.1° 8 9 C.) at any time during processing, the whey or whey product shall be immediately diverted from moving beyond the membrane processing system by means of automatic controls. The diverted 10 product shall be treated in one of the following ways: 11

Recycled through the membrane processing system and subjected to cooling. The diverted
 product may proceed beyond the membrane processing system when the product temperature
 falls to 65° F. (18.3 ° C.) or below.

2. Cooled in a system other than the membrane processing system until the temperature falls
to 45° F. (7° C.) or below, and may then be reintroduced into the membrane processing system.
3. Pasteurized in a pasteurization system, and may then be reintroduced into the membrane
processing system.

19 4. Discarded.

(7) Subsection (5) does not apply to grade A whey or whey product that is pasteurized in a
membrane processing system that complies with sub. (9) if at least one of the following apply:
(a) The whey is acid whey, which has a pH less than 4.7 when drawn from the curd.

1	(b) The membrane processing system is designed and maintained to keep the whey or whey
2	product at a temperature of 45° F. (7° C.) or below during processing.
3	(8) Subsection (5) does not apply to unpasteurized milk that is processed, before
4	pasteurization, in a membrane processing system that complies with sub. (9) and is designed and
5	maintained to keep the milk at a temperature of $65^{\circ}$ F. (18.3° C.) or below during processing. If
6	the milk temperature exceeds 65° F. (18.3 $^{\circ}$ C.) for more than 15 minutes during processing, or
7	exceeds 70° F. (21.1° C.) at any time during processing, the milk shall be immediately diverted
8	from moving beyond the membrane processing system by means of automatic controls. The
9	diverted milk shall be treated in any of the following ways:
10	(a) Recycled through the membrane processing system and subjected to cooling. The
11	diverted product may proceed beyond the membrane processing system when the product
12	temperature falls to 65° F. (18.3° C.) or below.
13	(b) Cooled in a system other than the membrane processing system until the temperature falls
14	to $45^{\circ}$ F. (7° C.) or below, and may then be reintroduced into the membrane processing system.
15	(c) Pasteurized in a pasteurization system, and may then be reintroduced into the membrane
16	processing system.
17	(d) Discarded.
18	(9) A membrane processing system under sub. (6) (c), (7), or (8) shall be equipped with
19	temperature monitoring and recording devices that comply with Appendix H, Subsection IV of
20	the PMO. At a minimum, the system shall monitor and record product temperature at all of the
21	following points during processing:
22	(a) The point at which the dairy product enters the system.
23	(b) A point immediately preceding each intermediate cooling.

1	(c) A point im	mediately pr	receding final	cooling.
---	----------------	--------------	----------------	----------

- 2 (d) The point at which the product exits the system.
- 3 Note: PMO Appendix H, Subsection IV is on file with the division and the legislative reference bureau. Copies 4 may be obtained from the division at cost or online at http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/Milk. 5 6 7 ATCP 65.56 Labeling pasteurized and unpasteurized products (1) If a dairy product is 8 pasteurized or made exclusively from pasteurized ingredients, the label on every shipping container of that dairy product shall clearly and conspicuously state that the product is 9 "pasteurized" or "UHT pasteurized," as appropriate. Every label under this subsection shall also 10 include the name and address, or the unique identification number, of the dairy plant where the 11 12 dairy product was pasteurized. (2) Except as provided under sub. (3) or (4), if a dairy product is not pasteurized or made 13 exclusively from pasteurized ingredients, the label on every shipping container and consumer 14 15 package of that dairy product shall state that the product is unpasteurized. 16 (3) Subsection (2) does not apply to cheese that meets all of the following requirements: (a) The standard of identity for the cheese provides that the cheese may be made from 17 unpasteurized dairy products. 18 19 (b) The cheese is held for at least 61 days at a temperature not less than 35° F. before being 20 distributed for retail sale, or for further processing without pasteurization. 21 (c) The label on every shipping container and consumer package of cheese states that the cheese is "aged over 60 days." 22 23 (4) Subsection (2) does not apply to a dairy product that is sterilized and sealed in a 24 hermetically sealed container.

25 Note: See dairy product labeling requirements in subch. III.

1	ATCP 65.58 Pasteurization time and temperature (1) If a dairy product is required to be
2	pasteurized under s. ATCP 65.54, the dairy product shall be pasteurized according to this
3	subchapter unless the division authorizes in writing a different but equally effective
4	pasteurization system or method. Alternative times and temperatures for pasteurizing grade A
5	milk and milk products shall be recognized by the United States food and drug administration.
6	All of the dairy product shall be heated to the required temperature and continuously held at or
7	above the required temperature for the required period of time. Pasteurization equipment shall
8	be equipped with accurate measuring, recording, and control devices, as required by ss. ATCP
9	65.60 and 65.62, to ensure that the time and temperature requirements under this section are met.
10	(2) Dairy products identified in table 2, unless UHT pasteurized under sub. (3), shall be
11	pasteurized in a batch pasteurizer tested in accordance with s. ATCP 65.68 or HTST pasteurizer
12	tested in accordance with s. ATCP 65.68 at or above the temperature specified in the table for at
13	least the length of time specified in the table.

1	5
1	6

	Table 2Pasteurization Requirements for Selected Dairy Products		
	Product Group	Batch Pasteurization	HTST Pasteurization
(a)	Milk, skim milk, or buttermilk	145°F. (63° C.) for 30 minutes	161°F. (72°C.) for 15 seconds
(b)	Cream, fluid dairy products, or blends of those products	150°F. (66° C.) for 30 minutes	166°F. (75°C.) for 15 seconds
(c)	Cream for butter	165°F. (74°C.) for 30 minutes	185°F. (85° C.) for 15 seconds
(d)	High total solids products (>18%)	150°F. (66° C.) for 30 minutes	166° F. (75° C.) for 15 seconds
(e)	Frozen-dessert mixes	155° F. (69°C.)	175°F. (80°C.)

		for 30 minutes	for 25 seconds or 180° F. (83°C.) for 15 seconds
(f)	Egg nog	155° F. (69°C.) for 30 minutes	175° F. (80° C.) for 25 seconds or 180° F. (83°C.) for 15 seconds
(g)	Process cheese	150°F. (66° C.) for 30 seconds	_

1	
2	(3) A dairy plant operator may use an HHST pasteurizer as an alternative to an HTST
3	pasteurizer. An HHST pasteurizer shall heat and hold a dairy product at one of the following
4	temperatures for the corresponding length of time:
5	(a) 191° F. (89° C.) for 1.0 sec.
6	(b) 194° F. (90° C.) for 0.5 sec.
7	(c) 201° F. (94° C.) for 0.1 sec.
8	(d) 204° F. (96° C.) for 0.05 sec.
9	(e) 212° F. (100° C.) for 0.01 sec.
10	(4) A UHT pasteurized dairy product shall be thermally processed at or above a temperature
11	of 280° F. (138° C.) for at least 2 seconds.
12	ATCP 65.60 Batch pasteurization. Batch pasteurization equipment shall be of the non-coil
13	type. Batch pasteurization equipment shall be constructed and operated so that pasteurization
14	complies with item 16p (A) of the PMO and with applicable "3-A Sanitary Standards" and "3-A
15	Accepted Practices" listed in ch. ATCP 65 Appendix A. Thermometers shall be constructed and
16	operated in compliance with Appendix H, item IV of the PMO. The temperature of the air space
17	above the pasteurized product shall be at least 5° F. (3° C.) higher than the minimum
18	pasteurization temperature of the pasteurized product.

1 Note: The "3-A Sanitary Standards" and "3-A Accepted Practices" listed in Appendix A are published by 3-A 2 Sanitary Standards, Inc., 1451 Dolley Madison Boulevard, Suite 210, McLean, VA 22101-3850, telephone (703) 3 790-0295, website www.3-a.org. Copies are on file with the division and the legislative reference bureau. Copies 4 may be purchased from the "3-A Sanitary Standards, Inc. Online Store" at http://www.techstreet.com. Copies of 5 the PMO are on file with the division and the legislative reference bureau. Copies may be obtained from the 6 division at cost or are available online at 7 8 ATCP 65.62 HTST and HHST pasteurization. Pasteurization by means of HTST or 9 HHST pasteurization shall comply with the standards set forth in "3-A Accepted Practices for the 10 Sanitary Construction, Installation, Testing and Operation of High-Temperature Short-Time and Higher Heat Shorter Time Pasteurizer Systems," standard 3A 603-07 (November, 2005), 11 12 published by 3-A Sanitary Standards, Inc. 13 Note: Copies of the "3-A Accepted Practices for the Sanitary Construction, Installation, Testing, and Operation 14 of High-Temperature Short-Time and Higher Heat Shorter Time Pasteurizer Systems," standard 3A 603-07 15 (November, 2005) are on file with the division and the legislative reference bureau. Copies may be obtained from the "3-A Sanitary Standards, Inc. Online Store" at http://www.techstreet.com. 16 17 ATCP 65.64 Aseptic processing and packaging. (1) GRADE A REQUIREMENTS. Grade A 18 19 aseptic processing and packaging systems shall comply with standards specified in items 16p 20 (B), (C), and (D) of the PMO and with applicable standards specified in 21 CFR 108.25, 108.35, 113 and 114. 21 (2) GRADE B REQUIREMENTS. Grade B aseptic processing and packaging systems shall 22 comply with applicable standards specified in 21 CFR 113 and 21 CFR 114. 23 24 **Note:** The PMO is on file with the division and the legislative reference bureau. Copies may be obtained from 25 the division at cost or online at 26 http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/Milk. 27 28 **ATCP 65.66 Pasteurization records.** (1) GENERAL. A dairy plant operator shall keep 29 pasteurization records for all dairy products pasteurized by the operator. Records shall cover all types of pasteurization operations, including batch operations, HTST operations, and HHST 30 operations. Records shall comply with this section. The department shall review pasteurization 31 records as part of each routine inspection of a dairy plant. 32

1	(2) BATCH PASTEURIZATION RECORDS. Except as provided in sub. (3), batch pasteurization
2	records shall include all the following:
3	(a) Each date, including the year, on which dairy products are pasteurized.
4	(b) The identification number or location of each pasteurization time and temperature
5	recording chart, if more than one is used.
6	(c) A continuous temperature recording chart temperature record for each batch of
7	pasteurized product.
8	(d) The pasteurization holding time, as shown on the temperature recording chart, for each
9	batch of pasteurized product. Records shall include filling and emptying times, if applicable.
10	(e) The temperature reading on the airspace thermometer at the start and end of the
11	pasteurization holding period, and at specific times identified as points on the temperature
12	recording chart.
13	(f) The temperature reading on the indicating thermometer at the start of the pasteurization
14	holding period, and at a specific time identified as a point on the temperature recording chart.
15	(g) The name and quantity of dairy product included in each pasteurization batch shown on
16	the temperature recording chart.
17	(h) A record of any unusual circumstances that occurred during each batch pasteurization.

18 (i) The name of the dairy plant.

(j) The signature or initials of the dairy plant operator, or a responsible employee or agent ofthe operator.

(3) HTST AND HHST PASTEURIZATION RECORDS. Pasteurization records for HTST and
 HHST pasteurization operations shall include all the following:

23 (a) Each date, including the year, on which dairy products are pasteurized.

1	(b) The identification number or location of each pasteurization time and temperature
2	recording chart, if more than one is used.

3	(c) A continuous temperature recording chart for each pasteurization run.
4	(d) The temperature reading on the indicating thermometer at the start of each pasteurization
5	run, and at a specific time identified as a point on the temperature recording chart.
6	(e) Documentation, on the temperature recording chart, of every time period during which
7	the flow-diversion device on the pasteurizer is in the forward-flow position.
8	(f) The cut-in and cut-out product temperatures at the beginning of each HTST pasteurization
9	run. The pasteurizer operator shall record these temperatures daily on the temperature recording
10	chart.
11	(g) The temperature reading on the indicating thermometer whenever the temperature
12	recording chart for the pasteurization system is changed.
13	(h) The name and quantity of dairy product included in each pasteurization run shown on the
14	temperature recording chart.
15	(i) A record of any unusual circumstances that occurred during each pasteurization run.
16	(j) The name of the dairy plant.
17	(k) The signature or initials of the dairy plant operator, or a responsible employee or agent of
18	the operator.
19	(4) FLOW RECORDS FOR HTST AND HHST PASTEURIZERS WITH METER BASED TIMING
20	SYSTEMS. In addition to requirements in sub. (3), pasteurization records for HTST and HHST
21	pasteurization operations with meter based timing systems shall include all of the following:
22	(a) Each date, including the year, on which dairy products are pasteurized.

1	(b) The identification number or location of each pasteurization time and flow-rate recording
2	chart, if more than one is used.

3 (c) A continuous flow-rate recording chart record of the flow rate.

4 (d) A continuous flow-rate recording chart record of the status of the high and low flow/loss
5 of signal alarms.

6 (e) The name and quantity of dairy product pasteurized in each pasteurization run shown on7 the flow-rate recording chart.

8 (f) A record of any unusual circumstances that occurred during each pasteurization run.

9 (g) The name of the dairy plant.

(h) The signature or initials of the dairy plant operator or a responsible employee or agent ofthe operator.

12 **ATCP 65.68 Pasteurizer testing. (1)** GENERAL. The division shall test and seal

13 pasteurization systems according to this section. Except as provided under sub. (6), no person

14 may use any pasteurization system to pasteurize grade A or grade B dairy products unless that

15 system bears the unbroken seals applied by the department under sub. (5).

16 (2) TEST PROCEDURE. The division shall test grade A and grade B pasteurization systems

17 according to the procedure specified in Appendix I of the PMO.

18 Note: PMO Appendix I is on file with the division and the legislative reference bureau. Copies may be 19 obtained from the division at cost or online at

20 http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/Milk.

21 22

(3) TEST FREQUENCY; GRADE A PASTEURIZERS. The division shall test each grade A

23 pasteurization system at the following times:

24 (a) Before the pasteurization system is first put into operation.

25 (b) At least once every 3 months, except that a holding time test may be conducted at least

26 once every 6 months.

- 1
- (c) Whenever a seal, under sub. (5), is broken.
- 2 (4) TEST FREQUENCY; GRADE B PASTEURIZERS. The division shall test a grade B

3 pasteurization system at the following times:

4 (a) Before the pasteurization system is first put into operation.

5 (b) At least once every 12 months.

6 (c) Whenever a seal, under sub. (5), is broken.

7 (5) DEPARTMENT SEALS. When the division's test confirms that a pasteurization system is

8 operating correctly, the division shall apply seals that prevent any alteration of the system that

9 would allow any unpasteurized milk or dairy product to flow through the system.

(6) BROKEN SEAL. (a) A dairy plant operator shall notify the division by telephone, electronic mail, or facsimile (FAX) transmission within 2 hours after the dairy plant operator breaks a seal applied by the division under sub. (5), or within 2 hours after a pasteurizing system malfunctions to the possible detriment of public health or safety. The dairy plant operator shall also notify the department in writing, on a form provided by the division, within 5 business days after the seal is broken or the system malfunctions.

(b) A dairy plant operator may not operate a pasteurizer after breaking a seal applied by the
 department under sub. (5), unless all of the following conditions are met:

18 1. The dairy plant operator notifies the department under par. (a).

19 2. The dairy plant operator determines and documents that pasteurization time and

20 temperature requirements under s. ATCP 65.58 are met, and that the pasteurization system is

repaired and functioning properly. Time and temperature records required by s. ATCP 65.66

shall be retained for at least 6 months.

1	3. The dairy plant operator conducts phosphatase tests, under par. (d), if the pasteurizer is
2	used to pasteurize milk without added flavors or ingredients other than vitamins. Phosphatase
3	testing shall confirm that pasteurized milk without added flavors or ingredients other than
4	vitamins contains less than 350 milli-units of detectable alkaline phosphatase per liter.
5	4. A pasteurizer operator qualified under s. ATCP 65.54(3) is present to operate the
6	pasteurizer, or to supervise its operation.
7	(c) A dairy plant operator may not operate a pasteurizer for more than 10 calendar days after
8	breaking a seal applied by the department under sub. (5), unless any of the following occurs:
9	1. The division tests the pasteurizer and replaces the broken seal.
10	2. A dairy plant operator or employee certified under sub. (7), tests the pasteurizer and
11	replaces the broken seal on an interim basis, pending retesting and resealing by the department.
12	(d) Phosphatase testing, under par. (b) 3., shall comply with all of the following
13	requirements:
14	1. The dairy plant operator shall collect and analyze a test sample, directly from the
15	pasteurizer system, at least once during every 4 hours of pasteurizer operations.
16	2. The dairy plant operator shall store each test sample at a temperature below 45° F. (7° C.)
17	until it is tested and shall analyze each sample within 48 hours after it is collected.
18	3. The dairy plant operator shall analyze each sample using the Fluorophos ALP method, the
19	Charm Paslite Alkaline Phosphatase method, or another test method approved in writing by the
20	division.
21	4. Tests shall be performed by an individual who is trained to conduct phosphatase tests on
22	milk. If the dairy plant is a grade A dairy plant, tests shall be performed by a laboratory that the
23	department has certified under ch. ATCP 77 or the PMO.

(7) EMERGENCY TESTING AND SEALING. (a) The division may certify a dairy plant operator or 1 employee to test and seal a pasteurization system in that dairy plant on an emergency basis under 2 par. (b). To be certified under this paragraph, a dairy plant operator or employee shall have 3 4 successfully completed a training course approved by the division. The division may suspend or 5 revoke certification for cause. (b) A dairy plant operator or employee certified under par. (a) may test and seal a 6 7 pasteurization system in that dairy plant on an emergency basis, pending retesting and resealing 8 by the division, under par. (c), if emergency testing and sealing is necessary to continue pasteurizing operations after the department's seal is broken. Testing under this paragraph shall 9 10 comply with the procedure specified under sub. (2). (c) The division shall promptly retest and reseal a pasteurization system after the division 11 12 receives notice, under sub. (6) (a), that its seal applied to that system has been broken. The 13 division shall retest and reseal a pasteurization system, under this paragraph, regardless of 14 whether the pasteurization system has been tested and sealed under par. (b). The division need not retest or reseal a pasteurization system that is withdrawn from service. 15 SUBCHAPTER V 16 SAFETY AND QUALITY STANDARDS 17 ATCP 65.70 Milk quality standards for milk collected from a dairy farm. Milk received 18 or collected from a dairy farm shall comply with all of the following standards at the time of 19 20 receipt or collection: (1) ADULTERATION AND ODORS. The milk shall not be visibly or otherwise adulterated, have 21 any objectionable odor, or be abnormal in appearance or consistency. 22

(2) BACTERIAL COUNT. (a) *Limits*. The bacterial count of grade A milk, as determined by a
standard plate count, plate loop count or other method approved by the division under this
subchapter, shall not exceed 100,000 per ml. The bacterial count of grade B milk shall not
exceed 300,000 per ml. Except as provided under par. (f), a dairy plant operator is not required
to reject milk shipments in response to a violation of this subsection unless the division suspends
or revokes the milk producer's license or grade A producer permit, or issues an order affecting
the milk shipments under s. ATCP 65.927.

8 (b) *Monthly testing required*. During every month in which a dairy plant operator or a milk 9 contractor licensed as a dairy plant receives milk from a milk producer, the dairy plant operator 10 shall perform at least one standard plate count (SPC) or plate loop count (PLC) on a milk sample 11 obtained from the producer under s. ATCP 82.12. A dairy plant operator shall perform tests 12 under this section and s. ATCP 65.76 on the same milk samples.

(c) *New milk producer; initial testing*. A dairy plant operator or a milk contractor licensed as a dairy plant shall perform a SPC or PLC on a milk sample collected from the first milk shipment received from a milk producer. The dairy plant operator shall report the test result to the department and the milk producer within 7 days after the dairy plant operator obtains the test result.

(d) *Monthly reporting*. For each month in which a dairy plant operator or milk contractor
licensed as a dairy plant receives milk from a milk producer, the dairy plant operator shall report
to the division and the milk producer at least one representative test result under par. (b) for a
milk shipment procured in that month. The dairy plant operator shall report the test result within
7 days after the operator obtains the test result.

(e) *Representative test results*. A test result is not representative, for reporting purposes
 under this subsection unless all the following apply:

1. The dairy plant operator collects the test sample according to a uniform sampling schedule 3 4 that the operator applies to all milk producers who ship milk to the operator's dairy plant. 5 2. The dairy plant operator reports the test result according to standard reporting criteria that the operator applies to all milk producers who ship milk to the dairy plant operator's dairy plant. 6 7 (f) Immediate response level; reporting and follow-up. If a bacterial count under this section or s. ATCP 65.76 exceeds 750,000 per ml., the dairy plant operator shall do all the following: 8 1. Report the test result to the division and the milk producer within 3 business days after the 9 operator obtains the test result. 10

2. Perform a confirmatory bacteriological test on at least one more sample of milk collected from the milk producer's dairy farm. The dairy plant operator shall collect the confirmatory sample within 14 days after the date on which the dairy plant operator collected the original sample. The dairy plant operator shall report the confirmatory test result to the division and the milk producer within 3 business days after the operator obtains the test result.

3. Reject milk shipments from the dairy farm if the confirmatory test shows a bacterial count in excess of 750,000 per ml. The milk producer may not ship milk from the dairy farm to any dairy plant until a dairy plant operator conducts another test and finds that milk from the farm has a bacterial count not more than 750,000 per ml.

(g) *Division inspection; reinspection fee*. The division may inspect a dairy farm in response
to any bacterial count reported to the division under this section. If the division inspects a dairy
farm in response to a confirmatory bacterial count of more than 750,000 per ml. under par. (f),
the division shall charge a reinspection fee under s. ATCP 65.02 (19). The division may not

charge a reinspection fee if the confirmatory bacterial count does not exceed 750,000 per ml., or
 if the division inspects more than 3 weeks after the division receives the confirmatory bacterial

3 count.

Note: Under s. ATCP 65.920 the department will suspend a producer's grade A farm permit if 3 of the last 5 bacterial counts reported to the department under this section exceed the grade A standard of 100,000 per ml. under s. ATCP 65.70 (2). The department will suspend the producer's grade A permit regardless of whether any bacterial count exceeds the immediate response level of 750,000 per ml. under this section.

8
9 Note: Under s. ATCP 65.920 the department may suspend a milk producer's license if bacterial counts continue to exceed the grade B standard of 300,000 per ml. under s. ATCP 65.70 (2). The department may suspend the producer's license regardless of whether any bacterial count exceeds the immediate response level of 750,000 per ml. under this section. If 2 of the last 4 bacterial counts reported to the department under this section exceed the grade B standard of 300,000 per ml., the department will, at a minimum, send a warning notice to the producer.

15 (h) Laboratory reporting. A laboratory that performs tests under this section for a dairy plant

16 operator may report the test results for the dairy plant operator.

17 (i) *Electronic reporting*. A dairy plant operator or laboratory shall report test results under

18 this section in an electronic form approved by the division.

19 (3) DRUG RESIDUES. The milk shall not contain any drug residue. A dairy plant operator or

20 milk contractor licensed as a dairy plant shall test each load of milk received from each milk

- 21 producer for drug residues in accordance with s. ATCP 65.72.
- 22 (4) SOMATIC CELL COUNT. (a) *Limits*. The somatic cell count of cow or sheep milk, as

23 determined by a direct microscopic somatic cell count, an electronic somatic cell count, or other

24 method approved by the division under this subchapter, shall not exceed 750,000 cells per ml.

25 The somatic cell count of goat milk, as determined by the Pyronin Y Methyl green stain test,

shall not exceed 1,500,000 cells per ml. Except as provided under sub. (g), a dairy plant is not

27 required to reject milk shipments in response to a violation of this subsection unless the

department suspends or revokes the milk producer's license or grade A producer permit, or

issues an order affecting the milk shipments under s. ATCP 65.927.

(b) Monthly Testing Required. During every month in which a dairy plant operator or milk 1 contractor licensed as a dairy plant receives milk from a milk producer, the dairy plant operator 2 3 shall perform at least one somatic cell count on a milk sample obtained from the producer under 4 s. ATCP 82.12. If the dairy plant operator tests more than one milk sample each month, the dairy plant operator shall collect the samples at regular intervals throughout the month. A dairy 5 6 plant operator shall perform tests under this subsection and s. ATCP 65.76 on the same milk 7 samples.

time between sample collection and testing depends on the test method used. 10 (c) New milk producer; initial testing. A dairy plant operator or milk contractor licensed as a 11 12 dairy plant shall perform a somatic cell count on a milk sample collected from the milk shipment 13 received from a milk producer. The operator shall report the test result to the division and the 14 producer within 7 days after the operator obtains the test result.

Note: Somatic cell tests must be performed using methods prescribed under s. ATCP 65.78 (3). The maximum

8

9

(d) *Test methods*. A somatic cell count under this subsection shall be a direct microscopic 15 16 somatic cell count or an electronic somatic cell count. If the somatic cell count on goat milk 17 exceeds 1,500,000 per ml., the somatic cell count shall be confirmed using the Pyronin Y Methyl 18 green stain test, unless that test was used to obtain the initial count.

19 (e) *Monthly reporting*. For each month in which a dairy plant operator or milk contractor 20 licensed as a dairy plant receives milk shipments from a milk producer, the dairy plant operator 21 shall report to the division and the producer at least one representative somatic cell count under 22 sub. (4) for a milk shipment procured in that month. The dairy plant operator shall report the 23 somatic cell count within 7 days after the dairy plant operator obtains the count.

(f) Representative somatic cell counts. A somatic cell count is not representative, for 24 reporting purposes under sub. (4), unless all the following apply: 25

1. The dairy plant operator collects the test sample according to a uniform sampling schedule
 that the dairy plant operator applies to all milk producers who ship milk to the same dairy plant.

2. The dairy plant operator reports the somatic cell count according to standard reporting
criteria that the dairy plant operator applies to all milk producers who ship milk to the same dairy
plant.

(g) *Immediate response level; reporting and follow-up*. If a somatic cell count under this
section exceeds 1,000,000 per ml. for cow or sheep milk, the dairy plant operator shall do all the
following:

9 1. Report the somatic cell count to the division and the milk producer within 3 business days
10 after the operator obtains the somatic cell count.

2. Perform a confirmatory somatic cell count on at least one more sample of milk collected 11 from the milk producer's dairy farm. The dairy plant operator shall collect the confirmatory 12 sample within 14 days after the date on which the operator collected the original sample. The 13 dairy plant operator shall report the confirmatory somatic cell count to the division and the milk 14 producer within 3 business days after the dairy plant operator obtains the confirmatory count. 15 3. Reject milk shipments from the dairy farm if the confirmatory somatic cell count under 16 17 par. (2) still exceeds 1,000,000 per ml. The milk producer may not ship cow or sheep milk from the dairy farm to any dairy plant until a dairy plant operator conducts another somatic cell count 18 and finds that the count no longer exceeds this number. 19

20 Note: The department will suspend a grade A farm permit if 3 of the last 5 reported somatic cell counts exceed 21 the standard under s. ATCP 65.70(4), regardless of whether any somatic cell count exceeds the immediate response 22 level under this subsection. See s. ATCP 65.920.

Note: Under s. ATCP 65.920, the department may suspend a milk producer license if somatic cell counts continue to exceed the standard under s. ATCP 65.70 (4), regardless of whether any somatic cell count exceeds the immediate response level under this subsection. If 2 of the last 4 reported somatic cell counts exceed the standard under s. ATCP 65.70 (4), the department will at least send a warning notice to the producer. See s. ATCP 65.920. (h) *Laboratory reporting*. A laboratory that performs somatic cell counts under this
 subsection for a dairy plant operator may report the somatic cell counts for the dairy plant
 operator.

(5) TEMPERATURE. The temperature of milk received or collected from a dairy farm more
than 2 hours after the most recent milking shall not exceed 45° F. (7° C.), or 50° F. (10° C.) in the
case of grade B milk in cans. The temperature of blended milk, consisting of milk from 2 or
more milkings, that was received or collected less than 2 hours after the most recent milking
shall not exceed 45° F. (7° C.)

9 (6) PESTICIDES AND TOXIC SUBSTANCES. The milk shall be free of pesticides and toxic
10 substances.

ATCP 65.72 Drug residue testing. (1) MONTHLY TESTING OF PRODUCER MILK SHIPMENTS. During every month in which a dairy plant or milk contractor licensed as a dairy plant receives milk from a milk producer, the dairy plant operator shall perform a drug residue test on a milk sample obtained from that producer under s. ATCP 82.12 The drug residue test shall be sensitive, at a minimum, to beta lactam drug residues.

(2) NEW MILK PRODUCER; INITIAL TESTING. A dairy plant operator or milk contractor licensed
as a dairy plant shall perform a drug residue test on a milk sample collected from the first milk
shipment received from a milk producer. The drug residue test shall be sensitive, at a minimum,
to beta lactam drug residues and any other drug residues for which testing is required under sub.
(3) (b). If the sample tests positive for any drug residue, the dairy plant operator shall report the
result to the division and the producer within the time prescribed in sub. (9).

(3) TESTING BULK LOADS. (a) *Beta lactam drug residues; routine bulk load testing*. Every
dairy plant operator shall perform a drug residue test on every bulk load of raw milk offered for

sale upon delivery at that dairy plant. The drug residue test shall be approved by the division and
 detect, at a minimum, beta lactam drug residues.

(b) Other drug residues; random bulk load testing. 1. In addition to performing routine beta lactam tests under par. (a), the operator of a dairy plant shall randomly test bulk milk deliveries received at that dairy plant for other drug residues whenever random testing is required by the division under subd. 2. The random testing program shall be designed so that, during any consecutive 6-month period, a milk shipment from each producer is included in at least 4 separate bulk load tests in each of 4 separate months.

9 2. The division may issue a periodic written notice to dairy plant operators, requiring dairy 10 plant operators to perform random tests under subd. 1. for drug residues specified in the 11 division's notice. The division shall issue the same notice to every dairy plant licensed by the 12 department. The notice shall specify the effective date of the random testing requirements and 13 the period of time during which the random testing requirements remain in effect.

3. A dairy plant operator may test a bulk milk delivery to detect residues of one or more
drugs for which the division has not required testing under subd. 2. The dairy plant shall follow
the procedures in pars. (c), (d) and (e).

(c) *Bulk load testing procedure*. Whenever a dairy plant operator performs a drug residue test on a bulk load of milk under par. (a) or (b), the operator shall perform the test on a sample taken from the bulk milk tanker. Sufficient agitation or a milk sampling method approved by the division shall be used to ensure that the sample is representative of the contents of the tanker. The test shall be completed before the bulk load is commingled with any other producer's milk and before any of the milk in the bulk load is processed. For testing purposes under pars. (a) and (b), a milk shipment received in cans is considered a bulk load.

(d) *Responsibility for follow-up testing*. If a bulk load of milk yields a confirmed positive
test result for drug residue, and if the dairy plant receiving that milk from producers is not the
dairy plant to which those producers are assigned for licensing purposes, under s. ATCP 65.02,
the operator of the receiving dairy plant shall immediately notify the operator of the assigned
dairy plant. The assigned dairy plant is responsible for performing follow-up tests on producer
samples under sub. (4), and for rejecting producer shipments under sub. (5).

*(e) Testing with an unapproved method.* If the dairy plant uses a testing method that is not approved by the division and detects residues of one or more drugs for which the division has not required testing, under subd. 2., that result shall be treated as a valid test result and reported to the division. The test result shall then either be confirmed under sub. (4) using a drug residue detection method approved by the division or the milk must be discarded under sub. (5). The dairy plant may recover the milk value, under sub. (6), if the confirmatory test result is obtained using a drug residue detection method approved by the division.

(f) Testing of frozen sheep milk for drug residues. A sheep milk producer intending to freeze 14 the sheep milk before shipment must either sample or test the sheep milk for drug residues before 15 bagging and freezing the sheep milk. The sample or test result must remain with the bag or bags 16 17 of frozen sheep milk to which the sample or test result pertains. Each bag of frozen sheep milk shall be labeled to indicate the grade of milk, the dairy plant receiving the milk, the sheep milk 18 19 producer, the total number of bags to which the sample or test result pertains, and the date on 20 which the bag was filled with sheep milk. Sheep milk samples must be frozen within 24 hours of 21 sampling, must be maintained at -15°C (5°F) or colder (documentation of storage temperature maintained) and must be tested with 60 days of sampling. 22

1 (4) DRUG RESIDUE FOUND IN BULK LOAD; FOLLOW-UP TESTING. If a bulk load of milk yields a confirmed positive test result for drug residue under sub. (3), the dairy plant operator shall 2 perform a drug residue test on each of the individual milk producer samples collected for that 3 4 bulk load under s. ATCP 82.12. The dairy plant operator shall test each milk producer's sample before collecting any further milk from that producer. The drug residue test performed on each 5 producer sample shall be sensitive to the same drug residue that was detected in the bulk load. If 6 7 a milk producer's sample tests positive for any drug residue, the dairy plant operator shall 8 perform a confirmatory test using the same test method and sample. The dairy plant operator shall perform the confirmatory test in duplicate, with single positive and negative controls. If 9 either confirmatory test result is positive for a drug residue, the milk producer's sample is 10 considered positive for that drug residue. 11

(5) DRUG RESIDUE FOUND IN BULK LOAD; LOAD REJECTED. If a bulk load of milk from one or more milk producers yields a confirmed positive test result for drug residue under sub. (3), the dairy plant operator shall reject the entire bulk load. Milk from a rejected bulk load may not be used for human food. The dairy plant operator shall denature or take responsibility for disposing of the rejected bulk load in a manner that precludes its use for human food.

(6) REJECTED BULK LOAD; DAIRY PLANT RECOVERY FROM PRODUCERS OR MILK CONTRACTORS.
(a) *Dairy plant loss recovery*. If a dairy plant operator properly rejects a bulk load of milk under
sub. (5), the dairy plant operator may recover the value of that bulk load from producers whose
milk samples, representing milk shipments contained in that bulk load, yield a confirmed
positive test result for drug residue under sub. (4). If the milk has been procured by the dairy
plant from a milk contractor, the dairy plant operator may recover the value of that bulk load
from the milk contractor, who may then recover the value of that bulk load from the milk

producers. The dairy plant operator may recover what would have been the value of the bulk load, had the load not yielded a confirmed positive test result for drug residue. The dairy plant operator shall also recover any additional bulk load disposal, transportation, and testing costs that the dairy plant operator incurs because the bulk load yielded a confirmed positive test result for drug residue.

(b) *Pro rata recovery*. The dairy plant operator, or milk contractor, if recovering milk costs
under par. (a), shall recover, from each producer identified in par. (a), a pro rata share of the total
recovery amount under par. (a). The pro rata recovery from each producer shall be based on the
size of that producer's shipment compared to those of any other producers in the same bulk load.
If there is only one producer identified in par. (a), the operator shall recover the entire amount
from that producer.

(c) *Recovery deadline*. The dairy plant operator or milk contractor shall recover the full amount owed by each offending milk producer, under par. (b), within 90 days after that producer's milk sample yields a confirmed positive test result for drug residue under sub. (3). If the dairy plant operator or milk contractor fails to recover the full amount within that time period, the dairy plant operator shall give the department a written explanation.

(d) *Payroll deduction*. A dairy plant operator or milk contractor may deduct the amount
owed by an offending milk producer, under par. (b), from the dairy plant operator's payroll
obligation to that offending milk producer.

(e) *Notice of deduction*. A dairy plant operator or milk contractor shall give a milk producer
at least 30 days prior written notice of any deduction, under par. (d), unless the milk producer
transfers to another dairy plant operator. The notice shall state all the following:

1. The basis for the deduction.

1 2. The total amount of the deduction.

3. The date on which the dairy plant operator or milk contractor will make each deduction.
 4. That the dairy plant operator or milk contractor will meet with the milk producer to discuss
 the deduction, at the milk producer's request.

(f) *Meeting to discuss recovery*. A dairy plant operator or milk contractor shall meet with a milk producer, at the milk producer's request, to discuss the recovery from that milk producer under this subsection. The dairy plant operator or milk contractor shall meet with the milk producer within 10 days after the milk producer requests the meeting, unless the milk producer requests a later meeting date. If the milk producer contests the validity of the recovery, and the matter is not resolved, the dairy plant operator or milk contractor shall notify the milk producer that the milk producer may request a hearing before the department under par. (g).

(g) *Hearing request.* If a milk producer contests the validity of a recovery under this subsection, and if the parties do not resolve the matter after meeting under par. (f), the producer may request a hearing before the division. A request for hearing does not automatically stay a recovery under this subsection.

(h) *Informal hearing*. If a milk producer requests a hearing under par. (g), the division shall hold an informal hearing by telephone or at the division's nearest office. The division shall hold the informal hearing within 20 days after the division receives the hearing request, unless the milk producer agrees to a later hearing date. The division shall include the producer and the dairy plant operator or milk contractor in the informal hearing.

(i) *Formal hearing*. If an informal hearing, under par. (h), does not resolve the matter, a milk
producer may request a contested case hearing before the department under ch. ATCP 1 and ch.
227, Stats. A request for hearing does not automatically stay a recovery under this subsection. If

the department grants a milk producer's request for hearing, the department shall include the milk
producer and the dairy plant operator or milk contractor as parties to the hearing.

(j) *Invalid recovery*. If the department finds that a recovery under this subsection is invalid, the department may prohibit the recovery or order the dairy plant operator or milk contractor to repay the producer. The division may issue an order under this paragraph after the division holds an informal hearing under par. (h). If the division issues an order under this paragraph, the dairy plant operator may request a contested case hearing under ch. ATCP 1 and ch. 227, Stats., to contest the division's order. A request for hearing does not automatically stay the division's order.

(7) PRODUCER MILK SHIPMENTS REJECTED. (a) *Dairy plant to reject*. A dairy plant operator
 shall immediately notify a milk producer directly, or via the milk contractor from whom the
 producer's milk was procured, and shall reject that producer's milk shipments as required under
 par. (b), if any of the following occurs:

1. A sample of the producer's milk, under sub. (1), yields a confirmed positive test result fordrug residue.

2. A sample of the producer's milk, under sub. (4), yields a confirmed positive test result fordrug residue.

3. A sample of the producer's milk yields a confirmed positive test result for drug residue
after that milk has been commingled with milk from other producers, regardless of whether the
drug residue test is required under this chapter.

(b) *Producer milk rejected*. If a dairy plant operator is required to reject producer milk
shipments under par. (a), the dairy plant operator shall reject all milk produced on that dairy farm

1 until a sample of that milk tests negative for drug residues by the same or an equivalent test at a laboratory that is certified under s. ATCP 77.03 (2) (c) to perform confirmatory tests. 2 3 (c) *Rejected milk; use prohibited.* If a dairy plant operator rejects a producer's milk under 4 par. (b), no person may do any of the following: 5 1. Ship, collect, or use that milk for human food. 2. Commingle that milk with milk from any other producer. 6 7 (d) Transfer between dairy plants. If a dairy plant operator rejects a producer's milk under par. (b), the milk producer or a milk contractor may not ship that producer's milk to another 8 dairy plant until a dairy plant operator tests that producer's milk and the milk tests negative for 9 10 drug residue on the same or an equivalent test at a laboratory that is certified under s. ATCP 11 77.03 (2) (c) to perform confirmatory tests. 12 (8) REPORTING DRUG RESIDUE FINDINGS; BULK LOADS. Within 2 hours after a bulk load of milk yields a confirmed positive test result for drug residue under sub. (2), the dairy plant 13 operator shall report the drug test result to the division by telephone, electronic mail, or facsimile 14

(FAX) transmission. The dairy plant operator shall confirm the report in writing, in a form
approved by the division, within 3 business days after the drug residue test is completed. The

17 report shall indicate the result of the drug residue test, the volume of milk contained in the bulk

18 load, and the dairy plant's disposition of that milk.

(9) REPORTING DRUG RESIDUE FINDINGS; PRODUCER MILK SHIPMENTS. (a) *Dairy plant to report*. Whenever any of the following occurs, the dairy plant operator that performs the drug
 residue test shall report the test result to the division under par. (b):

1. A milk producer sample, under sub. (1), yields a confirmed positive test result for drug
residue.

2. A milk producer sample, under sub. (4), yields a confirmed positive test result for drug
 residue.

3 3. A sample of a producer's milk yields a confirmed positive test result for drug residue after
that milk has been commingled with milk from other producers, regardless of whether the drug
residue test is required under this chapter.

6 (b) *Form of report*. Whenever a dairy plant operator is required to report a drug residue test 7 result under par. (a), the dairy plant operator shall report that result to the division by telephone, 8 electronic mail, or facsimile (FAX) transmission. The dairy plant operator shall make the report 9 within 2 hours after the drug residue test is completed. The dairy plant operator shall confirm the 10 report in writing, on a form approved by the division, within 3 business days after the drug 11 residue test is completed.

(10) INSPECTION BY DIVISION; REINSPECTION FEE. The division may, in its discretion, inspect a dairy farm in response to any positive drug residue test report under sub. (8) or (9). The division shall charge a reinspection fee for the inspection under s. ATCP 65.02 (19). The division shall not charge a reinspection fee if it makes its inspection more than 3 weeks after the dairy plant operator reports the drug residue test result to the division.

(11) DRUG RESIDUE TEST RESULTS. (a) *Positive test result; general*. For purposes of this section and s. ATCP 65.922, a drug residue test is considered positive if the detected amount of drug residue exceeds the action level specified for that drug under par. (b). The action levels, under par. (b), do not establish legal tolerances for drug residues in milk, nor do they preclude the department from taking enforcement action where drug residues are present at levels below these action levels.

(b) Specified drug tests; positive test result. In a test for any of the following drugs, the
action level is exceeded whenever the drug residue level found in the test exceeds the level
specified below:

- 4 1. Ampicillin 10 ppb 2. Amoxicillin 10 ppb 5 3. Cephapirin 20 ppb 6 7 4. Ceftiofur 100 ppb 5. Cloxacillin 10 ppb 8 9 6. Novobiocin 100 ppb 7. Penicillin G 5 ppb 10 8. Sulfadimethoxine 10 ppb 11
- 12 9. Tetracyclines\* 300 ppb
- Note: Action levels specified under this paragraph are based on tolerances and/or target testing levels specified 13 by the United States food and drug administration, and identified in a memorandum from FDA's Milk Safety 14 Branch, M-I-05-5, September 27, 2005. A copy of the memorandum is on file with the department, and is available 15 upon request. 16 17 For drugs identified with an asterisk (\*), the levels in this paragraph are based on "safe levels" specified by 18 FDA. "Safe levels" are merely enforcement guides and do not constitute legal tolerances. "Safe levels" are not 19 binding on the courts or the department. They do not limit the department's discretion in any way, and they do not 20 protect milk producers or milk itself from enforcement action. "Safe levels" do not constitute animal drug 21 tolerances under section 512 (b) of the federal food, drug and cosmetic act. 22 (c) Test result presumed valid. For purposes of this section and s. ATCP 65.922, whenever a 23 dairy plant operator reports a confirmed positive test result to the division under sub. (9), that test 24 25 result is presumed to be valid. The milk producer may appeal the test result in an informal hearing under s. ATCP 65.928. 26 (12) LABORATORY REPORTING. A laboratory that performs tests under this section for a dairy 27 28 plant operator may report the test results for the dairy plant operator.

1	(13) TIMELY TESTING. Drug residue tests required under this section shall be completed
2	within 72 hours after the tested milk, or any portion of the tested milk, was first collected from a
3	dairy farm.
4 5 6 7 8 9	Note: If a drug residue test is performed on a bulk load of milk collected from several dairy farms, the test must be completed within 72 hours after the bulk milk weigher and sampler collects milk from the first farm. Confirmation of positive drug residue screening tests, at a different laboratory than the laboratory which performed the screening tests, as required under s. ATCP 65.78 (1)(b) 3., must be completed within the same 72-hour period. <b>ATCP 65.74 Milk and dairy products; quality standards.</b> (1) MILK HELD AT DAIRY
10	PLANT; BACTERIAL COUNT. The bacterial count of commingled grade A milk held at a dairy plant
11	before pasteurization may not exceed 300,000 per ml. The bacterial count of grade B milk held
12	at a dairy plant before pasteurization or processing may not exceed 750,000 per ml.
13	(2) PASTEURIZED GRADE A DAIRY PRODUCTS. (a) Bacterial counts in pasteurized grade A
14	dairy products other than cultured dairy products may not exceed the following levels:
15	1. 20,000 per ml., except as provided in subd. 2. and 3.
16	2. 10,000 per g. for nonfat dry milk.
17	3. 30,000 per ml. for condensed milk, whey, whey products, and dried whey.
18	(b) Coliform counts in pasteurized grade A dairy products may not exceed 10 per ml. or per
19	gram, except that coliform counts in bulk milk tanker shipments of pasteurized grade A dairy
20	products may not exceed 100 per ml.
21	(c) In pasteurized grade A milk without added flavors or ingredients, other than vitamins,
22	there shall be fewer than 350 milliunits of phosphatase per liter as determined by the Fluorophos
23	ALP method, the Charm Paslite Alkaline Phosphatase method or another test method approved
24	by the department.
25	(d) The yeast and mold count of pasteurized cottage cheese may not exceed 10 per gram.

1	(3) PASTEURIZED GRADE B DAIRY PRODUCTS. (a) Bacterial counts in pasteurized grade B
2	dairy products, other than cultured dairy products or frozen desserts containing nuts or other
3	inclusions, may not exceed the following levels:
4	1. 20,000 per ml., except as provided in subd. 2. or 3.
5	2. 30,000 per ml. for condensed milk, whey, whey products, dried whey, and nonfat dry milk.
6	3. 50,000 per gram for frozen desserts, except that the bacterial count for frozen-dessert
7	mixes may not exceed 20,000 per gram.
8	(b) Coliform counts in pasteurized grade B dairy products, other than grade B dairy products
9	made with natural or added cultures and all natural cheeses, may not exceed 10 per ml. or per
10	gram, except that coliform counts in bulk milk tanker shipments may not exceed 100 per ml.
11	(4) FORTIFIED DAIRY PRODUCTS. Whenever milk or a fluid milk product is fortified with
12	vitamin A or D the fortification shall comply with Appendix O of the PMO.
13	(5) PATHOGEN CONFIRMED IN READY-TO-EAT DAIRY PRODUCT; SALE PROHIBITED. A dairy
14	plant operator may not sell or distribute any ready-to-eat dairy product in which a
15	microbiological test or laboratory analysis has confirmed the presence of a pathogenic organism
16	or toxin. Results of the microbiological test or laboratory test shall be reported to the division,
17	under s. ATCP 65.46 (2).
18 19 20 21	<b>Note:</b> Copies of PMO Appendix O are on file with the department and the legislative reference bureau. Copies may be obtained from the department at cost or online at www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/Milk.
21	ATCP 65.76 Milk quality testing. (1) REQUIRED TESTING. (a) A dairy plant operator shall
23	test raw milk from dairy farms as required under this chapter.
24	(b) A dairy plant operator shall test milk and dairy products held or processed at a dairy plant

25 for compliance with standards specified under s. ATCP 65.74 (1) to (4). The dairy plant operator

shall test the milk and dairy products as often as necessary to provide reasonable statistical
 assurance of compliance.

(2) LABORATORY. (a) Except as provided under par. (b), milk quality tests required under this 3 4 chapter shall be performed in a laboratory that is all of the following: 5 1. Approved by the department to conduct milk quality tests. 2. Certified by the department under ch. ATCP 77.03, or by an equivalent certifying agency 6 7 in another state, to conduct milk quality tests. (b) A laboratory that is not certified under s. ATCP 77.03 to perform a drug residue test 8 under s. ATCP 65.72 may perform that test as a screening test if all of the following apply: 9 10 1. The department has approved that laboratory to perform that screening test under s. ATCP 77.23 (1). 11 12 2. The department has approved the person who performs the screening test under s. ATCP 13 77.23 (2). 3. A different laboratory performs a confirmatory test if the screening test result is positive 14 for drug residue. The laboratory performing the confirmatory test shall be certified to do so 15 under s. ATCP 77.03. The laboratory shall perform the confirmatory test on the same test 16 17 sample using the same or an equivalent test method and shall complete the confirmatory test within the time period specified in s. ATCP 65.72 (8). 18 (c) The department may withdraw its approval under par. (a) or (b) for cause, including false 19 20 or inaccurate test results or reports, or failure to conduct tests according to required procedures. (3) ANALYSTS. (a) Except as provided in par. (b) or (c), no individual may perform a milk 21 test under ss. ATCP 65.70 and 65.72 unless the department has certified that individual under s. 22

ATCP 77.22 to perform that test.

1	(b) Pursuant to s. ATCP 77.23 (2), the department may approve an individual to perform a
2	drug residue test under s. ATCP 65.72 as a screening test, even though the individual is not
3	certified under s. ATCP 77.22 to perform that test as a confirmatory test.
4	(c) Bulk load tests for drug residues under s. ATCP 65.72 shall be conducted at the receiving
5	dairy plant by any of the following:
6	1. An individual approved by the department to conduct drug residue tests.
7	2. An individual who performs drug residue tests only under the direct supervision of an
8	individual approved and certified under subd. 1.
9	Note: A laboratory performing milk quality tests must be certified under ch. ATCP 77.
10 11	(4) TEST METHODS. Milk testing under ss. ATCP 65.70 and 65.72 shall use test methods
12	prescribed in the applicable FDA 2400 series laboratory evaluation forms, published by the
13	United States department of health and human services, public health service, food and drug
14	administration, that are in effect on February 1, 2008. If no FDA form applies, testing shall be
15	conducted according to methods prescribed in the "Standard Methods for the Examination of
16	Dairy Products," 17th Edition (2004), or in "Official Methods of Analysis of AOAC
17	International," 18th Edition (2005).
18 19 20	<b>Note:</b> Copies of the FDA 2400 series laboratory evaluation forms in effect on February 1, 2008, are on file with the department and the legislative reference bureau. To find out how to obtain a copy of these forms, you may contact the department at the following address:
<ul> <li>21</li> <li>22</li> <li>23</li> <li>24</li> <li>25</li> <li>26</li> </ul>	Wisconsin Department of Agriculture, Trade and Consumer Protection Division of Food Safety Laboratory Certification Program P.O. Box 8911, Madison, WI 53708-8911 Telephone: (608) 224-4712
20 27 28 29 30	The American Public Health Association's "Standard Methods for the Examination of Dairy Products," 17th Edition (2004), is on file with the department and the legislative reference bureau and may be obtained from the American Public Health Association, Inc., 800 I Street, NW, Washington, D.C. 20001, telephone 202-777-2742, website www.apha.org.

1

The "Official Methods of Analysis of AOAC International," 18th Edition (2005), is on file with the department
and the legislative reference bureau and may be obtained from AOAC International, 2275 Research Blvd.,
Rockville, MD 20850, telephone 800-379-2622, website www.aoac.org.
(5) BACTERIA COUNTS. Bacteria counts required under s. ATCP 65.70 and bacteria counts

that may affect the amount paid to a milk producer shall be obtained by means of a standard plate
count, plate loop count, or petrifilm aerobic count method.

9 (6) DRUG RESIDUES. Drug residue tests required under s. ATCP 65.72 shall be performed
10 according to s. ATCP 65.72.

(7) SOMATIC CELLS. Somatic cell counts required under s. ATCP 65.70 (4) and somatic cell counts that may affect the amount paid to a milk producer shall be obtained by means of a direct microscopic somatic cell count or an electronic somatic cell count. The Pyronin Y-Methyl green stain test may be used in place of a direct microscopic somatic cell count or electronic somatic cell count for goat milk and shall be used to confirm a direct microscopic somatic cell count or electronic somatic cell count on goat milk that exceeds 1,000,000 per ml.

17 (8) TESTING DEADLINES. A milk quality test shall be conducted within the time period
18 specified by the test method.

ATCP 65.78 Milk quality test samples. (1) GENERAL. (a) Whenever a dairy plant operator performs a milk quality test on a bulk milk shipment from a milk producer, the dairy plant operator shall perform that milk quality test on a test sample collected under s. ATCP 82.12.

(b) Whenever a dairy plant operator performs a milk quality test on shipment of milk in cans
from a milk producer, the dairy plant operator shall perform that milk quality test on a test
sample collected under sub. (3).

1	(c) Notwithstanding pars. (a) and (b), a dairy plant operator may use a composite sample,
2	under sub. (4), to perform a Babcock test for milkfat or to perform another milk quality test
3	approved by the division under sub. (4). A composite sample shall be compiled from fresh milk
4	samples collected under par. (a) or (b).
5	(d) This subsection does not apply to a bulk load test for drug residues under s. ATCP 65.72
6	(3).
7	(e) Upon reasonable notice from the division, a dairy plant operator shall provide the division
8	with samples of producer milk collected under s. ATCP 65.38. The division may request
9	samples once every 4 months, or more often as the department considers necessary for animal
10	health and milk quality testing. Every sample shall be marked with the identification number of
11	the individual producer from whom the sample was collected, and shall also indicate the date on
12	which the sample was collected. A sample shall be kept at a temperature of 32° to 40° F. (0° F. to
13	4 ° C.) until it is transferred to the custody of the department.
14	(2) TEST SAMPLES REFRIGERATED. At all times prior to testing, a test sample under sub. $(1)$
15	shall be kept refrigerated at a temperature of 32 to 40° F. (0 to 4° C.). Test samples kept at a
16	dairy plant or testing laboratory shall be kept in a refrigerated storage facility used only for
17	storing test samples and laboratory supplies.
18	(3) COLLECTING TEST SAMPLES FROM SHIPMENTS OF MILK IN CANS. (a) If a producer ships
19	milk to a dairy plant in cans, rather than in bulk, the dairy plant operator shall collect a test
20	sample from each milk shipment immediately after that milk shipment is transferred to the weigh
21	tank at the dairy plant, and before it is commingled with any other milk shipment. The weigh
22	tank shall be constructed so that milk poured into the weigh tank is completely mixed.

(b) If a weigh tank is not large enough to accommodate a producer's entire milk shipment, so that multiple weighings are needed, the dairy plant operator shall divide the shipment as evenly as possible between weighings and collect a sample from each weighing. The samples shall be of equal volume and shall be combined to form a single sample representing the entire shipment from the producer. The dairy plant operator may not split the contents of any single can of milk between weighings, but shall include all of the contents of that can in the same weighing.

(4) COMPOSITE SAMPLES. (a) A dairy plant operator may use a composite sample to perform
a Babcock test for milkfat, but may not perform any other milk quality test on a composite
sample except with the division's written authorization. A composite sample shall be compiled
according to this subsection.

(b) A composite sample shall include a representative sample of milk from each of 2 or more milk shipments represented by the composite sample. No composite sample may include milk from more than 16 milk shipments. Each component sample included in the composite sample shall have the same volume and shall include at least 10 ml. of milk. A composite sample shall include at least 150 ml. of milk.

(c) A composite sample container shall have a capacity of at least 240 ml. The composite
sample container shall include an effective permanent closure that is attached to the container.
The composite sample container shall be marked to identify the producer and the milk shipments
represented in the composite sample.

(d) A composite sample representing a producer's bulk milk shipments shall be compiled
from fresh milk samples collected from those shipments under s. ATCP 82.12. On the same day
that a producer's bulk milk shipment is received by the dairy plant operator, or by 12:00 noon of

1	the following day, the dairy plant operator shall transfer, to the composite sample, at least 10 ml.
2	of milk from the sample collected from that milk shipment under s. ATCP 82.12.
3	(e) A composite sample representing a producer's shipments of milk in cans shall be
4	compiled from milk samples collected from those shipments according to sub. (3).
5	(f) A dairy plant operator shall preserve a composite sample by adding potassium
6	dichromate, or another preservative approved by the division, to the composite sample. Not less
7	than 100 mg., nor more than 190 mg. of potassium dichromate may be used in each composite
8	sample to obtain a concentration of 20 mg. per 30 ml. of milk in the completed sample.
9 10 11 12 13	<b>Note:</b> Potassium dichromate is available in tablets containing 40 mg. of active ingredient per tablet. The use of these tablets at the rate of one tablet per 2 fl. oz. of milk in a completed composite sample is equivalent to the concentration specified under par. (f). Labeling requirements and limitations on the disposal of milk samples preserved with potassium dichromate are contained in s. ATCP 30.15 (2) (b).
13 14	ATCP 65.80 Milk quality test records and reports. (1) TEST RECORDS; GENERAL. (a) A
15	person performing a milk quality test shall immediately record the test result and sign the test
15 16	person performing a milk quality test shall immediately record the test result and sign the test record. The test record shall specify the date of the test, including the year, the identification
16	record. The test record shall specify the date of the test, including the year, the identification
16 17	record. The test record shall specify the date of the test, including the year, the identification number of the milk producer, and the milk shipment from which the milk sample was collected.
16 17 18	record. The test record shall specify the date of the test, including the year, the identification number of the milk producer, and the milk shipment from which the milk sample was collected. (b) No test record may be altered except that errors, if any, may be corrected by marking a
16 17 18 19	<ul> <li>record. The test record shall specify the date of the test, including the year, the identification</li> <li>number of the milk producer, and the milk shipment from which the milk sample was collected.</li> <li>(b) No test record may be altered except that errors, if any, may be corrected by marking a</li> <li>single line through the original entry and inserting the correct entry immediately adjacent to the</li> </ul>
16 17 18 19 20	<ul> <li>record. The test record shall specify the date of the test, including the year, the identification number of the milk producer, and the milk shipment from which the milk sample was collected.</li> <li>(b) No test record may be altered except that errors, if any, may be corrected by marking a single line through the original entry and inserting the correct entry immediately adjacent to the original. A corrected entry shall be initialed by the person who made the corrected entry.</li> </ul>
16 17 18 19 20 21	<ul> <li>record. The test record shall specify the date of the test, including the year, the identification number of the milk producer, and the milk shipment from which the milk sample was collected.</li> <li>(b) No test record may be altered except that errors, if any, may be corrected by marking a single line through the original entry and inserting the correct entry immediately adjacent to the original. A corrected entry shall be initialed by the person who made the corrected entry.</li> <li>(c) The division may authorize a dairy plant to keep test records in electronic form if the</li> </ul>
<ol> <li>16</li> <li>17</li> <li>18</li> <li>19</li> <li>20</li> <li>21</li> <li>22</li> </ol>	record. The test record shall specify the date of the test, including the year, the identification number of the milk producer, and the milk shipment from which the milk sample was collected. (b) No test record may be altered except that errors, if any, may be corrected by marking a single line through the original entry and inserting the correct entry immediately adjacent to the original. A corrected entry shall be initialed by the person who made the corrected entry. (c) The division may authorize a dairy plant to keep test records in electronic form if the division finds that all of the following requirements are met:

1	3. The person who performs the test identifies himself or herself on the test record, by an
2	electronic method that is equivalent to a personal signature.
3	4. If an erroneous test record is corrected, the correction is identified so that the reader can
4	easily compare the corrected record to the original record.
5	(2) RECORDS RETAINED BY DAIRY PLANT OPERATOR. A dairy plant operator shall retain
6	records required under this section for the time period specified under s. ATCP 65.44 and shall
7	make the records available for inspection and copying by the division upon request.
8	ATCP 65.82 False samples, test results or reports. No person may do any of the following
9	or conspire with another person to do any of the following:
10	(1) Falsely identify milk samples.
11	(2) Submit a false milk sample to the department, a dairy plant operator, or a testing
12	laboratory.
13	(3) Falsify any milk quality test or test result.
14	(4) Make any false or misleading record or report related to a milk quality test.
15	(5) Withhold any milk quality test report required under this chapter.
16	ATCP 65.84 Milk component testing. (1) LICENSING OF PERSON PERFORMING TEST. No
17	person may perform any milk component test unless that person is licensed to perform milk
18	component tests, either as a buttermaker or cheesemaker under s. 97.17, Stats., or as a milk and
19	cream tester under s. 98.145, Stats.
20	(2) QUALIFICATION OF PERSON USING AUTOMATED TESTING DEVICE. No person may use an
21	automated testing device to perform any milk component test unless that person is trained and
22	qualified to use automated testing devices, and that fact is stated on his or her license under s.
23	97.17 or 98.145, Stats.

(3) PAYMENT BASED ON MILK COMPONENT TESTS. No dairy plant operator, including a milk
contractor that submits a milk producer license application on behalf of a milk producer and
thereby certifies that the milk producer's dairy farm and milking operations comply with
applicable requirements under this chapter, may adjust the price paid to any milk producer based
on the results of any milk component test or somatic cell test unless the dairy plant operator does
all of the following:

(a) Bases the price adjustment on either the arithmetic or weighted average of all test results
obtained for that producer during the pay period to which the price adjustment applies. The
dairy plant operator shall use the same method for computing average test results for all
producers shipping milk to the dairy plant.

(b) Tests at least 3 milk shipments from that producer at regular intervals throughout the pay period to which the price adjustment applies or tests composite samples representing all milk shipments from that milk producer during that pay period.

ATCP 65.86 Milk component test methods. (1) GENERAL. Milk component tests shall be performed using any of the following methods, subject to additional requirements under sub. (2) and (3):

(a) A method described in the American Public Health Association., "Standard Methods for
the Examination of Dairy Products," 17th edition (2004).

(b) A method described in the "Official Methods of Analysis of AOAC International," 18th
edition (2005).

21 (c) A method approved in writing by the division.

Note: A "milk component test," as defined under s. ATCP 65.01 (35), means a test that determines the amount of milkfat, protein, total solids, solids-not-fat, or other valuable components in milk, and that may affect the price that a dairy plant operator or milk contractor pays a milk producer for milk.

3 American Public Health Association, 800 I Street, NW, Washington, D.C. 20001, telephone 202-777-2742, website 4 www.apha.org. 5 6 The "Official Methods of Analysis of AOAC International," 18th Edition (2005), is on file with the division and 7 the legislative reference bureau. Copies may be obtained from AOAC International, 2275 Research Blvd., 8 Rockville, MD 20850, telephone 800-379-2622, website www.aoac.org 9 10 (2) MILKFAT TEST METHODS. (a) Milkfat tests shall be performed using the Babcock 11 method, the ether extraction method, or another test method approved by the division. Babcock and ether extraction tests shall be conducted according to the "Official Methods of Analysis of 12 the Association of Official Analytical Chemists (AOAC) International," 17th edition (2000), 13 except as provided under par. (b). 14 (b) Each milk sample tested by the Babcock method shall be agitated for at least 3 minutes 15 by the use of a mechanical agitator after pipetting the sample and adding sulfuric acid according 16 17 to the procedure prescribed under par. (a). A reading device, such as a needlepoint divider or other mechanical divider, that accurately determines milkfat level in a test bottle shall be used in 18 reading all Babcock tests. All Babcock test readings shall be made against a light-colored 19 20 surface with adequate natural or artificial light. The Babcock test shall be read to the nearest 21 0.05% by weight. (3) AUTOMATED MILK COMPONENT TESTING DEVICES. (a) General calibration requirements. 22

The American Public Health Association's "Standard Methods for the Examination of Dairy Products," 17th

edition (2004), is on file with the division and the legislative reference bureau. Copies may be obtained from the

1

2

If an automated testing device is used to perform a milk component test for any milk component, that device shall be calibrated and regularly checked to ensure that it accurately tests for that milk component.

(b) *Specific calibration requirements*. If an automated testing device is used to test for
milkfat, protein, total solids, or solids-not-fat in milk, and if the test results may affect the price
paid to a milk producer, the testing device shall be calibrated according to this paragraph. The

testing device shall be calibrated, for each relevant milk component, by a tester who is licensed
under s. 97.17 or 98.145, Stats., to operate that device.

3 **Note:** See s. ATCP 65.78 (2).

4 1. *Calibration frequency*. A milk component testing device under par. (b) shall be calibrated
5 at all of the following times:

6 a. Upon installation.

7 b. At regular 3 month intervals after installation.

8 c. Immediately after every significant repair or alteration to the testing device.

9 d. Whenever the mean difference on a daily performance check under par. (c) exceeds plus or

10 minus 0.044% for milkfat or protein or plus or minus 0.084% for total solids or solids-not-fat.

11 2. *Calibration procedure*. To calibrate a milk component testing device under par. (b), a

12 tester shall use the device to test a set of calibration samples under subd. 3. The milk component

13 testing device shall be adjusted, as necessary, to satisfy all of the following requirements:

14 a. The performance error on each calibration sample shall be as near as practicable to zero.

15 The performance error is the difference between the known percentage content of each milk

16 component in the calibration sample, as determined by the sample provider, and the percentage

17 content measured by the testing device.

b. The mean difference for the entire set of calibration samples shall be as near as practicable
to zero and shall not exceed plus or minus 0.044% for milkfat or protein or plus or minus
0.084% for total solids or solids-not-fat. The mean difference is the sum of the performance
errors for the individual calibration samples divided by the number of samples in the set.
c. The standard deviation of test results, calculated for the set of calibration samples
according to the formula set forth in the "Official Methods of Analysis of AOAC International,"

1 18th edition (2005), section 969.16, shall not exceed 0.044 % for milkfat or protein, or 0.084 %

2 for total solids or solids-not-fat.

3 4 5	<b>Note:</b> The "Official Methods of Analysis of AOAC International," 18th edition (2005), is on file with the division and the legislative reference bureau, and may be obtained from AOAC International, 2275 Research Blvd., Rockville, MD 20850, website http://www.aoac.org.
6	3. <i>Calibration samples</i> . A set of calibration samples shall be obtained from a sample
7	provider approved by the division. A set of calibration samples shall consist of at least 12
8	individual samples, each of which complies with all of the following requirements:
9	a. Each sample shall be not more than 21 days old.
10	b. Each sample shall be a fresh milk sample preserved with bronopol (2-bromo-2-nitro-1, 3-
11	propanediol) or another approved preservative. Preservative methods, formulations, and
12	concentrations shall be approved by the division.
13	c. Each sample shall have a known percentage content of each relevant milk component
14	determined by the sample provider under pars. (e) to (h).
15	(c) Daily performance check. 1. If an automated testing device is used to test for milkfat,
16	protein, total solids, or solids-not-fat in milk, and if the test results may affect the price paid to a
17	milk producer, the device shall be subjected to a daily performance check before each day's
18	testing. The daily performance check shall be conducted, for each relevant milk component, by a
19	tester who is licensed under s. 97.17 or 98.145, Stats., to operate the testing device.
20	2. To conduct a daily performance check under subd. 1., a tester shall test a set of daily
21	performance check samples under subd. 4. Based on the daily performance check, the tester
22	shall do all of the following:
23	a. Determine the performance error of the testing device with respect to each daily

24 performance check sample. The performance error is the difference between the known

1 percentage content of each milk component in that sample, as determined by the sample provider, and the percentage content measured by the testing device. 2

b. Based on the performance errors for the individual samples under subdivision paragraph a, 3 4 calculate the mean difference for the set of daily performance check samples. The mean difference is the sum of the performance errors for the individual samples, divided by the number 5 of samples in the set. 6

7 3. If, on a daily performance check under subd. 1., the mean difference calculated under subd. (2) (b) exceeds plus or minus 0.044% for milkfat or protein or plus or minus 0.084% for 8 total solids or solids-not-fat the testing device shall not be used until it is recalibrated under par. 9 (b).

10

4. A set of daily performance check samples shall be obtained from a sample provider 11 approved by the division. A set shall consist of at least 5 individual samples, each of which 12 complies with all of the following requirements: 13

a. Each sample shall be not more than 21 days old. 14

b. Each sample shall be a fresh milk sample preserved with bronopol (2-bromo-2-nitro-1, 3-15 propanediol) or another approved preservative. Preservative methods, formulations, and 16 17 concentrations shall be approved by the department.

c. Each sample shall have a known percentage content of each relevant milk component, 18 determined by the sample provider under pars. (e) to (h). 19

20 (d) *Reference checks.* 1. If an automated testing device is used to test for milkfat, protein, total solids, or solids-not-fat in milk, and if the test results may affect the price paid to a milk 21 producer, that device shall be subjected to a daily reference check under subd. 2 and hourly 22 23 reference checks under subd. 3.

2. A daily reference check required under subd. 1 shall be done in accordance with all of the
 following requirements:

a. A daily reference check shall be conducted before each day's testing, at the same time that
the dairy plant operator conducts the daily performance check under par. (c). The daily reference
check shall be conducted, for each relevant milk component by a tester who is licensed under s.
97.17 or 98.145, Stats., to operate the testing device.

b. To perform a daily reference check, a tester shall perform 10 tests on a reference sample.
The reference sample may be a homogenized milk sample prepared by the dairy plant operator,
or it may be a daily performance check sample obtained from a sample provider approved by the
department under par. (c) 4. The 10 test results shall be averaged and the average result shall be
used as a comparison value for the hourly reference checks under subd. 3.

3. An hourly reference check required under subd. 1 shall be done in accordance with all ofthe following requirements:

a. An hourly reference check shall be conducted for each milk component before each hour's
testing for that component. To conduct an hourly reference check, a tester shall test the same
reference sample used for the daily reference check under subd. 2.

b. For each relevant milk component the hourly reference check result shall be compared to the average result obtained on the daily reference check under subd. 2. If an hourly reference check result differs from the average result on the daily reference check by more than 0.034% for milkfat or protein or 0.064% for total solids or solids-not-fat, the testing device shall not be used until the condition causing the difference is found and corrected. Test results obtained before the device is corrected, and after the last previous conforming reference check, shall not be used in determining the amount paid to milk producers. (e) *Calibration and daily performance check samples; milkfat contents.* 1. The provider of a
calibration sample under par. (b) or a daily performance check sample under par. (c) shall
determine the known percentage content of milkfat in that sample by averaging the results of 3
milkfat tests using a method specified under subd. 4. The percentage milkfat results from those 3
milkfat tests shall not vary by more than 0.034 percentage points.

2. The known milkfat content of a calibration sample, expressed as a percentage of the
sample weight, shall be at least 2.5%. Within a set of calibration samples, the difference in
known milkfat content between the lowest milkfat sample and the highest milkfat sample,

9 expressed as a percentage of average sample weight, shall be at least 2.5%.

103. The known milkfat content of a daily performance check sample, expressed as a

11 percentage of the sample weight, shall be at least 2.8%. Within a set of daily performance check

12 samples, the difference in known milkfat content between the lowest milkfat sample and the

13 highest milkfat sample, expressed as a percentage of average sample weight, shall be at least

14 1.5%.

4. To determine the milkfat content of a calibration sample or daily performance check
sample, the sample provider shall use either a manual or robotic version of the Modified
Mojonnier method as described in the "Official Methods of Analysis of AOAC International,"
18 th edition (2005), section 989.05.

- Note: The "Official Methods of Analysis of AOAC International," 18th edition (2005), is on file with the
   division and the legislative reference bureau, and may be obtained from AOAC International, 2275 Research Blvd.,
   Rockville, MD 20850, website http://www.aoac.org.
- (f) *Calibration and daily performance check samples; protein contents.* 1. The provider of a
  calibration sample under par. (b) or a daily performance check sample under par. (c) shall
  determine the known percentage content of protein in that sample by averaging the results of 3

protein tests using the method specified under subd. 3. The percentage protein results from those
 3 tests shall not vary by more than 0.034 percentage points.

2. The known protein content of a calibration or daily performance check sample, expressed 3 4 as a percentage of sample weight, shall be at least 2.7%. Within a set of calibration samples, the difference in known protein content between the lowest protein sample and the highest protein 5 sample, expressed as a percentage of average sample weight, shall be at least 0.7%. Within a set 6 7 of daily performance check samples, the difference in known protein content between the lowest 8 protein sample and the highest protein sample, expressed as a percentage of average sample 9 weight, shall be at least 0.5%. 10 3. To determine the protein content of a calibration sample or daily performance check

sample, the sample provider shall use the traditional or block digester/steam distillation Kjeldahl
 method as described in the "Official Methods of Analysis of AOAC International," 18th edition
 (2005), section 991.20.

- Note: The "Official Methods of Analysis of AOAC International," 18th edition (2005), is on file with the
   division and the legislative reference bureau, and may be obtained from AOAC International, 2275 Research Blvd.,
   Rockville, MD 20850, website http://www.aoac.org.
- (g) Calibration and daily performance check samples; total solids. 1. The provider of a
  calibration sample under par. (b) or a daily performance check sample under par. (c) shall
  determine the known percentage content of total solids in that sample by averaging the results of
  3 total solids tests using the method specified under subd. 3. The percentage total solids results
  from those 3 tests shall not vary by more than 0.054 percentage points.
- 23 2. The known total solids content of a calibration or daily performance check sample,
- expressed as a percentage of sample weight, shall be at least 11%. Within a set of calibration
- samples, the difference in known total solids content between the lowest total solids sample and
- the highest total solids sample, expressed as a percentage of average sample weight, shall be at

1	least 2.00%. Within a set of daily performance check samples, the difference in known total
2	solids content between the lowest total solids sample and the highest total solids sample,
3	expressed as a percentage of average sample weight, shall be at least 1.5%.
4	3. To determine the total solids content of a calibration sample or daily performance check
5	sample, the sample provider shall use the direct forced air oven drying method as described in
6	the "Official Methods of Analysis of AOAC International," 18th edition (2005), section 990.20.
7 8 9	<b>Note:</b> The "Official Methods of Analysis of AOAC International," 18th edition (2005), is on file with the division and the legislative reference bureau, and may be obtained from AOAC International, 2275 Research Blvd., Rockville, MD 20850, website http://www.aoac.org.
10 11	(h) Calibration and daily performance check samples; solids-not-fat. The provider of a
12	calibration sample under par. b or a daily performance check sample under par (c) shall calculate
13	the known percentage content of solids-not-fat in that sample by subtracting the percent milkfat
14	as determined under par. (e) from the total solids for that sample as determined under par. (g).
15	The calculation method shall be that described in the "Official Methods of Analysis of AOAC
16	International," 18th edition (2005), section 990.21.
17 18 19 20	<b>Note:</b> The "Official Methods of Analysis of AOAC International," 18th edition (2005), is on file with the division and the legislative reference bureau, and may be obtained from AOAC International, 2275 Research Blvd., Rockville, MD 20850, website http://www.aoac.org.
20 21	(i) Automated testing devices; constant voltage. A constant voltage regulator shall be
22	connected to, or form a part of, every milk component testing device that is in line with a single
23	phase 115 or 220-volt power supply.
24	(j) Records related to calibrations, daily performance checks, and reference checks. 1. A
25	dairy plant operator shall keep a record of every calibration, performance check, or reference
26	check conducted on a milk component testing device under this section.

1	2. Every record required under subd. 1 shall be signed by the licensed tester who made the
2	record. Calibration records shall be kept separate from performance check and reference check
3	records.
4	(k) Accuracy of devices; division audit. The division may audit the accuracy of milk
5	component testing devices using test samples prepared by the division under pars. (e) to (h).
6	SUBCHAPTER VI
7 8	INSPECTION AND ENFORCEMENT
9 10	ATCP 65.910 Inspection of dairy farms; general. (1) INSPECTION BY DAIRY PLANT
11	OPERATOR. Before a dairy plant operator, including a milk contractor that submits a milk
12	producer license application on behalf of a milk producer and thereby certifies that the milk
13	producer's dairy farm and milking operations comply with applicable requirements under this
14	chapter, submits a milk producer license application or a grade A permit application under s.
15	ATCP 65.02 on behalf of a milk producer, the dairy plant operator shall inspect the dairy farm
16	for compliance with the dairy farm standards under subch. II. The dairy plant operator, when
17	submitting the producer's license or permit application, shall include a copy of the dairy plant
18	operator's inspection report and shall certify that the dairy farm facilities comply with dairy farm
19	standards under subch. II. The department may, at other times, require a dairy plant operator to
20	inspect a dairy farm as necessary.
21	(2) INSPECTION BY THE DIVISION. The division shall inspect dairy farms for compliance with
22	dairy farm standards under subch. II. The division shall inspect a grade A dairy farm at the
23	frequency given in s. ATCP 65.912 and a grade B dairy farm at least once every year. For the
24	purpose of conducting a lawful inspection under this chapter, the department may exercise its

25 authority under ss. 93.08, 93.15 (2), and 97.12 (1), Stats.

(3) VARIANCES. The division administrator, or the division administrator's designee, may
issue a written waiver granting a variance from a dairy farm standard under subch. II if the
division determines that the variance is reasonable and necessary under the circumstances, it will
not compromise the purpose served by the standard, and the milk producer does not hold a grade
A farm permit.

ATCP 65.912 Performance-based grade A dairy farm inspections. (1) GENERAL. The 6 7 division shall use the performance standards in this section to determine grade A dairy farm 8 inspection frequency. The division shall evaluate each grade A dairy farm every 3 months, on the basis of information including inspection reports, milk quality tests, and department 9 compliance actions taken during the preceding 12 months. As provided in subs. (2) to (5), the 10 division shall place each dairy farm in one of the following categories: 11 12 (a) Twelve-month inspection interval. (b) Six-month inspection interval. 13

14 (c) Four-month inspection interval.

15 (d) Three-month inspection interval.

(2) TWELVE-MONTH INSPECTION INTERVAL. The division shall inspect a grade A dairy farm
in the twelve-month inspection interval category at least once every 12 months. The division
shall place a dairy farm in this category if all the following apply, based on dairy farm inspection
reports, milk quality tests, and department compliance actions, during the preceding 12 months:
(a) None of the milk producer's reported standard plate count (SPC) results exceed 25,000
per ml., except that one reported SPC result may exceed 25,000 per ml. if it is not more than
100,000 per ml.

(b) None of the milk producer's reported somatic cell count (SCC) results exceed 500,000
 per ml.

3 (c) None of the milk shipped by the milk producer has been found to contain a drug residue,
4 and the department has not issued any warning to the milk producer under s. ATCP 65.922 (1) or
5 65.920 (5) (c).

(d) No dairy farm inspection report shows more than 5 violations, a violation observed
during consecutive inspections, a violation that creates a substantial risk of adulteration, or a
violation that creates an imminent health hazard.

9 (e) The department has not suspended the producer's grade A dairy farm permit or milk
10 producer license.

11 (f) The producer's latest water supply test does not show any violation of s. ATCP 65.10.

(g) The milk producer has not violated any milk temperature or cooling standards under thischapter.

(3) SIX-MONTH INSPECTION INTERVAL. The division shall inspect a grade A dairy farm in the
 six-month inspection interval category at least once every 6 months. The division shall place a
 dairy farm in this category if all the following apply, based on dairy farm inspection reports, milk
 quality tests, and department compliance actions, during the preceding 12 months:

18 (a) The dairy farm fails to qualify under sub. (2).

(b) The department has issued no more than one warning to the milk producer under s. ATCP
65.920 (5) (a) (1) to (3).

(c) None of the milk shipped by the milk producer has been found to contain a drug residue,
and the department has not issued any warning to the milk producer under ss. ATCP 65.922(1)
or 65.920(5) (c).

(d) No dairy farm inspection report shows more than 5 violations, a violation observed
during consecutive inspections, a violation that creates a substantial risk of adulteration, or a
violation that creates an imminent health hazard.

4 (e) The department has not suspended the producer's grade A dairy farm permit or milk
5 producer license.

6 (f) The producer's latest water supply test does not show any violation of s. ATCP 65.10.
7 (g) The milk producer has not violated any milk temperature or cooling standards under this
8 chapter.

9 (4) FOUR-MONTH INSPECTION INTERVAL. (a) The division shall inspect a grade A dairy farm 10 in the four-month inspection interval category at least once every 4 months. The division shall 11 place a dairy farm in this category if subs. (2), (3) and (5) do not apply and if any of the 12 following apply based on dairy farm inspection reports, milk quality tests, and department 13 compliance actions, during the preceding 12 months:

14 1. At least one load of milk shipped by the milk producer has been found to contain a drug15 residue.

2. At least one violation for improper milk cooling under s. ATCP 65.18 (4), drug use and
storage under ss. ATCP 65.20 (5) and 65.22 (8), or cleaning and sanitization of utensils and
equipment under s. ATCP 65.12 was noted during the most recent inspection.

(b) Once the division places a dairy farm in the four-month inspection interval category, the division may not reassign the dairy farm to any inspection category under sub. (2) or (3) until a date that is at least 12 months after the division's next 3-month evaluation of the dairy farm under this section.

1	(5) THREE-MONTH INSPECTION INTERVAL. (a) The division shall inspect a grade A dairy farm
2	in the three-month inspection interval category at least once every 3 months. The division shall
3	place a dairy farm in this category if subs. (2) to (4) do not apply and if any of the following
4	apply based on dairy farm inspection reports, milk quality tests, or department compliance
5	actions, during the preceding 12 months:
6	1. The department issued more than one warning to the milk producer under s. ATCP 65.920
7	(5).
8	2. The department issued more than one warning to the milk producer under s. ATCP 65.922
9	(1).
10	3. The division conducted more than one reinspection of the dairy farm.
11	4. The department suspended the milk producer's license or grade A dairy farm permit.
12	(b) Once the division places a dairy farm in the 3-month inspection interval category under
13	par. (a), the division may not reassign the dairy farm to any inspection category under subs. (2)
14	to (4) until a date that is at least 12 months after the division's next 3-month evaluation of the
15	dairy farm under this section.
16	ATCP 65.920 Suspension or revocation of grade A producer permit or milk producer
17	license. (1) GENERAL. The department may suspend or revoke a milk producer's license, as
18	provided in s. 93.06 (7), Stats. The suspension or revocation of a milk producer's license also
19	suspends or revokes a grade A producer permit held by the milk producer. A dairy plant shall
20	not receive milk from a milk producer whose milk producer's license is suspended or revoked.
21	(2) ORDER FOR SUSPENSION OR REVOCATION. Except when a summary suspension is ordered
22	as provided under sub. (3), the department may not suspend or revoke a milk producer's license
23	except by order of the secretary or the secretary's designee, as provided in ch. ATCP 1, after

notice and opportunity for hearing under subch. III of ch. 227, Stats. The division may file a 1 written complaint with the department, seeking the suspension or revocation of a milk producer's 2 license. Pending completion of the suspension or revocation, the secretary's 3 4 designee may issue interim orders as necessary to protect the public health, safety, and welfare. 5 (3) SUMMARY SUSPENSION BY THE DIVISION. The division may issue a written notice summarily suspending a milk producer's license if the division makes a written finding in its 6 7 suspension notice that the milk producer has refused to permit inspection or sampling authorized 8 by law, or that one or more conditions in pars. (a) to (e) are present, or one or more conditions indicate the sale or shipment of milk from the milk producer's dairy farm poses an imminent 9 hazard to public health and there is a reasonable likelihood that the hazard will continue if the 10 milk producer's license is not summarily suspended. A summary suspension notice shall comply 11 12 with s. ATCP 65.925 and becomes effective when served on the milk producer. A milk producer 13 served a summary suspension may request a hearing on the summary suspension notice, as provided in s. ATCP 65.928. 14 (a) An inspection of the milk producer's dairy farm reveals gross violations of dairy farm 15 standards under subchapter II, or reveals violations that constitute an acute hazard to public 16 health. 17 (b) A confirmed standard plate count or plate loop count on the milk producer's milk exceeds 18 1,000,000 per ml. 19 (c) Milk from the milk producer's dairy farm is reasonably believed to contain pesticides or 20 toxic substances that may be harmful to humans. 21

(d) An infectious disease, transmissible to humans through milk, is diagnosed by a licensed
 veterinarian in the milk producer's herd.

(e) The producer has not made an agreement with the division for the disposition of
 violations, as required in any warning notice issued under s. ATCP 65.922 (4) or (5).

(4) INSPECTION BEFORE REINSTATEMENT; REINSPECTION FEE. If an inspection is required for
reinstatement of a grade A producer permit or milk producer license that is suspended or revoked
under this section, the department shall charge a reinspection fee under s. ATCP 65.02 (19) for
the inspection.

7 (5) WARNING NOTICE PRECEDING A SUSPENSION OF A GRADE A MILK PRODUCER PERMIT. (a)
8 The division shall mail, serve in person, or prominently post in the milkhouse a written warning
9 to a milk producer holding a Grade A milk producer permit whenever any of the following
10 occurs:

Two of the last 4 bacterial counts reported to the division under s. ATCP 65.70 (2) (d)
 exceed 100,000 per ml., in violation of the standard for grade A milk under s. ATCP 65.70 (2).
 Two of the last 4 somatic cell counts reported to the division under s. ATCP 65.70 (4) (e)
 exceed 750,000 per ml., for cow or sheep milk, or 1,000,000 per ml. for goat milk, in violation of
 the standard under s. ATCP 65.70 (4).

3. Two of the last 4 milk temperature readings violate standards for grade A milk under s.
ATCP 65.70 (5).

4. A division representative finds a key violation as defined in s. ATCP 65.01 (33) during an
inspection, including one or more repeat violations during 2 consecutive inspections, on a grade
A dairy farm.

(b) A warning notice, under par. (a) 1. to 3,. shall state that the milk producer's grade A
producer permit will be suspended if milk quality testing indicates a subsequent violation of the
standard under s. ATCP 65.70 to which the warning notice pertains. A copy of the notice shall

be mailed to the dairy plant operator who receives the milk producer's milk. A warning notice
becomes effective 3 business days after it is mailed, and remains in effect as long as the standard
cited in the warning notice is violated on 2 of the last 4 reported tests.

4 (c) A warning notice, under par. (a) 4, shall state that the department will suspend the milk producer's grade A producer permit if the producer does not correct the violation by a deadline 5 date specified in the notice. The division representative shall specify a correction deadline based 6 7 on the seriousness of the key violation and the time reasonably required to correct the key 8 violation. The correction deadline shall be not less than 3 days nor more than 65 days after the division representative issues the warning notice. The division representative shall mail or 9 deliver a copy of the warning notice to the dairy plant operator or milk contractor who procures 10 milk from the milk producer. The warning notice shall include a notice of the milk producer's 11 12 right to hearing under s. ATCP 65.928.

(d) Not less than 3 calendar days nor more than 21 calendar days after a warning notice under 13 par. (a) 1. to 3. becomes effective, the dairy plant operator, who receives the milk from the 14 warned milk producer, shall obtain and test a sample of the milk producer's milk for compliance 15 with the milk quality standard cited under par. (a) 1. to 3. A milk sample collected under s. 16 ATCP 65.38 and tested by a dairy plant operator under subchapter V satisfies this requirement, 17 provided that the sample is obtained and tested within the time period specified under this 18 paragraph, and the dairy plant operator reports the test result to the division within the applicable 19 20 reporting time specified under subch. V.

(6) SUSPENSION OF A GRADE A MILK PRODUCER PERMIT. (a) The division shall mail a written
notice to a milk producer suspending the milk producer's grade A producer permit, if any of the
following occurs while a warning notice under s. ATCP 65.920 (5) remains in effect:

1. Three of the last 5 bacterial counts reported to the division under ss. ATCP 65.70 (2) (d)
 and 65.920 (5) (c) exceed 100,000 per ml.

2. Three of the last 5 somatic cell counts reported to the division under ss. ATCP 65.70 (4)
(e) and 65.920 (5) (c) exceed 750,000 per ml.

3. Three of the last 5 milk temperature readings violate standards for grade A milk under s.
ATCP 65.70 (5).

4. If within 7 days after the correction deadline under subd. (5) (a) 4. the division
representative finds that the milk producer has not corrected a key violation cited in the warning
notice issued under par. (5) (a) 4.

(b) The suspension of a milk producer's grade A producer permit becomes effective when the 10 suspension notice is served under s. ATCP 65.925 (6). The department shall give prior oral or 11 12 written notice of the suspension, and mail or deliver a copy of the suspension notice, to the dairy plant operator who receives the milk producer's milk. The suspension notice shall comply with 13 s. ATCP 65.925. If a suspension notice is served under par. (a) 4., the division representative 14 shall, within 24 hours, notify the dairy plant operator who receives the milk producer's milk, and 15 place a tag indicating that the milk is now to be handled as grade B milk on the outlet valve of 16 17 the bulk tank or the outlet valve of a bulk milk tanker into which milk is directly transferred by a milking system under s. ATCP 65.16 (5), in order to notify the bulk milk weigher and sampler of 18 the suspension. A person adversely affected by the suspension notice may request a hearing on 19 20 the notice as provided under s. ATCP 65.928.

(7) REINSTATEMENT OF GRADE A MILK PRODUCER PERMIT. (a) A milk producer may ask the
 department to reinstate a grade A producer permit suspended under s. ATCP 65.920 (6). The
 milk producer shall make the request in writing, on a form provided by the department under s.

ATCP 65.925(4). If the suspension occurred because of a violation of sub. (6) (a) 1. to 3., the request shall include the result of a milk quality test performed by the dairy plant operator who receives the milk producer's milk on a milk sample collected after the effective date of the suspension, showing that the milk producer is no longer violating the relevant milk quality standard.

6 (b) Within 7 days after the department receives a complete reinstatement request that
7 complies with par. (a) the department shall do one of the following:

8 1. If the milk producer seeks reinstatement of a grade A producer permit suspended under
9 sub. (6) (a) 1. to 3., the department shall reinstate the grade A producer permit. The department
10 shall notify the milk producer and the dairy plant operator who receives the milk producer's milk
11 of the reinstatement within 24 hours.

2. If the milk producer seeks reinstatement of a grade A producer permit suspended under sub. (6) (a) 4., the department shall inspect the dairy farm and charge a reinspection fee under s. ATCP 65.02 (19). A division representative shall reinstate the grade A producer permit if the division representative finds that the milk producer has corrected all the conditions potentially responsible for the violations cited in the suspension notice. The division representative shall notify the dairy plant operator who receives the milk producer's milk of the reinstatement within 24 hours.

(c) If a milk producer does not request reinstatement, under par. (a), within 6 months after the producer's grade A producer permit is suspended under this section, the permit is automatically revoked at the end of the 6-month period. Once revoked, the grade A producer permit may not be reinstated except upon the filing of a new application under s. ATCP 65.02 (10). Written notice of the reinstatement process shall be provided to the milk producer at the

time of suspension. This paragraph does not apply if the suspension of the milk producer's grade
A producer permit has been contested, and the contested case proceedings are still pending. The
time limit for the reinstatement request is measured from the conclusion of the contested case
proceedings concerning the suspension of the milk producer's grade A producer permit.

Note: Subsection (7) does not prohibit the division from summarily suspending a milk producer's license and
 grade A producer permit under s. ATCP 65.920 without prior warning if the division determines that any of the
 circumstances identified under s. ATCP 65.920 (3) exist.

- 8
- 9

ATCP 65.922 Enforcement actions taken in response to drug residue violations. (1)

10 WARNING NOTICE. Whenever the division receives notice under s. ATCP 65.72 (9) that a milk

11 producer milk sample has yielded a confirmed positive test result for drug residue, the division

12 shall mail a warning notice to that milk producer. The warning notice takes effect 3 business

13 days after it is mailed.

14 The warning notice shall include all of the following:

15 (a) A description of the positive drug residue findings that caused the division to issue the

16 notice.

- 17 (b) The deadlines and penalties specified in subs. (2), (4), or (5).
- 18 (c) Notice of the milk producer's right to hearing under sub. (6).

19 (d) Notice that a division representative will conduct an investigation under sub. (3).

20 (2) DEADLINES AND PENALTIES AFTER A FIRST VIOLATION IN 12 MONTHS. (a) Grade A

21 producer permit suspension; 21-day deadline. The warning notice under par. (a) shall state that,

no less than 21 days after the effective date of the warning notice, the department will suspend

23 the milk producer's grade A producer permit unless, prior to that date, the milk producer certifies

to the division that the milk producer has implemented a drug residue prevention program on the

25 milk producer's dairy farm in consultation with a licensed veterinarian.

1 (b) Notice suspending grade A producer permit. If the division does not receive a milk producer certification within the 21-day period specified under sub. (2) (a), the department shall 2 mail a notice to the milk producer suspending the milk producer's grade A producer permit. The 3 4 suspension notice shall comply with s. ATCP 65.925. The suspension notice takes effect when the suspension notice is served under s. ATCP 65.925 (6). The division shall notify the dairy 5 plant operator or milk contractor who procures milk from the milk producer of the suspension, 6 7 and shall provide that dairy plant operator or milk contractor with a copy of the suspension 8 notice.

9 (c) *Grade A producer permit reinstatement*. If the department suspends a milk producer's 10 grade A producer permit, under par. (a), the milk producer may request the department to 11 reinstate the permit. Written notice of the reinstatement process shall be included in the 12 suspension notice under par. (a), and shall also be provided to the milk producer at the time of 13 suspension.

14 1. The milk producer shall file the reinstatement request in writing, on a form provided by 15 the department, under s. ATCP 65.925(4). The request shall include a certification or attestation 16 that the milk producer has implemented a drug residue prevention program on the milk 17 producer's dairy farm in consultation with a licensed veterinarian.

2. Within 7 business days after the department receives a complete reinstatement request under subd. 1., the division shall inspect the milk producer's dairy farm. The department shall charge a reinspection fee for the inspection, pursuant to s. ATCP 65.02 (19). If, upon inspection, it appears that all conditions potentially responsible for the positive drug residue finding have been corrected and the milk producer has implemented a qualified drug residue prevention program in consultation with a licensed veterinarian, the division representative shall reinstate the milk producer's grade A producer permit and shall notify the dairy plant operator or milk
 contractor of the reinstatement within 24 hours.

3 3. If a milk producer does not request reinstatement under subd. 1., within 6 months after the 4 milk producer's grade A producer permit is suspended under par. (a), the permit is revoked automatically at the end of the 6-month period. A permit, once revoked, may not be reinstated 5 unless the milk producer files a new application under s. ATCP 65.02 (11). This subdivision 6 7 does not apply if the milk producer contests the grade A producer permit suspension and the contested case proceeding is pending. The time limit for the reinstatement request is measured 8 from the conclusion of the contested case proceedings concerning the suspension of the milk 9 producer's grade A producer permit. 10

(d) *Milk producer license suspension; 45-day deadline*. The warning notice under par. (a)
shall state that, no less than 45 days after the effective date of the warning notice, the department
will initiate action to suspend the milk producer's license unless, prior to that date, the milk
producer certifies to the division that the milk producer has implemented a drug residue
prevention program on the milk producer's dairy farm in consultation with a licensed
veterinarian.

(e) *Milk producer license suspension; failure to implement drug residue prevention program.*If the division does not receive a milk producer certification within the 45-day period specified
under par. (d), the division shall file a complaint asking the department to suspend the milk
producer's license until the milk producer implements a drug residue prevention program.

Note: The drug residue prevention program under this section should conform to the "Milk and Dairy Beef Quality Assurance Program" published by Agri-Education, Inc. A copy of that manual is on file with the division and the legislative reference bureau and may be obtained from the Milk & Dairy Beef Quality Assurance Center, 801 Shakespeare Avenue, Stratford, Iowa, 50249, telephone 800-553-2479, website

25 <u>www.dqacenter.org/catalog.htm</u>.

(3) INVESTIGATION. After the division issues a warning notice under sub. (1), the division
representative shall conduct an investigation to determine the cause of the drug residue violation
and to identify milk producer actions that may be necessary to prevent future violations. The
division may direct the dairy plant operator or milk contractor who procures milk from the milk
producer to conduct the investigation as the division's agent and report its findings to the
division, in writing.

7 (4) DEADLINE AND PENALTIES AFTER A SECOND VIOLATION WITHIN 12 MONTHS. If, at least 24 hours and not more than 12 months after a confirmed positive drug test result is reported to the 8 division, the division receives a notice under s. ATCP 65.72 (9) of another confirmed positive 9 drug residue test result on a milk sample from a shipment received from the dairy farm operating 10 under the same milk producer license, a warning notice under sub. (1) (a) shall be mailed to the 11 12 milk producer. The warning notice takes effect 3 business days after it is mailed and shall include the information under sub. (1) (a), (c), and (d). The warning notice shall state that the 13 department shall suspend the milk producer license under s. ATCP 65.920 for at least 5 days 14 unless the milk producer agrees within 15 days of the warning notice taking effect to do all of the 15 following: 16

(a) Discard one shipment of milk, as defined by the department, pursuant to s. ATCP 65.72
(7), or pay a civil forfeiture for the maximum amount, under s. 97.72 (2), Stats., for one violation
of this subsection.

(b) Attend and present a certificate of completion for a drug residue prevention course approved by the department within 180 days of the warning notice taking effect. The certificate of course completion shall be signed by the milk producer, a licensed veterinarian, and the field representative of the dairy plant to which the milk producer's milk is shipped.

1	(5) DEADLINE AND PENALTIES AFTER A THIRD VIOLATION WITHIN 12 MONTHS. If, at least 24
2	hours after a second confirmed positive drug residue test result is reported to the division under
3	sub. ATCP 65.922 (4), and not more than 12 months after a first confirmed positive drug residue
4	test result is reported to the division under sub. ATCP 65.922 (4), the division receives a notice
5	under sub. ATCP 65.72 (9) of another confirmed positive drug residue test result on a milk
6	sample received from the dairy farm operating under the same milk producer license, a warning
7	notice under sub. (1) (a) shall be mailed to the milk producer. The warning notice takes effect 3
8	business days after it is mailed and shall include the information under sub. (1) (a), (c), and (d).
9	The warning notice shall state that the department shall suspend the milk producer's grade A
10	producer permit, under s. ATCP 65.920, for at least 10 days unless the milk producer agrees
11	within 15 days of the warning notice taking effect to do all of the following:
12	(a) Discard two shipments of milk, as defined by the department, pursuant to s. ATCP 65.72
13	(7), or pay a civil forfeiture for the maximum amount, under s. 97.72 (2), Stats., for two
14	violations of this subsection.
15	(b) Develop and implement a drug residue prevention program approved by the department
16	and present documentation indicating that this program has been implemented for at least 90
17	days after the warning notice taking effect.
18 19 20	<b>Note:</b> The drug residue prevention course shall cover proper administration of animal medications, be approved by the department, and require collaboration between the milk producer and a licensed veterinarian.
21	(6) RIGHT TO INFORMAL HEARING. If a milk producer receiving a warning notice under this
22	section disputes the drug residue findings on which the notice is based, the milk producer may
23	request an informal hearing to discuss the drug residue findings. A request for hearing does not
24	automatically stay the warning notice. If the milk producer requests an informal hearing, the
25	division shall hold an informal hearing at the division's office or by telephone. The division shall

hold the informal hearing within 20 days after the division receives the request for hearing, 1 unless the milk producer agrees to a later hearing date. The division may withdraw a warning 2 notice if it appears that the notice was not justified. 3 4 **ATCP 65.925 Suspension notice; requirements.** Whenever the division suspends a milk producer license under s. ATCP 65.920(3), or a grade A producer permit, under s. ATCP 65.922 5 (2) or 65.920 (6), the suspension notice shall comply with all of the following requirements: 6 (1) ISSUED BY AUTHORIZED PERSON. A suspension notice shall be issued by one of the 7 following: 8 9 (a) The division administrator. 10 (b) A person that the division administrator designates in writing, by name or position. (c) A division representative if the suspension notice is issued under s. ATCP 65.920 (6) (a) 11 12 4. (2) REASON FOR SUSPENSION. A suspension notice shall specify the reasons for which the 13 14 suspension notice is issued. (3) TERM OF SUSPENSION; REINSTATEMENT REQUIREMENT. A suspension notice shall indicate 15 the term of the suspension or, if the suspension is for an indefinite term, the conditions that the 16 milk producer must meet in order to obtain reinstatement of the milk producer license or grade A 17 18 producer permit. Conditions for reinstatement shall be reasonably related to the reasons for which the license or permit is suspended. A summary license suspension notice under s. ATCP 19 20 65.920 (2) may authorize a dairy plant operator to receive milk from the suspended milk 21 producer directly or via a milk contractor, on a conditional basis, pending full reinstatement of the milk producer's license, provided that the dairy plant operator or milk contractor performs 22 inspections or tests specified in the suspension order. 23

1	(4) REINSTATEMENT APPLICATION FORM. A notice suspending a grade A producer permit,
2	under s. ATCP 65.920 (6) (a), shall be accompanied by a reinstatement application form which
3	may be used by the affected milk producer to apply for reinstatement of the milk producer's
4	grade A producer permit. The form shall include a statement, to be signed by the affected milk
5	producer, that all requirements for the reinstatement of the grade A producer permit have been
6	met to the best of the milk producer's knowledge. If a milk producer requests a hearing on a
7	suspension under s. ATCP 65.928, a request for reinstatement under this subsection does not
8	constitute an admission or waiver by the milk producer with respect to any fact, issue or cause of
9	action.
10	(5) NOTICE OF RIGHT TO HEARING. A suspension notice shall include a notice that the milk
11	producer may request a hearing on the suspension, as provided under s. ATCP 65.928.
12	(6) SERVICE ON MILK PRODUCER. A suspension notice shall be served on the affected milk
13	producer by one of the following methods:
14	(a) By delivering the notice in person to the milk producer or to a competent member of the
15	milk producer's household who is 14 years of age or older.
16	(b) By mailing the notice to the milk producer. Service may be proved by an affidavit of
17	mailing or by a return receipt signed by the milk producer. Absent proof of later delivery, a
18	notice served by mail is considered served three business days after the date of mailing.
19	(c) For a notice suspending a grade A producer permit, under s. ATCP 65.920 (6), by posting
20	the suspension notice in a prominent location in the milk producer's milkhouse. A notice posted
21	in the milkhouse under this paragraph is considered served at the time of posting.
22	(7) COPY PROVIDED TO DAIRY PLANT OPERATOR. A copy of every suspension notice shall be
23	mailed or delivered to the dairy plant operator or milk contractor who normally procures milk

from the milk producer at least three days before the start of the suspension. Failure to mail or
 deliver a copy to the dairy plant operator or milk contractor does not invalidate a suspension
 notice.

ATCP 65.926 Dairy plant license and grade A permit suspension or revocation. (1) 4 The department may suspend or revoke a dairy plant license or grade A dairy plant permit, as 5 provided in s. 93.06 (7), Stats. except as provided under sub. (2), the department may not 6 suspend or revoke a dairy plant license or grade A dairy plant permit except by order of the 7 secretary or the secretary's designee, as provided in ch. ATCP 1, after notice and opportunity for 8 hearing under subch. III of ch. 227, Stats. The division may file a written complaint with the 9 10 department seeking the suspension or revocation of a dairy plant license or grade A dairy plant 11 permit. Pending completion of the proceedings, the secretary or the secretary's designee may issue interim orders as necessary to protect the public health, safety and welfare. If an inspection 12 is required for the reinstatement of a dairy plant license or grade A dairy plant permit that is 13 14 suspended or revoked under this section, the department shall charge a reinspection fee, under s. ATCP 65.02 (19), for the inspection. 15

(2) The department may suspend or revoke a dairy plant license or grade A dairy plant
 permit, as provided under s. 93.06 (7), Stats., for cause including any of the following:

18 (a) A violation of this chapter or ch. ATCP 100.

(b) Interference with lawful inspection or sampling by the department or a certifying agency
under s. ATCP 65.930, or refusal to permit lawful inspection or sampling by the department or a
certifying agency under s. ATCP 65.930.

22 (c) Refusal to permit the lawful inspection or copying of documents under s. 65.44 (2).

23 (d) Failure to pay fees required under s. ATCP 65.04.

- Note: The procedure for suspending or revoking a dairy plant license or grade A permit is specified in ch.
   ATCP 1.
- 3

4 (3) The suspension or revocation of a dairy plant license automatically suspends or revokes
5 any grade A permit that the dairy plant operator holds for that dairy plant.

6 **Note:** Violations of this chapter may also result in court prosecution under s. 97.72 or 97.73, Stats.

ATCP 65.927 Holding orders; identification and disposal of adulterated milk. (1)

HOLDING ORDER. Whenever a division representative has reasonable cause to believe that milk 9 or a milk product examined by the division representative is adulterated or misbranded and is 10 11 dangerous to health or misleading to the injury or damage of a purchaser or consumer, the division representative may issue a temporary holding order to allow for further testing or 12 examination of the milk or milk product, pursuant to s. 97.12 (2), Stats. A holding order shall be 13 14 written and shall identify the milk or milk product that is subject to the holding order. The division may extend or terminate a holding order by written notice, as provided in s. 97.12 (2), 15 Stats. A notice extending a holding order shall be signed by the division administrator, or a 16 person authorized in writing by the division administrator. A holding order and every notice 17 extending a holding order shall include a notice of the recipient's right to hearing under s. ATCP 18 65.928. 19

(2) DISPOSAL ORDER. If analysis or examination shows that milk or a milk product is
adulterated or misbranded and is dangerous to health or misleading to the injury or damage of a
purchaser or consumer, the division may issue a summary disposal order under s. 97.12 (2) (c),
Stats., requiring the disposal or other disposition of the milk or milk product. A disposal order
may be issued by the division representative who examines the milk, or by the division
administrator, or by a person whom the administrator designates in writing. Where appropriate,
an order may require relabeling of misbranded milk in lieu of disposal. A holding order under

sub. (1) is not a prerequisite to a disposal order under this subsection. A disposal order shall be
issued in writing, and shall include a notice of the recipient's right to hearing under s. ATCP
65.928.

(3) IDENTIFICATION OF ADULTERATED MILK. If milk is found to be adulterated and hazardous
to health, a division representative may identify the milk for disposal or disposition in
compliance with a notice under sub. (2). To identify the adulterated milk, the division
representative may tag the milk container and may add a harmless food grade color to the milk to
prevent its sale or use for human food purposes.

ATCP 65.928 Right of hearing. (1) HEARING REQUEST. A person adversely affected by
any of the following division actions may ask the department to hold a hearing on that action:
(a) The denial of a milk producer license application or grade A producer permit application
under s. ATCP 65.02.

13 (b) The summary suspension of a milk producer license, under s. ATCP 65.920 (3).

14 (c) The issuance of a warning notice, under s. ATCP 65.920 (5) (a).

15 (d) The suspension of a grade A producer permit, under s. ATCP 65.920 (6) (a).

16 (e) The denial of a reinstatement application, under s. ATCP 65.920 (5) (d) or (7).

17 (f) A holding order, disposal order, or other summary action, under s. ATCP 65.927.

18 (g) The suspension or revocation of a dairy plant license or grade A permit, under s. ATCP

19 65.926.

20 (2) FORM AND TIMING OF REQUEST; EFFECT PENDING HEARINGS.

A person requesting an informal hearing, under sub. (3), shall make that request, in writing,

22 within 10 days after the person receives notice of the division action. A request for hearing does

23 not stay the effect of any action under this chapter. The filing deadline under this subsection is

waived if the department fails to give the milk producer timely written notice of the filing
 deadline.

3 (3) INFORMAL HEARING. (a) Whenever the department receives a hearing request under sub. (2), the department shall conduct an informal hearing on the contested action. The hearing shall 4 be conducted by a presiding officer who is a department employee or official who was not 5 personally involved in the investigation or decision to take the contested action, and who has 6 authority to withdraw or correct the action as necessary. The division shall conduct the informal 7 hearing unless the contested action was taken by the division administrator. The division shall 8 hold the informal hearing within 20 days after it receives the hearing request under sub. (2), 9 10 unless the person requesting the hearing agrees to a later date. The division may hold the 11 informal hearing by telephone or at the division's office.

(b) The issue for hearing, held under par. (a), shall be limited to whether the division had 12 adequate grounds for the contested action. Within 2 business days after the conclusion of the 13 14 informal hearing, the presiding officer shall issue a brief written memorandum that summarizes 15 the informal hearing, and any decision or action resulting from the informal hearing. A copy of the memorandum shall be provided to the person who requested the hearing. The memorandum 16 shall include notice of the person's right to request a full evidentiary hearing under sub. (4). 17 (4) FULL EVIDENTIARY HEARING. If a person adversely affected by a division action either 18 files a timely written request for hearing under sub. (2), and the matter is not resolved by an 19 informal hearing under sub. (3), or does not want an informal hearing, the person may request a 20 21 full evidentiary hearing before the department, pursuant to subch. III of ch. 227, Stats., and ch. ATCP 1. The person shall make the hearing request as specified in s. ATCP 1.06. A full 22

evidentiary hearing, if any, shall be held before an administrative law judge appointed by the
 secretary. A request for a full evidentiary hearing does not stay any action under this chapter.

ATCP 65.930 Grade A dairy plants; compliance monitoring and inspection. (1) AUDIT SURVEYS BY CERTIFYING AGENCY. (a) *Requirement*. The division shall perform audit surveys of grade A dairy plants, and the dairy farms shipping milk to those dairy plants, to establish a grade A sanitation compliance rating under this chapter. The division shall survey a grade A dairy plant, and the farms shipping milk to that dairy plant, at all of the following times:

8 1. Within 20 business days after the department first issues a grade A dairy plant permit to
9 the dairy plant under s. ATCP 65.04.

10 2. At least once every 2 years after the initial survey under subd. 1.

(b) Survey method. A survey, under par. (a), shall include an inspection of the grade A dairy 11 plant, an inspection of a randomly selected statistically representative sample of dairy farms in a 12 BTU shipping grade A milk to that dairy plant, and an evaluation of the division's enforcement 13 14 methods. A survey shall be conducted in compliance with "Methods of Making Sanitation Ratings of Milk Supplies," 2013 revision, published by the Food and Drug Administration, 15 16 Public Health Service, United States Department of Health and Human Services. Note: The "Methods of Making Sanitation Ratings of Milk Supplies" is on file with the division and 17 the legislative reference bureau. Copies may be purchased from the Milk Safety Team, HFS-626, Food 18 19 and Drug Administration, Public Health Service, United States Department of Health and Human

20 Services, 5100 Paint Branch Parkway, College Park, MD 20740-3835. Also available online at 21 http://www.fda.gov/food/guidanceregulation/federalstatefoodprograms/ucm2007965.htm.

22

(c) *Survey rating*. Based on a survey under par. (a), the division shall assign an overall grade
A sanitation compliance rating to the dairy plant and the dairy farms in the BTU that ship milk to
that dairy plant.

(d) Unsatisfactory survey rating; grade A permit suspension. The department may suspend or 1 revoke a dairy plant's grade A permit if the sanitation compliance rating for that dairy plant under 2 par. (c) falls below 80%. This subsection does not prohibit the department from suspending or 3 4 revoking a grade A dairy plant permit for any other reason. 5 Note: Procedures, related to the suspension or revocation of a grade A dairy plant permit, are set forth in ch. 6 ATCP 1. If a compliance rating falls below 80%, the department may also decertify the dairy plant as an interstate 7 milk shipper. Decertification may prevent the dairy plant operator from shipping grade A dairy products in interstate 8 commerce. 9 10 (2) INSPECTION FREQUENCY. (a) Except as provided in par. (b), the division shall inspect every grade A processing plant at least once every 3 months, every grade A receiving station at 11 least once every 3 months, and every grade A transfer station at least once every 6 months. 12 13 (b) Paragraph (a) does not apply to a grade A processing plant, receiving station, or transfer 14 station that the United States food and drug administration lists as being enrolled in the program described in PMO Appendix K. 15 16 Note: PMO Appendix K describes a voluntary "hazard analysis-critical control point (HACCP)" program for 17 dairy plants. The HACCP program serves as a partial alternative to traditional inspection. If a dairy plant is currently enrolled in the HACCP program, as indicated by the Interstate Milk Shippers List published by the United States 18 19 food and drug administration, the department is not required to inspect the dairy plant with the normal frequency 20 required under sub. (2)(a). If an enrolled dairy plant fails to comply with HACCP program standards in PMO 21 Appendix H, the food and drug administration may "de-list" the dairy plant from the HACCP program and the 22 department must then inspect the dairy plant at the normal frequency required by sub. (2)(a). PMO Appendix K is on 23 file with the division and the legislative reference bureau. Copies may be obtained from the department at cost or 24 online at http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/Milk. 25 (3) DAIRY PRODUCT SAMPLING; FREQUENCY. (a) Pasteurized milk and dairy products; sample 26 testing. Except as provided in par. (c), the division in every consecutive 6-month period shall 27 collect from every grade A dairy plant at least 4 samples of each pasteurized grade A dairy 28 product produced by that dairy plant. The division shall collect each sample in a separate month, 29 30 except that the division may collect 2 of the samples in the same month if it collects those 2 samples at least 20 days apart and collects the other two samples in two other months. Dairy 31 plants producing pasteurized grade A dairy products on an intermittent basis shall notify the 32

division of intended production schedules to facilitate sample collection under this paragraph.
The division shall measure and record the temperature of each pasteurized grade A dairy product
from which the samples are collected and shall test the samples for bacteria counts, coliform
counts, and beta lactam drug residues. The division may collect additional samples and perform
additional tests that the division considers necessary.

(b) Raw milk held at dairy plant; sample testing. During every consecutive 6-month period, 6 the division shall collect at least 4 samples of commingled raw milk from each grade A dairy 7 plant that receives raw milk. The division shall collect each sample in a separate month, except 8 9 that the division may collect 2 of the samples in the same month if it collects those 2 samples at least 20 days apart and collects the other two samples in two other months. The division shall 10 measure and record the temperature of the raw commingled milk from which the division 11 collects each sample and shall test each sample for bacterial counts and beta lactam drug 12 residues. The division may collect additional samples and perform additional tests that the 13 14 division considers necessary.

(c) Paragraph (a) does not apply to a grade A condensed or dry milk product that is not
 produced on a continuous monthly basis, provided that the division collects at least 5 samples
 within each continuous production period.

- 18 SECTION 3. ATCP 65 Appendix A is created to read:
- 19Chapter ATCP 65
- 20
- 21

**3-A SANITARY STANDARDS AND ACCEPTED PRACTICES** 

The following 3–A standards and 3–A accepted practices establish criteria for the sanitary construction and operation of dairy handling and processing equipment. These standards are published by the "3–A Sanitary Standards, Inc., 1451 Dolley Madison Boulevard, Suite 210, McLean, VA 22101–3850, website www.3–A.org, Telephone: (703) 790–0295, Fax: (703) 761–6284. Copies are on file with the department and the reviser of statutes. Copies may be obtained from "3–A Sanitary Standards, Inc. Online Store" at http://www.techstreet.com.

**APPENDIX** A

You may also search, order and download standards (in PDF format) by visiting <u>http://www.3-</u>
 <u>A.org.</u>

4

Doc. No.	Title (3-A Sanitary Standards for:)	Effective
00-00	General Requirements	10/2014
01-09	Insulated Tanks	11/2013
02-11	Centrifugal and Positive Rotary Pumps	7/2012
04-05	Homogenizers and Reciprocating Pumps	6/2012
05-15	Stainless Steel Automotive Transportation Tanks	11/2002
10-04	Filters Using Single Service Filter Media	11/2000
11-09	Plate-Type Heat Exchangers	8/2010
12-07	Tubular Heat Exchangers	11/2003
13-11	Farm Milk Cooling and Holding Tanks	7/2012
16-05	Product Evaporators and Vacuum Pans	8/1997
17-11	Formers, Fillers, and Sealers of Containers for Fluid Products	11/2012
18-03	Multiple-Use Rubber and Rubber-Like Materials	8/1999
19-07	Batch and Continuous Freezers Ice Cream, Ices, and Similarly Frozen	12/2008
	Foods	
20-27	Multiple-Use Plastic Materials	7/2011
21-01	Centrifugal Separators and Clarifiers	11/2006
22-08	Silo-Type Storage Tanks	11/2004
23-06	Equipment for Packaging Viscous Products	11/2012
24-03	Non-Coil Type Batch Pasteurizers	7/2010
25-03	Non-Coil Type Batch Processors	11/2002
26-05	Sifters for Dry Products	4/2007
27-06	Equipment for Packaging Dry Products	5/2010
28-04	Flow Meters	1/2009
29-03	Air Eliminators	8/2011
30-01	Farm Milk Storage Tanks	9/1984
31-06	Scraped Surface Heat Exchangers	9/2010
32-03	Uninsulated Tanks	3/2013
33-02	Metal Tubing	9/2009
34-02	Portable Bins for Dry Products	9/1992

## **3-A SANITARY STANDARDS**

Doc. No.	Title (3-A Sanitary Standards for:)	Effective
35-04	Blending Equipment	8/2011
36-01	Inline Rotor-Stator Mixers	11/2003
38-00	Cottage Cheese Vats	8/1997
39-01	Pneumatic Conveyors for Dry Products	11/2003
40-04	Bag Collectors	3/2012
41-03	Mechanical Conveyors for Dry Products	1/2008
42-01	In-Line Strainers	11/1997
44-03	Diaphragm Pumps	11/2001
45-02	Crossflow Membrane Modules	11/2003
46-03	Refractometers and Energy-Absorbing Optical Sensors	11/2002
49-01	Air Driven Sonic Horns for Dry Products	11/2001
50-01	Level Sensing Devices for Dry Products	11/2001
51-01	Plug-Type Valves	11/1998
52-02	Plastic Plug-Type Valves	11/1998
53-06	Compression-Type Valves	5/2009
54-02	Diaphragm-Type Valves	11/1997
55-02	Boot Seal Type Valves	8/2010
56-00	Inlet and Outlet Leak-Protector Plug-Type Valves	5/1993
57-02	Disc-Type Valves	5/2008
58-01	Vacuum Breakers and Check Valves	8/2010
59-00	Automatic Positive Displacement Samplers for Fluid Products	11/1993
60-01	Rupture Discs	7/2013
61-01	Steam Injection Heaters	9/2006
62-02	Hose Assemblies	11/2010
63-03	Sanitary Fittings	11/2002
64-00	Pressure Reducing and Back Pressure Regulating Valves	11/1993
65-01	Sight and/or Light Windows and Sight Indicators in Contact with Product	6/2008
68-00	Ball-Type Valves	11/1996
70-02	Italian-Type Pasta Filata Style Cheese Cookers	7/2013
71-01	Italian-Type Pasta Filata Style Cheese Moulders	11/2002
72-01	Italian-Type Pasta Filata Style Moulded Cheese Chillers	11/2002
73-01	Shear Mixers, Mixers, and Agitators	10/2005
74-06	Sensors and Sensor Fittings and Connections Used on Equipment	8/2013

Doc. No.	Title (3-A Sanitary Standards for:)	Effective
75-01	Belt-Type Feeders	6/2012
78-01	Spray Cleaning Devices Intended to Remain in Place	11/2003
81-00	Auger-Type Feeders	11/1998
82-00	Pulsation Dampening Devices	11/2002
83-00	Enclosed Cheese Vats and Tables	11/2003
84-02	Personnel Access Ports for Wet Applications	6/2007
85-03	Double-Seat Mixproof Valves	4/2014
87-00	Mechanical Strainers	11/2007
88-00	Machine Leveling Feet and Supports	12/2006
95-00	Transportation Tank Vents	10/2012
101-00	Pipeline Product Recovery Equipment Using Projectiles	8/2012

## **3-A ACCEPTED PRACTICES**

Doc. No.	Title (3-A Sanitary Standards Topic)	Effective
603-07	Sanitary Construction, Installation, Testing, and Operation of High- Temperature Short-Time and Higher-Heat Shorter-Time Pasteurizer Systems	11/2005
604-05	Supplying Air Under Pressure for Contact with Product or Product Contact Surfaces	11/2004
605-04	Permanently Installed Product and Solution Pipelines and Cleaning Systems	8/1994
606-05	Design, Fabrication, and Installation of Milking and Milk Handling	11/2002
	Equipment	
607-05	Spray Drying Systems	11/2004
608-02	Instantizing Systems	11/2001
609-03	Method of Producing Steam of Culinary Quality	11/2004
610-02	Sanitary Construction, Installation, and Cleaning of Crossflow Membrane Processing Systems	7/2009
611-00	Farm Milk Cooling and Storage Systems	11/1994
612-00	Plant Environmental Air Quality	12/2011

**SECTION 4.** ATCP 77.01 (4m) is amended to read:

ATCP 77.01 (4m) "Drug residue screening test" means any test under s. ATCP 77.02 (1) 2 (f) to (1) (t) or (1) (zd), other than a confirmatory test, that a person uses to comply with drug 3 4 residue testing requirements under s. ATCP 60.19 65.72. 5 **SECTION 5.** ATCP 77.02 (1) (zd) is amended to read: ATCP 77.02 (1) (zd) Tests performed to comply with ch. ATCP <del>60 or 80</del> 65, other than 6 7 milk component tests which are not related to public health. 8 **SECTION 6.** ATCP 77.23 (1) (a) and (1) (b) 2. are amended to read: ATCP 77.23 (1) (a) The department may approve a laboratory to perform a drug residue 9

10 test as a screening test, even though the laboratory is not certified under s. ATCP 77.03 to

11 perform the test as a confirmatory test. An approval expires on December 31 of each year. An

12 approved laboratory shall comply with s. ATCP  $\frac{60.22(1)(b)}{65.76(2)(b)}$ .

ATCP 77.23 (1) (b) 2. The laboratory has written agreements with one or more certified laboratories to provide the confirmatory testing required under s. ATCP <del>60.22 (1) (b) 3</del> <u>65.76 (2)</u> (b) 3.

16 **SECTION 7.** ATCP 80 is repealed.

17 SECTION 8. ATCP 81.91 (1) is amended to read:

ATCP 81.91 (1) DESCRIPTION. Baby Swiss cheese is the food prepared by the process under sub. (2) or by any other process which produces a finished cheese having the same physical and chemical properties as that produced under sub. (2). Baby Swiss cheese has round, well-formed holes or eyes developed throughout the cheese. The minimum milkfat content of baby Swiss cheese is 45% by weight of the solids. The maximum moisture content is 43% by weight, as determined by a method that complies with s. ATCP <u>80.32</u> <u>65.86</u>. Baby Swiss cheese shall be 1 held at the point of manufacture for 60 days prior to distribution, or be made from pasteurized

2 milk. If pasteurized milk is used, the phenol equivalent value of 0.25 grams of baby Swiss

3 cheese shall not exceed 3 micrograms.

4 SECTION 9. ATCP 82.04 (1) (b) is amended to read:

5 ATCP 82.04 (1) (b) Collect test samples of milk required under s. ATCP  $\frac{60.17}{65.38}$ .

6 **SECTION 10.** ATCP 82.04 (9) (b) is amended to read:

7 ATCP 82.04 (9) (b) Collect test samples of grade A milk, which will be processed as grade A

8 milk or a grade A dairy product, as required under s. ATCP 60.17 65.38.

9 **SECTION 11.** ATCP 82.08 (3) (b) is amended to read:

10 ATCP 82.08 (3) (b) Sanitize dairy product contact surfaces according to s. ATCP 80.18

11 <u>65.34</u>.

12 **SECTION 12.** ATCP 82.10 (1) (a) is amended to read:

13 ATCP 82.10 (1) (a) If milk from a grade A or grade B dairy farm violates a standard under s.

14 ATCP 60.15 65.70 on any single test, milk from that farm shall be collected at least one every 2

15 days until a subsequent test shows that the milk from that dairy farm complies with that standard.

16 This paragraph does not require a bulk milk weigher and sampler to collect milk if collection

17 would violate ch. ATCP 60 65.

18 **SECTION 13.** ATCP 82.10 (6) (a) is amended to read:

19 ATCP 82.10 (6) (a) Before a bulk milk weigher and sampler collects milk at a dairy farm, the

20 bulk milk weigher and sampler shall record the temperature of the milk to be collected, as shown

21 on the dairy farm bulk tank indicating thermometer. If the milk is collected more than 2 hours

after the last milking, the bulk milk weigher and sampler shall reject the milk if the milk

23 temperature exceeds 45° F. (7° C.). If milk from 2 or more milkings is collected within 2 hours

1	of the last milking, the bulk milk weigher and sampler shall reject the milk if the milk
2	temperature exceeds 50° F. (10° C.). Milk which does not meet these temperature requirements
3	may be collected if, within 4 hours after collection, the milk has begun to be processed
4	exclusively into milk or dairy products not designated as a grade A dairy product under s. ATCP
5	$\frac{80.01(14)}{65.01(26)}$ and $\frac{(15)}{(27)}$ .
6	SECTION 14. ATCP 82.12 (2m) (intro.) and (a) are amended to read:
7	ATCP 82.12 (2m) (intro.) An individual shall comply with the following procedures when
8	collecting a milk sample from a bulk milk tanker under sub. (1) (c), unless the department
9	specifies a different procedure in its authorization under s. ATCP 60.11 (4) 65.16 (5).
10	ATCP 82.12 (2m) (a) The individual shall collect the sample at the dairy plant where the
11	bulk milk shipment is first received, in a receiving facility that complies with s. ATCP $\frac{80.20}{100}$
12	<del>(6)<u>65.36(6)</u>.</del>
13	<b>SECTION 15.</b> ATCP 82.12 (4) (c) is amended to read:
14	ATCP 82.12 (4) (c) Large enough to hold milk for initial and repeat testing under s. ATCP
15	80.26 65.76, and large enough to permit thorough mixing of sample contents before testing.
16	<b>SECTION 16.</b> ATCP 100.98 (2) (a) and (b) are amended to read:
17	ATCP (2) (a) Dairy farm field service costs other than field service costs which are directly
18	attributable to violations of ch. ATCP 60 65.
19	ATCP (2) (b) Costs to test dairy farm milk shipments before the dairy plant operator
20	commingles those milk shipments with other milk shipments at the dairy plant. Testing costs
21	include lab testing, reporting and recordkeeping costs related to milk testing. Testing costs do not
22	include costs incurred by a milk hauler to collect milk samples from dairy farms, nor do they
23	include costs incurred because of producer's violation of ch. ATCP 60 65.

- 1 SECTION 17. ATCP 100.982 (3) is amended to read:
- 2 ATCP 100.982 (3) Properly charging a producer, pursuant to ch. ATCP 60 65 or the

3 procurement contract, for costs which the dairy plant operator or milk contractor incurs because

- 4 of the producer's violation of ch. ATCP  $\frac{60}{65}$ .
- 5 **SECTION 18.** ATCP 100.982 (4) (f) is amended to read:
- 6 ATCP 100.982 (4) (f) The dairy plant operator complies with ss. ATCP  $\frac{80.26}{2}$  <u>65.84 (3)</u>
- 7 and 100.30.
- 8 SECTION 19. EFFECTIVE DATE: This rule shall take effect on the first day of the month
- 9 following publication in the Wisconsin administrative register, as provided under s. 227.22 (2)
- 10 (intro).

Dated this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 2016.

WISCONSIN DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION

By \_\_\_\_\_

Ben Brancel, Secretary