STATE OF WISCONSIN DEPARTMENT OF ADMINISTRATION DOA-2049 (R03/2012) DIVISION OF EXECUTIVE BUDGET AND FINANCE 101 EAST WILSON STREET, 10TH FLOOR P.O. BOX 7864 MADISON, WI 53707-7864 FAX: (608) 267-0372

## ADMINISTRATIVE RULES Fiscal Estimate & Economic Impact Analysis

Type of Estimate and Analysis     X Original □ Updated □ Corrected	
2. Administrative Rule Chapter, Title and Number SPS 322, Uniform Dwelling Code, Energy conservation	
Subject     Crawl space ventilation.	
4. Fund Sources Affected ☐ GPR ☐ FED ☒ PRO ☐ PRS ☐ SEG ☐ SEG-S	5. Chapter 20, Stats. Appropriations Affected 20.165(2)(j)
6. Fiscal Effect of Implementing the Rule  ☐ No Fiscal Effect ☐ Increase Existing Revenues ☐ Indeterminate ☐ Decrease Existing Revenues	<ul><li>☐ Increase Costs</li><li>☒ Could Absorb Within Agency's Budget</li><li>☐ Decrease Cost</li></ul>
7. The Rule Will Impact the Following (Check All That Apply)  State's Economy  Dublic Utility Rate Payers  Small Businesses (if checked, complete Attachment A)	
8. Would Implementation and Compliance Costs Be Greater Than \$20 million?  ☐ Yes ☐ No	
9. Policy Problem Addressed by the Rule The proposed rule revisions would disallow crawl space ventilation in one- and two-family dwellings, which has been shown to cause mold and other moisture problems.	
10. Summary of the businesses, business sectors, associations representing business, local governmental units, and individuals that may be affected by the proposed rule that were contacted for comments. Representatives of the following: building contractors engaged in construction of housing; building inspectors; the construction material supply industry; and remodeling contractors engaged in the remodeling of housing	
11. Identify the local governmental units that participated in the development of this EIA.	
12. Summary of Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public Utility Rate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred) No significant negative economic or fiscal impact is expected.	
13. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule  Home owners and building contractors will not be allowed to have uninsulated crawl spaces with openings for cross ventilation and crawl space walls will be required to have insulation. The alternative would be to continue to allow uninsulated crawl space walls with ventilation as a crawl space design option.	
14. Long Range Implications of Implementing the Rule One- and two-family dwellings are expected to have fewer mold and moisture problems in crawl spaces.	
15. Compare With Approaches Being Used by Federal Government See comparison in the rule analysis that accompanies the proposed rule revisions.	
16. Compare With Approaches Being Used by Neighboring States (Illinois, lowa, Michigan and Minnesota) See comparison in the rule analysis that accompanies the proposed rule revisions.	
17. Contact Name	18. Contact Phone Number
Dan Smith	608-261-4463

This document can be made available in alternate formats to individuals with disabilities upon request.