

# CUSTOMER-FORMULA MEDICATED LABEL ATTACHMENT FOR INVOICE 123456

DATED 01/01/17



# OBSERVE LABEL

# **RON SMITH BREEDER SWINE FEED MEDICATED**

TYPE C MEDICATED FEED FOR ADULT OR BREEDING SWINE

FORMULA #: RONSMITH BREEDER FORMULA Jan17

## STATEMENT OF PURPOSE

For the treatment and control of gastrointestinal roundworms (Ascaris suum, adults and fourth-stage larvae; Ascarops strongylina, adults; Hyostrongylus rubidus, adults and fourth-stage larvae; Oesophagostomum species, adults and fourth-stage larvae), kidneyworms (Stephanurus dentatus, adults and fourth-stage larvae), lungworms (Metastrongylus species, adults), lice (Haematopinus suis); and mange mites (Sarcoptes scabiei var. suis).

### **ACTIVE DRUG INGREDIENT**

9.10 grams/ton **Ivermectin** 4.55 milligrams/pound

#### **USE DIRECTIONS**

Feed this Type C Medicated Feed at the rate of 0.1 mg ivermectin per kg (2.2 lb) of bodyweight per day. Feed as the only feed for 7 consecutive days.

Feeding Chart	
Ave. Body Weight	Feed Intake Required (lbs)
300	3.00
400	4.00
500	5.00

# PRECAUTIONARY STATEMENTS

WARNING: Withdraw 5 days before slaughter.

CAUTION: Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. This product contains Ivomec brand ivermectin and has been formulated specifically for use in swine. This product should not be used for other animal species. Do not permit water runoff from swine production sites to directly enter lakes, streams, or ponds. Do not contaminate water by direct application or by the improper disposal of containers. Dispose of containers in an approved landfill or by incineration.

#### MANUFACTURED BY:

BLUE BIRD MILL, ANY TOWN, ANY STATE + ZIP Net Weight on Bag and/or Invoice

revision 12/01/16



#### CUSTOMER-FORMULA MEDICATED LABEL ATTACHMENT FOR INVOICE 123456 DATED 01/01/17



# **RON SMITH BREEDER SWINE FEED MEDICATED**

TYPE C MEDICATED FEED FOR ADULT OR BREEDING SWINE

FORMULA #: RONSMITH BREEDER FORMULA Jan17

## STATEMENT OF PURPOSE

For the treatment and control of gastrointestinal roundworms (Ascaris suum, adults and fourth-stage larvae; Ascarops strongylina, adults; Hyostrongylus rubidus, adults and fourth-stage larvae; Oesophagostomum species, adults and fourth-stage larvae), kidneyworms (Stephanurus dentatus, adults and fourth-stage larvae), lungworms (Metastrongylus species, adults), lice (Haematopinus suis); and mange mites (Sarcoptes scabiei var. suis).

#### **ACTIVE DRUG INGREDIENT**

9.10 grams/ton **Ivermectin** 4.55 milligrams/pound

#### **USE DIRECTIONS**

Feed this Type C Medicated Feed at the rate of 0.1 mg ivermectin per kg (2.2 lb) of bodyweight per day. Feed as the only feed for 7 consecutive days.

Feeding Chart	
Ave. Body Weight	Feed Intake Required (lbs)
300	3.00
400	4.00
500	5.00

# PRECAUTIONARY STATEMENTS

WARNING: Withdraw 5 days before slaughter.

**CAUTION:** Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. This product contains Ivomec brand ivermectin and has been formulated specifically for use in swine. This product should not be used for other animal species. Do not permit water runoff from swine production sites to directly enter lakes, streams, or ponds. Do not contaminate water by direct application or by the improper disposal of containers. Dispose of containers in an approved landfill or by incineration.

#### MANUFACTURED BY:

BLUE BIRD MILL, ANY TOWN, ANY STATE + ZIP Net Weight on Bag and/or Invoice

revision 12/01/16