


	CUSTOMER-FORMULA MEDICATED LABEL ATTACHMENT FOR INVOICE 123456 DATED 01/01/17	
RON SMITH GROWER SWINE FEED MEDICATED TYPE C MEDICATED FEED FOR WEANED/GROWING/FINISHING SWINE FORMULA #: RONSMITH GROWER FORMULA Jan17		
STATEMENT OF PURPOSE		
For the treatment and control of gastrointestinal roundworms (<i>Ascaris suum</i> , adults and fourth-stage larvae; <i>Ascarops strongylina</i> , adults; <i>Hyostromylus rubidus</i> , adults and fourth-stage larvae; <i>Oesophagostomum</i> species, adults and fourth-stage larvae), kidneyworms (<i>Stephanurus dentatus</i> , adults and fourth-stage larvae), lungworms (<i>Metastrongylus</i> species, adults), lice (<i>Haematopinus suis</i>); and mange mites (<i>Sarcoptes scabiei</i> var. <i>suis</i>).		
ACTIVE DRUG INGREDIENT		
Ivermectin	1.80 grams/ton 0.90 milligrams/pound	
USE DIRECTIONS		
Feed this Type C Medicated Feed at the rate of 0.1 mg ivermectin per kg (2.2 lb) of bodyweight per day. Feed as the only feed for 7 consecutive days.		
PRECAUTIONARY STATEMENTS		
<p>WARNING: Withdraw 5 days before slaughter.</p> <p>CAUTION: Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. This product contains Ivomec brand ivermectin and has been formulated specifically for use in swine. This product should not be used for other animal species. Do not permit water runoff from swine production sites to directly enter lakes, streams, or ponds. Do not contaminate water by direct application or by the improper disposal of containers. Dispose of containers in an approved landfill or by incineration.</p>		
MANUFACTURED BY: BLUE BIRD MILL, ANY TOWN, ANY STATE + ZIP Net Weight on Bag and/or Invoice		
revision 12/01/16		

	CUSTOMER-FORMULA MEDICATED LABEL ATTACHMENT FOR INVOICE 123456 DATED 01/01/17	
RON SMITH GROWER SWINE FEED MEDICATED TYPE C MEDICATED FEED FOR WEANED/GROWING/FINISHING SWINE FORMULA #: RONSMITH GROWER FORMULA Jan17		
STATEMENT OF PURPOSE		
For the treatment and control of gastrointestinal roundworms (<i>Ascaris suum</i> , adults and fourth-stage larvae; <i>Ascarops strongylina</i> , adults; <i>Hyostromylus rubidus</i> , adults and fourth-stage larvae; <i>Oesophagostomum</i> species, adults and fourth-stage larvae), kidneyworms (<i>Stephanurus dentatus</i> , adults and fourth-stage larvae), lungworms (<i>Metastrongylus</i> species, adults), lice (<i>Haematopinus suis</i>); and mange mites (<i>Sarcoptes scabiei</i> var. <i>suis</i>).		
ACTIVE DRUG INGREDIENT		
Ivermectin	1.80 grams/ton 0.90 milligrams/pound	
USE DIRECTIONS		
Feed this Type C Medicated Feed at the rate of 0.1 mg ivermectin per kg (2.2 lb) of bodyweight per day. Feed as the only feed for 7 consecutive days.		
PRECAUTIONARY STATEMENTS		
<p>WARNING: Withdraw 5 days before slaughter.</p> <p>CAUTION: Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. This product contains Ivomec brand ivermectin and has been formulated specifically for use in swine. This product should not be used for other animal species. Do not permit water runoff from swine production sites to directly enter lakes, streams, or ponds. Do not contaminate water by direct application or by the improper disposal of containers. Dispose of containers in an approved landfill or by incineration.</p>		
MANUFACTURED BY: BLUE BIRD MILL, ANY TOWN, ANY STATE + ZIP Net Weight on Bag and/or Invoice		
revision 12/01/16		