Chapter NR 253

COPPER FORMING

NR 253.01 NR 253.02	Purpose. Applicability.	NR 253.12	Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology eco-
NR 253.03	General definitions.		nomically achievable.
NR 253.04	Monitoring and reporting requirements.	NR 253.13	New source performance standards.
NR 253.05	Compliance dates.	NR 253.14	Pretreatment standards for existing sources.
Subchapter 1	I — The Copper Forming Subcategory	NR 253.15	Pretreatment standards for new sources.
NR 253.10	Applicability; description of the copper forming subcategory.		
NR 253.11	Effluent limitations representing the degree of effluent reduction at-		
	tainable by the application of the best practicable control technol-		
	ogy currently available.		

NR 253.01 Purpose. The purpose of this chapter is to establish effluent limitations, standards of performance, and pretreatment standards for discharges of process wastes from the copper forming point source category and its subcategories.

History: Cr. Register, May, 1989, No. 401, eff. 6-1-89.

NR 253.02 Applicability. This chapter applies to discharges resulting from hot rolling, cold rolling, drawing, extrusion, and forging of copper and copper alloys and the associated ancillary operations. This chapter does not apply to the forming of precious metals, which is regulated by 40 CFR 471, or the casting of copper or copper alloys, which is regulated by ch. NR 256. History: Cr. Register, May, 1989, No. 401, eff. 6-1-89.

NR 253.03 General definitions. The following definitions are applicable to the terms used in this chapter. Definitions of other terms and abbreviations are set forth in ss. NR 205.03, 205.04 and 211.03.

- (1) "Alkaline cleaning bath" means a bath consisting of an alkaline cleaning solution through which a workpiece is processed.
- (2) "Alkaline cleaning rinse" means a rinse following an alkaline cleaning bath through which a workpiece is processed. A rinse consisting of a series of rinse tanks is considered as a single rinse.
- **(3)** "Alkaline cleaning rinse for forged parts" means a rinse following an alkaline cleaning bath through which a forged part is processed. A rinse consisting of a series of rinse tanks is considered as a single rinse.
- **(4)** "Ancillary operation" means an operation, such as surface and heat treatment, hydrotesting, sawing, and surface coating, associated with a primary forming operation.
- **(5)** "Annealing with oil" means the use of oil to quench a workpiece as it passes from an annealing furnace.
- **(6)** "Annealing with water" means the use of a water spray or bath, of which water is the major constituent, to quench a workpiece as it passes from an annealing furnace.
- (7) "Beryllium copper alloy" means any copper alloy that is alloyed to contain 0.10% or greater beryllium.
- **(8)** "Cold rolling" means the process of rolling a workpiece below the recrystallization temperature of the copper or copper alloy.
- **(9)** "Drawing" means pulling the workpiece through a die or succession of dies to reduce the diameter or alter its shape.
- (10) "Existing source" means any point source, except for a new source as defined in sub. (16), from which pollutants may be

discharged either into waters of the state or into a publicly owned treatment works.

- (11) "Extrusion" means the application of pressure to a copper workpiece, forcing the copper to flow through a die orifice.
- (12) "Extrusion heat treatment" means the spray application of water to a workpiece for the purpose of heat treatment immediately following extrusion.
- (13) "Hot rolling" means the process of rolling a workpiece above the recrystallization temperature of the copper or copper alloy.
- (14) "Heat treatment" means the application of heat to or the removal of heat from a workpiece to change the physical properties of the metal.
- (15) "Miscellaneous waste stream" means hydrotesting, sawing, surface milling, and maintenance wastestreams when they are related to the forming of copper.
- (16) "New source", as defined for new source performance standards and pretreatment standards for new sources, means any point source for which construction commenced after November 12, 1982 and from which pollutants are or may be discharged directly to the waters of the state or to a publicly owned treatment works.
- (17) "Off kilogram" and "off pound" mean the mass of copper or copper alloy removed from a forming or ancillary operation at the end of a process cycle for transfer to a different machine or process.
- (18) "Pickling bath" means a chemical bath, other than an alkaline cleaning bath, through which a workpiece is processed.
- (19) "Pickling fume scrubber" means an air pollution control device which removes particulates and fumes from air above a pickling bath by entraining the pollutants in water.
- (20) "Pickling rinse" means a rinse, other than an alkaline cleaning rinse, through which a workpiece is processed. A rinse consisting of a series of rinse tanks is considered as a single rinse.
- **(21)** "Pickling rinse for forged parts" means a rinse, other than an alkaline cleaning rinse, through which forged parts are processed. A rinse consisting of a series of tanks is considered as a single rinse.
- **(22)** "Precious metals" means gold, platinum, palladium, silver, and their alloys when the alloy contains 30% or greater percent by weight of precious metals.
- (23) "Primary forming operation" means hot rolling, cold rolling, drawing, extrusion, and forging of copper and copper alloys.

- **(24)** "Rolling" means reducing the thickness or diameter of a workpiece by passing it between rollers.
- **(25)** "Solution heat treatment" means introducing a work-piece into a quench bath for purposes of heat treatment.
- (26) "Spent lubricant" means water or an oil and water mixture which has been used in forming operations to reduce friction, heat, and wear and which is discharged.
- (27) "Surface coating" means the process of coating a copper workpiece, as well as the associated surface washing and flattening.
- (28) "Total toxic organics" and "TTO" mean the sum of the masses or concentrations of each of the following organic compounds which is found at a concentration greater than 0.010 mg/l:

anthracene benzene chloroform 2,6-dinitrotoluene ethylbenzene methylene chloride naphthalene N-nitrosodiphenylamine phenanthrene

toluene

1,1,1-trichloroethane trichlorethylene.

(29) "Tumbling or burnishing" means polishing, deburring, removing sharp corners, and generally smoothing parts for both cosmetic and functional purposes and washing the finished parts and cleaning the abrasive media.

History: Cr. Register, May, 1989, No. 401, eff. 6-1-89.

NR 253.04 Monitoring and reporting requirements. The following special monitoring and reporting requirements apply to all facilities subject to this chapter:

- (1) The "monthly average" regulatory values shall be the basis for the monthly average discharge in direct discharge permits and for pretreatment standards. Compliance with the monthly discharge limit is required regardless of the number of samples analyzed and averaged.
- **(2)** As an alternate monitoring procedure for TTO, indirect dischargers may monitor for oil and grease and meet the alternate monitoring standards for oil and grease established for PSES and PSNS. Any indirect discharger meeting the alternate monitoring standards shall be considered to meet the TTO standard.

History: Cr. Register, May, 1989, No. 401, eff. 6-1-89.

NR 253.05 Compliance dates. (1) Any existing source subject to this chapter which discharges to waters of the state shall achieve:

- (a) The effluent limitations representing BPT by July 1, 1977; and
 - (b) The effluent limitations representing BAT by July 1, 1984.
- (2) Any new source subject to this chapter which discharges to waters of the state shall achieve NSPS at the commencement of discharge.
 - (3) Any existing source subject to this chapter which intro-

duces process wastewater pollutants into a POTW shall achieve PSES by August 15, 1986.

(4) Any new source subject to this chapter which introduces process wastewater pollutants into a POTW shall achieve PSNS at the commencement of discharge.

History: Cr. Register, May, 1989, No. 401, eff. 6-1-89.

Subchapter I — The Copper Forming Subcategory

NR 253.10 Applicability; description of the copper forming subcategory. This subchapter applies to the discharge of pollutants to waters of the state and the introduction of pollutants into POTWs from the forming of copper and copper alloys except beryllium copper alloys.

History: Cr. Register, May, 1989, No. 401, eff. 6-1-89.

NR 253.11 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available. Except as provided in 40 CFR 125.30 to 125.32, any existing source subject to this subchapter shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of BPT:

Table 1 Hot Rolling Spent Lubricant

Hot Rolling Spellt Lubricant				
BPT Effluent Limitations				
Maximum for Maximum for				
	any 1 day	monthly average		
	mg/off-kg (pound	ds per 1,000,000 off-		
Pollutant or pollutant				
property	rolled			
Chromium	0.045	0.018		
Copper	0.195	0.103		
Lead	0.015	0.013		
Nickel	0.197	0.130		
Zinc	0.150	0.062		
Oil and grease	2.060	1.236		
TSS	4.223	2.008		
pН	(1)	(1)		

(1) Within the range of 7.5 to 10.0 at all times

Table 2 Cold Rolling Spent Lubricant

BPT Effluent Limitations				
	Maximum for	Maximum for		
	any 1 day	monthly average		
		ds per 1,000,000 off-		
Pollutant or pollutant	pounds) of coppe	er or copper alloy		
property	cold rolled			
Chromium	0.166	0.068		
Copper	0.720	0.379		
Lead	0.056	0.049		
Nickel	0.727	0.481		
Zinc	0.553	0.231		
Oil and grease	7.580	4.548		
TSS	15.539	7.390		
pН	(1)	(1)		

Table 3
Drawing Spent Lubricant (1)

Drawing Spent Lubricant (1)				
BPT Effluent Limitations				
	Maximum for	Maximum for		
	any 1 day	monthly average		
	mg/off-kg (poun	ds per 1,000,000 off-		
Pollutant or pollutant	pounds) of coppe	er or copper alloy		
property	drawn			
Chromium	0.037	0.015		
Copper	0.161	0.085		
Lead	0.012	0.011		
Nickel	0.163	0.107		
Zinc	0.124	0.051		
Oil and grease	1.700	1.020		
TSS	3.485	1.657		
pН	(2)	(2)		

⁽¹⁾ These effluent limitations are applicable only to those plants which actually discharge the drawing spent lubricant wastestream at the copper forming site. If these wastewaters are hauled off-site for disposal or are otherwise not discharged at the copper forming site, these limitations are neither applicable nor allowable.

allowable.
(2) Within the range of 7.5 to 10.0 at all times

Table 4

Solution Heat Treatment				
BPT Effluent Limitations				
	Maximum for	Maximum for		
	any 1 day	monthly average		
	mg/off-kg (poun	ds per 1,000,000 off-		
Pollutant or pollutant				
property	heat treated			
Chromium	1.118	0.457		
Copper	4.827	2.541		
Lead	0.381	0.330		
Nickel	4.878	3.227		
Zinc	3.709	1.550		
Oil and grease	50.820	30.492		
TSS	104.181	49.549		
pН	(1)	(1)		

(1) Within the range of 7.5 to 10.0 at all times

Table 5
Extrusion Heat Treatment

BPT Effluent Limitations				
•	Maximum for	Maximum for		
	any 1 day	monthly average		
•	mg/off-kg (poun	ds per 1,000,000 off-		
Pollutant or pollutant	pounds) of copper or copper alloy			
property	heat treated			
Chromium	0.00088	0.00036		
Copper	0.003	0.002		
Lead	0.0003	0.00026		
Nickel	0.003	0.002		
Zinc	0.002	0.001		
Oil and grease	0.040	0.024		
TSS	0.082	0.039		
pH	(1)	(1)		

(1) Within the range of 7.5 to 10.0 at all times

Table 6
Annealing With Water

Annealing with water				
BPT Effluent Limitations				
	Maximum for	Maximum for		
	any 1 day	monthly average		
	mg/off-kg (poun	ds per 1,000,000 off-		
Pollutant or pollutant	pounds) of coppe	er or copper alloy an-		
property	nealed with water	nealed with water		
Chromium	2.439	1.020		
Copper	10.767	5.667		
Lead	0.850	0.736		
Nickel	10.880	7.197		
Zinc	8.273	3.456		
Oil and grease	113.340	68.004		
TSS	232.347	110.506		
pH	(1)	(1)		

(1) Within the range of 7.5 to 10.0 at all times

Table 7

Annealing With Oil			
BPT Effluent Limitations			
	Maximum for any 1 day	Maximum for monthly average	
Pollutant or pollutant property mg/off-kg (pounds per 1,000,000 off-pounds) of copper or copper alloy annealed with oil			
Chromium	0	0	
Copper	0	0	
Lead	0	0	
Nickel	0	0	
Zinc	0	0	
Oil and grease	0	0	
TSS	0	0	
pH	(1)	(1)	

(1) Within the range of 7.5 to 10.0 at all times

Table 8
Alkaline Cleaning Rinse

Alkanne Cleaning Rinse				
BPT Effluent Limitations				
	Maximum for	Maximum for		
	any 1 day	monthly average		
	mg/off-kg (poun	ds per 1,000,000 off-		
Pollutant or pollutant	pounds) of coppe	er or copper alloy al-		
property	kaline cleaned	kaline cleaned		
Chromium	1.854	0.758		
Copper	8.006	4.214		
Lead	0.632	0.547		
Nickel	8.090	5.351		
Zinc	6.152	2.570		
Oil and grease	84.280	50.568		
TSS	172.774	82.173		
pН	(1)	(1)		

Table 9
Alkaline Cleaning Rinse For Forged Parts

Alkanne Cleaning Kinse For Forged Farts				
BPT Effluent Limitations				
	Maximum for	Maximum for		
	any 1 day	monthly average		
		ds per 1,000,000 off-		
Pollutant or pollutant		er or copper alloy		
property	forged parts alkaline cleaned			
Chromium	5.562	2.275		
Copper	24.019	12.642		
Lead	1.896	1.643		
Nickel	24.272	16.055		
Zinc	18.457	7.711		
Oil and grease	252.840	151.704		
TSS	518.322	246.519		
На	(1)	(1)		

(1) Within the range of 7.5 to 10.0 at all times

Table 10 Alkaline Cleaning Bath

BPT Effluent Limitations			
	Maximum for	Maximum for	
	any 1 day	monthly average	
Pollutant or pollutant	mg/off-kg(pound	ls per 1,000,000	
property	off-pounds) of co	opper or copper alloy	
	alkaline cleaned		
Chromium	0.020	0.0084	
Copper	0.089	0.046	
Lead	0.0070	0.0060	
Nickel	0.089	0.059	
Zinc	0.068	0.028	
Oil and grease	0.93	0.56	
TSS	1.91	0.91	
pН	(1)	(1)	

(1) Within the range of 7.5 to 10.0 at all times

Table 11 Pickling Rinse

1 ickning Kinsc				
BPT Effluent Limitations				
	Maximum for	Maximum for		
	any 1 day	monthly average		
		ds per 1,000,000 off-		
Pollutant or pollutant		er or copper alloy		
property	pickled			
Chromium	1.593	0.651		
Copper	6.881	3.622		
Lead	0.543	0.470		
Nickel	6.954	4.599		
Zinc	5.288	2.209		
Oil and grease	72.440	43.464		
TSS	148.502	70.629		
pH	(1)	(1)		

(1) Within the range of 7.5 to 10.0 at all times

Table 12 Pickling Rinse For Forged Parts

BPT Effluent Limitations		
	Maximum for any	Maximum for
	1 day	monthly average
	mg/off-kg (pounds)	
Pollutant or pollu-	pounds) of copper of	or copper alloy forged
tant property	parts pickled	
Chromium	1.723	0.705
Copper	7.444	3.918
Lead	0.587	0.509
Nickel	7.522	4.975
Zinc	5.720	2.389
Oil and grease	78.360	47.016
TSS	160.638	76.401
pН	(1)	(1)

(1) Within the range of 7.5 to 10.0 at all times

Table 13 Pickling Bath

BPT Effluent Limitations			
	Maximum for	Maximum for	
	any 1 day	monthly average	
		ds per 1,000,000 off-	
Pollutant or pollutant	pounds) of copper or copper alloy		
property	pickled		
Chromium	0.051	0.020	
Copper	0.220	0.116	
Lead	0.017	0.015	
Nickel	0.222	0.147	
Zinc	0.169	0.070	
Oil and grease	2.320	1.392	
TSS	4.756	2.262	
pН	(1)	(1)	

(1) Within the range of 7.5 to 10.0 at all times

Table 14 Pickling Fume Scrubber

Description of the second			
BPT Effluent Limitations			
	Maximum for	Maximum for	
	any 1 day	monthly average	
	mg/off-kg (pound		
Pollutant or pollutant	off-pounds) of copper or copper alloy		
property	pickled		
Chromium	0.275	0.112	
Copper	1.189	0.626	
Lead	0.093	0.081	
Nickel	1.201	0.795	
Zinc	0.913	0.381	
Oil and grease	12.520	7.512	
TSS	25.666	12.207	
pН	(1)	(1)	

Table 15
Tumbling or Burnishing

Tumbling or Burnishing			
BPT Effluent Limitations			
	Maximum for	Maximum for	
	any 1 day	monthly average	
	mg/off-kg (poun	ds per 1,000,000 off-	
Pollutant or pollutant	ollutant or pollutant pounds) of copper or copper alloy		
property	tumbled or burnished		
Chromium	0.256	0.104	
Copper	1.107	0.583	
Lead	0.087	0.075	
Nickel	1.119	0.740	
Zinc	0.851	0.355	
Oil and grease	11.660	6.996	
TSS	23.903	11.368	
pН	(1)	(1)	

⁽¹⁾ Within the range of 7.5 to 10.0 at all times

Table 16 Surface Coating

BPT Effluent Limitations			
	Maximum for	Maximum for	
	any 1 day	monthly average	
	mg/off-kg (poun	ds per 1,000,000 off-	
Pollutant or pollutant	pounds) of coppe	er or copper alloy	
property	surface coated		
Chromium	0.326	0.133	
Copper	1.411	0.743	
Lead	0.111	0.096	
Nickel	1.426	0.943	
Zinc	1.084	0.453	
Oil and grease	14.680	8.916	
TSS	30.463	14.488	
pH	(1)	(1)	

⁽¹⁾ Within the range of 7.5 to 10.0 at all times

Table 17 Miscellaneous Waste Streams

Wiscendieous Waste Streams				
BPT Effluent Limitations				
	Maximum for	Maximum for		
	any 1 day	monthly average		
	mg/off-kg (pound	ds per 1,000,000 off-		
Pollutant or pollutant	pounds) of coppe	er or copper alloy		
property	formed			
Chromium	0.009	0.003		
Copper	0.041	0.021		
Lead	0.003	0.002		
Nickel	0.041	0.027		
Zinc	0.031	0.013		
Oil and grease	0.436	0.261		
TSS	0.893	0.425		
pН	(1)	(1)		

⁽¹⁾ Within the range of 7.5 to 10.0 at all times **History:** Cr. Register, May, 1989, No. 401, eff. 6-1-89.

NR 253.12 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable. Except as provided in 40 CFR 125.30 to 125.32, any existing source subject to this subchapter shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of BAT:

Table 18 Hot Rolling Spent Lubricant

Hot Rolling Spent Lubricant				
BAT Effluent Limitations				
	Maximum for	Maximum for		
	any 1 day	monthly average		
	mg/off-kg (poun	ds per 1,000,000 off-		
Pollutant or pollutant	Pollutant or pollutant pounds) of copper or copper alloy ho			
property	rolled			
Chromium	0.045	0.018		
Copper	0.195	0.103		
Lead	0.015	0.013		
Nickel	0.197	0.130		
Zinc	0.150	0.062		
T-LL 10				
Table 19				
Cold Rolling Spent Lubricant				
BAT Effluent Limitations				

Cold Rolling Spelit Edoricant			
BAT Effluent Limitations			
	Maximum for any	Maximum for	
	1 day	monthly average	
mg/off-kg (pounds per 1,000,000 off-			
Pollutant or pollutant	pounds) of copper or copper alloy cold		
property	rolled		
Chromium	0.166	0.068	
Copper	0.720	0.379	
Lead	0.056	0.049	
Nickel	0.727	0.481	
Zinc	0.553	0.231	

Table 20
Drawing Spent Lubricant

Drawing Spent Lubricant				
BAT Effluent Limitations				
Maximum for Maximum for any 1 day monthly average				
mg/off-kg (pounds per 1,000,000 off-				
Pollutant or pollutant pounds) of copper or copper alloy				
property	drawn			
Chromium	0.037	0.015		
Copper	0.161	0.085		
Lead	0.012	0.011		
Nickel	0.163	0.107		
Zinc	0.124	0.051		

Table 21 Solution Heat Treatment		Table 25 Alkaline Cleaning Rinse			
BAT Effluent Limitations		BAT Effluent Limitations			
-	Maximum for	Maximum for		Maximum for	Maximum for
	any 1 day	monthly average		any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000 off-			ls per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy	Pollutant or pollutant		r or copper alloy al-
property	heat treated	11 ,	property	kaline cleaned	11 3
Chromium	0.284	0.116	Chromium	1.854	0.758
Copper	1.227	0.646	Copper	8.006	4.214
Lead	0.096	0.083	Lead	0.632	0.547
Nickel	1.240	0.820	Nickel	8.090	5.351
Zinc	0.943	0.394	Zinc	6.152	2.570
Ziii¢	0.943	0.374	Zinc	0.132	2.370
	Table 22			Table 26	
	usion Heat Treatme		Alkaline Cle	eaning Rinse For Fo	orged Parts
BAT	Effluent Limitation	ns	BAT	`Effluent Limitatio	ns
	Maximum for	Maximum for		Maximum for	Maximum for
	any 1 day	monthly average		any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000 off-	•	mg/off-kg (pou	nds per 1,000,000
Pollutant or pollutant	pounds) of coppe	er or copper alloy	Pollutant or pollutant		copper or copper al-
property	heat treated		property		s alkaline cleaned
Chromium	0.00088	0.00036	Chromium	5.562	2.275
Copper	0.003	0.0020	Copper	24.019	12.642
Lead	0.0003	0.00026	Lead	1.896	1.643
Nickel	0.003	0.002	Nickel	24.272	16.055
Zinc	0.002	0.001	Zinc	18.457	7.711
	Table 23			Table 27	_
	nealing With Water			caline Cleaning Bat	
	nealing With Water Effluent Limitation	ns		caline Cleaning Bat Effluent Limitatio	ns
	nealing With Water Effluent Limitation Maximum for	ns Maximum for		caline Cleaning Bat Effluent Limitatio Maximum for	ns Maximum for
	nealing With Water Effluent Limitation Maximum for any 1 day	Maximum for monthly average		Caline Cleaning Bat Effluent Limitatio Maximum for any 1 day	ns Maximum for monthly average
BAT	nealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound	Maximum for monthly average ds per 1,000,000 off-	BAT	Caline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (pound	Maximum for monthly average ds per 1,000,000 off-
BAT Pollutant or pollutant	nealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe	Maximum for monthly average ds per 1,000,000 offer or copper alloy an-	Pollutant or pollutant	caline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (poun- pounds) of coppe	ns Maximum for monthly average
Pollutant or pollutant property	nealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppenealed with wate	Maximum for monthly average ds per 1,000,000 offer or copper alloy and	Pollutant or pollutant property	caline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (poun- pounds) of coppe kaline cleaned	Maximum for monthly average ds per 1,000,000 off- er or copper alloy al-
Pollutant or pollutant property Chromium	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppenealed with water 0.545	Maximum for monthly average ds per 1,000,000 offer or copper alloy and 0.223	Pollutant or pollutant property Chromium	Staline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (poun- pounds) of coppe kaline cleaned 0.020	Maximum for monthly average ds per 1,000,000 off- er or copper alloy al- 0.0084
Pollutant or pollutant property Chromium Copper	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppenealed with water 0.545 2.356	Maximum for monthly average ds per 1,000,000 offer or copper alloy and 0.223	Pollutant or pollutant property Chromium Copper	Staline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (poun- pounds) of coppe kaline cleaned 0.020 0.088	Maximum for monthly average ds per 1,000,000 offer or copper alloy al-
Pollutant or pollutant property Chromium	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppenealed with water 0.545	Maximum for monthly average ds per 1,000,000 offer or copper alloy and 0.223	Pollutant or pollutant property Chromium	Staline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (poun- pounds) of coppe kaline cleaned 0.020	Maximum for monthly average ds per 1,000,000 off- er or copper alloy al- 0.0084
Pollutant or pollutant property Chromium Copper	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppenealed with water 0.545 2.356	Maximum for monthly average ds per 1,000,000 offer or copper alloy and 0.223	Pollutant or pollutant property Chromium Copper	Staline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (poun- pounds) of coppe kaline cleaned 0.020 0.088	Maximum for monthly average ds per 1,000,000 offer or copper alloy al-
Pollutant or pollutant property Chromium Copper Lead	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppenealed with water 0.545 2.356 0.186	Maximum for monthly average ds per 1,000,000 offer or copper alloy and 1,240 0.161	Pollutant or pollutant property Chromium Copper Lead	Staline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe kaline cleaned 0.020 0.088 0.0070	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060
Pollutant or pollutant property Chromium Copper Lead Nickel	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with water 0.545 2.356 0.186 2.380 1.810	Maximum for monthly average ds per 1,000,000 offer or copper alloy antre 0.223 1.240 0.161 1.574	Pollutant or pollutant property Chromium Copper Lead Nickel	caline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (poun- pounds) of coppe kaline cleaned 0.020 0.088 0.0070 0.089 0.068	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060 0.059
Pollutant or pollutant property Chromium Copper Lead Nickel Zinc	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with water 0.545 2.356 0.186 2.380 1.810 Table 24	Maximum for monthly average ds per 1,000,000 offer or copper alloy antre 0.223 1.240 0.161 1.574	Pollutant or pollutant property Chromium Copper Lead Nickel	caline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (poun- pounds) of coppe kaline cleaned 0.020 0.088 0.0070 0.089 0.068 Table 28	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060 0.059
Pollutant or pollutant property Chromium Copper Lead Nickel Zinc A	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with water 0.545 2.356 0.186 2.380 1.810 Table 24 nnealing With Oil	Maximum for monthly average ds per 1,000,000 offer or copper alloy and 1,240 0.161 1.574 0.756	Pollutant or pollutant property Chromium Copper Lead Nickel Zinc	caline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (poun- pounds) of coppe kaline cleaned 0.020 0.088 0.0070 0.089 0.068 Table 28 Pickling Rinse	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060 0.059 0.028
Pollutant or pollutant property Chromium Copper Lead Nickel Zinc A	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with water 0.545 2.356 0.186 2.380 1.810 Table 24 nnealing With Oil Effluent Limitation	Maximum for monthly average dis per 1,000,000 offer or copper alloy and 1,240 0.161 1.574 0.756	Pollutant or pollutant property Chromium Copper Lead Nickel Zinc	caline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (poun- pounds) of coppe kaline cleaned 0.020 0.088 0.0070 0.089 0.068 Table 28 Pickling Rinse	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060 0.059 0.028
Pollutant or pollutant property Chromium Copper Lead Nickel Zinc A	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with water 0.545 2.356 0.186 2.380 1.810 Table 24 Innealing With Oil Effluent Limitation Maximum for	Maximum for monthly average dis per 1,000,000 offer or copper alloy antr 0.223 1.240 0.161 1.574 0.756	Pollutant or pollutant property Chromium Copper Lead Nickel Zinc	Staline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe kaline cleaned 0.020 0.088 0.0070 0.089 0.068 Table 28 Pickling Rinse Effluent Limitatio Maximum for	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060 0.059 0.028
Pollutant or pollutant property Chromium Copper Lead Nickel Zinc A	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppensaled with water 0.545 2.356 0.186 2.380 1.810 Table 24 Innealing With Oil Effluent Limitation Maximum for any 1 day	Maximum for monthly average dis per 1,000,000 offer or copper alloy and 1,240 o.161 o.756	Pollutant or pollutant property Chromium Copper Lead Nickel Zinc	Saline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe kaline cleaned 0.020 0.088 0.0070 0.089 0.068 Table 28 Pickling Rinse Effluent Limitatio Maximum for any 1 day	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060 0.059 0.028 Maximum for monthly average
Pollutant or pollutant property Chromium Copper Lead Nickel Zinc A BAT	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with water 0.545 2.356 0.186 2.380 1.810 Table 24 Innealing With Oil Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) mg/off-kg (pounds)	Maximum for monthly average ds per 1,000,000 offer or copper alloy antropy of 1,240 of 1,574 of 1,574 of 1,576	Pollutant or pollutant property Chromium Copper Lead Nickel Zinc BAT	Saline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe kaline cleaned 0.020 0.088 0.0070 0.089 0.068 Table 28 Pickling Rinse Effluent Limitatio Maximum for any 1 day mg/off-kg (pound mg/	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060 0.059 0.028 Maximum for monthly average ds per 1,000,000 off-
Pollutant or pollutant property Chromium Copper Lead Nickel Zinc A BAT	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppensaled with water 0.545 2.356 0.186 2.380 1.810 Table 24 Innealing With Oil Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppensaled with Water Maximum for any 1 day mg/off-kg (pound pounds) of coppensaled with Water Maximum for any 1 day	Maximum for monthly average dis per 1,000,000 offer or copper alloy and 1,240 o.161 o.756	Pollutant or pollutant property Chromium Copper Lead Nickel Zinc BAT	caline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe kaline cleaned 0.020 0.088 0.0070 0.089 0.068 Table 28 Pickling Rinse Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060 0.059 0.028 Maximum for monthly average
Pollutant or pollutant property Chromium Copper Lead Nickel Zinc A BAT	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with water 0.545 2.356 0.186 2.380 1.810 Table 24 Innealing With Oil Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with oil	Maximum for monthly average ds per 1,000,000 offer or copper alloy and 1.240 o.161 o.756 ms Maximum for monthly average ds per 1,000,000 offer or copper alloy and 1.574 o.756 ms	Pollutant or pollutant property Chromium Copper Lead Nickel Zinc BAT	caline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe kaline cleaned 0.020 0.088 0.0070 0.089 0.068 Table 28 Pickling Rinse Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe pickled	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060 0.059 0.028 Maximum for monthly average ds per 1,000,000 offer or copper alloy
Pollutant or pollutant property Chromium Copper Lead Nickel Zinc A BAT Pollutant or pollutant property Chromium	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with water 0.545 2.356 0.186 2.380 1.810 Table 24 Innealing With Oil Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with oil 0	Maximum for monthly average ds per 1,000,000 offer or copper alloy and 1.240 o.161 o.756 Maximum for monthly average ds per 1,000,000 offer or copper alloy and 1.574 o.756	Pollutant or pollutant property Chromium Copper Lead Nickel Zinc BAT Pollutant or pollutant property Chromium	caline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe kaline cleaned 0.020 0.088 0.0070 0.089 0.068 Table 28 Pickling Rinse Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe pickled 0.574	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060 0.059 0.028 Maximum for monthly average ds per 1,000,000 offer or copper alloy 0.235
Pollutant or pollutant property Chromium Copper Lead Nickel Zinc A BAT Pollutant or pollutant property Chromium Copper	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with water 0.545 2.356 0.186 2.380 1.810 Table 24 Innealing With Oil Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with oil 0 0	Maximum for monthly average dis per 1,000,000 offer or copper alloy and 1.240 o.161 o.756 Maximum for monthly average dis per 1,000,000 offer or copper alloy and 1.574 o.756	Pollutant or pollutant property Chromium Copper Lead Nickel Zinc BAT Pollutant or pollutant property Chromium Copper	caline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe kaline cleaned 0.020 0.088 0.0070 0.089 0.068 Table 28 Pickling Rinse Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe pickled 0.574 2.481	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060 0.059 0.028 Maximum for monthly average ds per 1,000,000 offer or copper alloy 0.235 1.306
Pollutant or pollutant property Chromium Copper Lead Nickel Zinc A BAT Pollutant or pollutant property Chromium Copper Lead	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppensaled with water 0.545 2.356 0.186 2.380 1.810 Table 24 Innealing With Oil Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppensaled with oil 0 0 0 0	Maximum for monthly average dis per 1,000,000 offer or copper alloy and 1.240 o.161 o.756 Maximum for monthly average dis per 1,000,000 offer or copper alloy and 1.574 o.756	Pollutant or pollutant property Chromium Copper Lead Nickel Zinc BAT Pollutant or pollutant property Chromium Copper Lead	caline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe kaline cleaned 0.020 0.088 0.0070 0.089 0.068 Table 28 Pickling Rinse Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe pickled 0.574 2.481 0.195	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060 0.059 0.028 Maximum for monthly average ds per 1,000,000 offer or copper alloy 0.235 1.306 0.169
Pollutant or pollutant property Chromium Copper Lead Nickel Zinc A BAT Pollutant or pollutant property Chromium Copper	mealing With Water Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with water 0.545 2.356 0.186 2.380 1.810 Table 24 Innealing With Oil Effluent Limitation Maximum for any 1 day mg/off-kg (pound pounds) of coppe nealed with oil 0 0	Maximum for monthly average dis per 1,000,000 offer or copper alloy and 1.240 o.161 o.756 Maximum for monthly average dis per 1,000,000 offer or copper alloy and 1.574 o.756	Pollutant or pollutant property Chromium Copper Lead Nickel Zinc BAT Pollutant or pollutant property Chromium Copper	caline Cleaning Bat Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe kaline cleaned 0.020 0.088 0.0070 0.089 0.068 Table 28 Pickling Rinse Effluent Limitatio Maximum for any 1 day mg/off-kg (pound pounds) of coppe pickled 0.574 2.481	Maximum for monthly average ds per 1,000,000 offer or copper alloy al- 0.0084 0.046 0.0060 0.059 0.028 Maximum for monthly average ds per 1,000,000 offer or copper alloy 0.235 1.306

Table 29			
Pickling Rinse For Forged Parts			

ricking Kinse For Forged Larts				
BAT Effluent Limitations				
Maximum for Maximum for				
	any 1 day	monthly average		
	mg/off-kg (poun	ds per 1,000,000 off-		
Pollutant or pollutant				
property	forged parts pickled			
Chromium	1.723	0.705		
Copper	7.444	3.918		
Lead	0.587	0.509		
Nickel	7.522	4.975		
Zinc	5.720	2.389		
Table 30				
Pickling Bath				
BAT Effluent Limitations				

BAT Effluent Limitations		
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy
property	pickled	
Chromium	0.051	0.020
Copper	0.220	0.116
Lead	0.017	0.015
Nickel	0.222	0.147
Zinc	0.169	0.070

Table 31 Pickling Fume Scrubber

BAT Effluent Limitations		
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pounds	s per 1,000,000 off-
Pollutant or pollutant	pounds) of copper	or copper alloy
property	pickled	
Chromium	0.275	0.112
Copper	1.189	0.626
Lead	0.093	0.081
Nickel	1.201	0.795
Zinc	0.913	0.381

Table 32 Tumbling or Burnishing

BAT Effluent Limitations		
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (poun	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of copper or copper alloy	
property	tumbled or burnished	
Chromium	0.256	0.104
Copper	1.107	0.583
Lead	0.087	0.075
Nickel	1.119	0.740
Zinc	0.851	0.355

Table 33 Surface Coating

BAT Effluent Limitations			
	Maximum for	Maximum for	
	any 1 day	monthly average	
	mg/off-kg (poun	ds per 1,000,000 off-	
Pollutant or pollutant	pounds) of coppe	er or copper alloy	
property	surface coated		
Chromium	0.326	0.133	
Copper	1.411	0.743	
Lead	0.111	0.096	
Nickel	1.426	0.943	
Zinc	1.084	0.453	

Table 34 Miscellaneous Waste Streams

BAT Effluent Limitations		
	Maximum for	Maximum for
	any 1 day	monthly average
		ls per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy
property	formed	
Chromium	0.009	0.003
Copper	0.041	0.021
Lead	0.003	0.002
Nickel	0.041	0.027
Zinc	0.031	0.013

NR 253.13 New source performance standards.

The discharge of process wastewater pollutants from any new source subject to this subchapter may not exceed the following NSPS:

> Table 35 Hot Rolling Spent Lubricant

The Rolling Spent Eubricant		
	NSPS	
	Maximum for	Maximum for
	any 1 day	monthly average
		ls per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	r or copper alloy hot
property	rolled	
Chromium	0.038	0.015
Copper	0.131	0.062
Lead	0.010	0.0092
Nickel	0.056	0.038
Zinc	0.105	0.043
Oil and grease	1.030	1.030
TSS	1.545	1.236
pН	(1)	(1)

⁽¹⁾ Within the range of 7.5 to 10.0 at all times

Table 36 Cold Rolling Spent Lubricant

Cold Rolling Spent Lubricant		
	NSPS	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy
property	cold rolled	
Chromium	0.140	0.056
Copper	0.485	0.231
Lead	0.037	0.034
Nickel	0.208	0.140
Zinc	0.386	0.159
Oil and grease	3.790	3.790
TSS	5.685	4.548
pН	(1)	(1)

⁽¹⁾ Within the range of 7.5 to 10.0 at all times

Table 37
Drawing Spent Lubricant

Drawing Spent Eubricant			
NSPS			
	mg/off-kg (pounds per 1,000,000 off-		
Pollutant or pollutant	pounds) of co	pounds) of copper or copper alloy	
property	drawn		
Chromium	0.031	0.012	
Copper	0.108	0.051	
Lead	0.0085	0.0076	
Nickel	0.046	0.031	
Zinc	0.086	0.035	
Oil and grease	0.85	0.85	
TSS	1.275	1.020	
pH	(1)	(1)	

⁽¹⁾ Within the range of 7.5 to 10.0 at all times

Table 38 Solution Heat Treatment

Solution Teat Treatment		
	NSPS	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (poun	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy
property	heat treated	
Chromium	0.239	0.096
Copper	0.826	0.394
Lead	0.064	0.058
Nickel	0.355	0.239
Zinc	0.658	0.271
Oil and grease	6.460	6.460
TSS	9.690	7.752
рН	(1)	(1)

⁽¹⁾ Within the range of 7.5 to 10.0 at all times

Table 39 Extrusion Heat Treatment

	NSPS	
	Maximum for	Maximum for
	any 1 day	monthly average
		ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy
property	heat treated	
Chromium	0.00074	0.00030
Copper	0.0020	0.0010
Lead	0.00020	0.00018
Nickel	0.0010	0.00074
Zinc	0.0020	0.00084
Oil and grease	0.020	0.020
TSS	0.030	0.024
pН	(1)	(1)

⁽¹⁾ Within the range of 7.5 to 10.0 at all times

Table 40 Annealing With Water

Annealing with water		
	NSPS	
	Maximum for any 1 day	monthly average
Pollutant or pollutant property		per 1,000,000 off- or copper alloy an-
Chromium	0.458	0.186
Copper	1.587	0.756
Lead	0.124	0.111
Nickel	0.682	0.458
Zinc	1.264	0.520
Oil and grease	12.400	12.400
TSS	18.600	14.880
pН	(1)	(1)

⁽¹⁾ Within the range of 7.5 to 10.0 at all times

Table 41 Annealing With Oil

	NSPS	
	Maximum for any 1 day	Maximum for monthly average
Pollutant or pollutant property		s per 1,000,000 off- r or copper alloy an-
Chromium	0	0
Copper	0	0
Lead	0	0
Nickel	0	0
Zinc	0	0
Oil and grease	0	0
TSS	0	0
pН	(1)	(1)

⁽¹⁾ Within the range of 7.5 to 10.0 at all times

Table 42 Alkaline Cleaning Rinse

Alkanne Cleaning Kinse		
	NSPS	·
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy al-
property	kaline cleaned	
Chromium	1.559	0.632
Copper	5.393	2.570
Lead	0.421	0.379
Nickel	2.317	1.559
Zinc	4.298	1.769
Oil and grease	42.140	42.140
TSS	63.210	50.568
pН	(1)	(1)

(1) Within the range of 7.5 to 10.0 at all times

Table 43 Alkaline Cleaning Rinse For Forged Parts

		C
	NSPS	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy al-
property	kaline cleaned	
Chromium	4.677	1.896
Copper	16.181	7.711
Lead	1.264	1.137
Nickel	6.953	4.677
Zinc	12.894	5.309
Oil and grease	126.420	126.420
TSS	189.630	151.704
pН	(1)	(1)

(1) Within the range of 7.5 to 10.0 at all times

Table 44 Alkaline Cleaning Bath

IN	anne Cicaning Dan	.1
	NSPS	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy al-
property	kaline cleaned	
Chromium	0.017	0.0070
Copper	0.059	0.028
Lead	0.0046	0.0042
Nickel	0.025	0.017
Zinc	0.047	0.019
Oil and grease	0.46	0.46
TSS	0.70	0.56
pH	(1)	(1)

(1) Within the range of 7.5 to 10.0 at all times

Table 45 Pickling Rinse

	NSPS	
	Maximum for	Maximum for
	any 1 day	monthly average
		ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy
property	pickled	
Chromium	0.216	0.087
Copper	0.748	0.356
Lead	0.058	0.052
Nickel	0.321	0.216
Zinc	0.596	0.245
Oil and grease	5.850	5.850
TSS	8.775	7.020
pН	(1)	(1)

(1) Within the range of 7.5 to 10.0 at all times

Table 46
Pickling Rinse For Forged Parts

	NSPS	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	s per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	
property	forged parts pickled	
Chromium	0.649	0.263
Copper	2.246	1.070
Lead	0.175	0.157
Nickel	0.965	0.649
Zinc	1.790	0.737
Oil and grease	17.550	17.550
TSS	26.325	21.060
pH	(1)	(1)

(1) Within the range of 7.5 to 10.0 at all times

Table 47 Pickling Bath

	NSPS	
	Maximum for any 1 day	Maximum for monthly average
Pollutant or pollutant property	mg/off-kg (pound pounds) of coppe pickled	ls per 1,000,000 offer or copper alloy
Chromium	0.042	0.017
Copper	0.148	0.070
Lead	0.011	0.010
Nickel	0.063	0.042
Zinc	0.118	0.048
Oil and grease	1.160	1.160
TSS	1.740	1.392
pН	(1)	(1)

Table 48 Pickling Fume Scrubber

Ficking Fune Scrubber			
	NSPS		
•	Maximum for	Maximum for	
	any 1 day	monthly average	
	mg/off-kg (pound	ds per 1,000,000 off-	
Pollutant or pollutant	pounds) of coppe	er or copper alloy	
property	pickled		
Chromium	0.231	0.093	
Copper	0.801	0.381	
Lead	0.062	0.056	
Nickel	0.344	0.231	
Zinc	0.638	0.262	
Oil and grease	6.260	6.260	
TSS	9.390	7.512	
pН	(1)	(1)	

⁽¹⁾ Within the range of 7.5 to 10.0 at all times

Table 49
Tumbling or Burnishing

Tumoring of Burnishing		
	NSPS	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000
Pollutant or pollutant	off-pounds) of co	opper or copper
property	alloy tumbled or	burnished
Chromium	0.215	0.087
Copper	0.746	0.355
Lead	0.058	0.052
Nickel	0.320	0.215
Zinc	0.594	0.244
Oil and grease	5.830	5.830
TSS	8.745	6.996
pН	(1)	(1)

⁽¹⁾ Within the range of 7.5 to 10.0 at all times

Table 50

Surface Coating		
	NSPS	
	Maximum for any	Maximum for
	1 day	monthly average
	mg/off-kg (pounds	per 1,000,000
Pollutant or pollutant	off-pounds) of cop	per or copper
property	alloy surface coate	d
Chromium	0.274	0.111
Copper	0.951	0.453
Lead	0.074	0.066
Nickel	0.408	0.274
Zinc	0.757	0.312
Oil and grease	7.430	7.430
TSS	11.145	8.916
pH	(1)	(1)

⁽¹⁾ Within the range of 7.5 to 10.0 at all times

Table 51 Miscellaneous Waste Streams

	NSPS	
	Maximum for any	Maximum for
	1 day	monthly average
		per 1,000,000 off-
Pollutant or pollutant	pounds) of copper	or copper alloy
property	formed	
Chromium	0.008	0.003
Copper	0.027	0.013
Lead	0.0021	0.0019
Nickel	0.011	0.008
Zinc	0.022	0.009
Oil and grease	0.218	0.218
TSS	0.327	0.261
pН	(1)	(1)

⁽¹⁾ Within the range of 7.5 to 10.0 at all times

NR 253.14 Pretreatment standards for existing sources. Except as provided in ss. NR 211.13 and 211.14, any existing source subject to this subchapter which introduces pollutants into a POTW shall comply with ch. NR 211 and achieve the following PSES:

Table 52

Hot Rolling Spent Lubricant			
	PSES		
	Maximum for any	Maximum for	
	1 day	monthly average	
		mg/off-kg (pounds per 1,000,000 off-	
Pollutant or pollutant		pounds) of copper or copper alloy hot	
property	rolled		
Chromium	0.045	0.018	
Copper	0.195	0.103	
Lead	0.015	0.013	
Nickel	0.197	0.130	
Zinc	0.150	0.062	
TTO	0.066	0.035	
Oil and grease(1)	2.060	1.236	

⁽¹⁾ For alternate monitoring

Table 53 Cold Rolling Spent Lubricant

	PSES	
	Maximum for	Maximum for
	any 1 day	monthly average
		ds per 1,000,000 off-
Pollutant or pollutant		er or copper alloy
property	cold rolled	
Chromium	0.166	0.068
Copper	0.720	0.379
Lead	0.056	0.049
Nickel	0.727	0.481
Zinc	0.553	0.231
TTO	0.246	0.128
Oil and grease(1)	7.580	4.548

⁽¹⁾ For alternate monitoring

Table 54
Drawing Spent Lubricant(1)

Drawing Spent Eubricant(1)		
	PSES	
	Maximum for any 1 day	Maximum for monthly
		average
	mg/off-kg (poun	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of co	opper or copper alloy
property	drawn	
Chromium	0.037	0.015
Copper	0.161	0.085
Lead	0.012	0.011
Nickel	0.163	0.107
Zinc	0.124	0.051
TTO	0.055	0.028
Oil and grease(2)	1.700	1.020

⁽¹⁾ These standards are applicable only to those plants which actually discharge the drawing spent lubricant waste stream at the copper forming site. If these wastewaters are hauled off-site for disposal or are otherwise not discharged at the copper forming site, these standards are neither applicable nor allowable.

Table 55 Solution Heat Treatment

Solution Heat Treatment		
	PSES	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy
property	heat treated	
Chromium	0.284	0.116
Copper	1.227	0.646
Lead	0.096	0.083
Nickel	1.240	0.820
Zinc	0.943	0.394
TTO	0.419	0.219
Oil and grease ⁽¹⁾	12.920	7.752

⁽¹⁾ For alternate monitoring

Table 56 Extrusion Heat Treatment

	PSES	
	Maximum for any	Maximum for
	1 day	monthly average
		per 1,000,000 off-
Pollutant or pollutant	pounds) of copper	or copper alloy heat
property	treated	
Chromium	0.00088	0.00036
Copper	0.0030	0.0020
Lead	0.00030	0.00026
Nickel	0.0030	0.0020
Zinc	0.0020	0.0010
TTO	0.0010	0.00068
Oil and grease(1)	0.040	0.024

⁽¹⁾ For alternate monitoring

Table 57 Annealing With Water

	PSES	
	Maximum for	Maximum for
	any 1 day	monthly average
		ls per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	r or copper alloy an-
property	nealed with water	r
Chromium	0.545	0.223
Copper	2.356	1.240
Lead	0.186	0.161
Nickel	2.380	1.574
Zinc	1.810	0.756
TTO	0.806	0.421
Oil and grease(1)	24.800	14.880
	·	

(1) For alternate monitoring

Table 58 Annealing With Oil

	inicanng with On	
	PSES	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy an-
property	nealed with oil	
Copper	0	0
Lead	0	0
Nickel	0	0
Zinc	0	0
TTO	0	0
Oil and grease(1)	0	0

(1) For alternate monitoring

Table 59 Alkaline Cleaning Rinse

Alkanne Cleaning Kinse		
	PSES	
	Maximum for any	Maximum for
	1 day	monthly average
	mg/off-kg (pounds	per 1,000,000 off-
Pollutant or pollutant	pounds) of copper	or copper alloy al-
property	kaline cleaned	
Chromium	1.854	0.758
Copper	8.006	4.214
Lead	0.632	0.547
Nickel	8.090	5.351
Zinc	6.152	2.570
TTO	2.739	1.432
Oil and grease(1)	84.280	50.568

⁽¹⁾ For alternate monitoring

⁽²⁾ For alternate monitoring

Table 60 Alkaline Cleaning Rinse For Forged Parts

		8
	PSES	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (poun	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy al-
property	kaline cleaned	
Chromium	5.562	2.275
Copper	24.019	12.642
Lead	1.896	1.643
Nickel	24.272	16.055
Zinc	18.457	7.711
TTO	8.217	4.298
Oil and grease(1)	252.840	151.704

(1) For alternate monitoring

Table 61 Alkaline Cleaning Bath

	anne creaming Bati	•
	PSES	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ls per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	r or copper alloy al-
property	kaline cleaned	
Chromium	0.020	0.0084
Copper	0.088	0.046
Lead	0.0070	0.0060
Nickel	0.089	0.059
Zinc	0.068	0.028
TTO	0.030	0.015
Oil and grease(1)	0.93	0.56

(1) For alternate monitoring

Table 62 Pickling Rinse

	Ficking Kinse	
	PSES	
	Maximum for any	Maximum for
	1 day	monthly average
•		per 1,000,000 off-
Pollutant or pollutant	pounds) of copper	or copper alloy
property	pickled	
Chromium	0.574	0.235
Copper	2.481	1.306
Lead	0.195	0.169
Nickel	2.507	1.658
Zinc	1.906	0.796
TTO	0.848	0.444
Oil and grease	26.120	15.672

(1) For alternate monitoring

Table 63
Pickling Rinse For Forged Parts

	PSES	
	Maximum for any	Maximum for
	1 day	monthly average
	mg/off-kg (pounds	per 1,000,000 off-
Pollutant or pollutant	pounds) of copper	or copper alloy
property	forged parts pickle	d
Chromium	1.723	0.705
Copper	7.444	3.918
Lead	0.587	0.509
Nickel	7.522	4.975
Zinc	5.720	2.389
TTO	2.546	1.332
Oil and grease(1)	78.360	47.016

(1) For alternate monitoring

Table 64 Pickling Bath

	PSES	
	Maximum for	Maximum for
	any 1 day	monthly average
		ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy
property	pickled	
Chromium	0.051	0.020
Copper	0.220	0.116
Lead	0.017	0.015
Nickel	0.222	0.147
Zinc	0.169	0.070
TTO	0.075	0.039
Oil and grease(1)	2.320	1.392

(1) For alternate monitoring

Table 65 Pickling Fume Scrubber

Tieking rune berueber		
	PSES	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	s per 1,000,000 off-
Pollutant or pollutant	pounds) of copper	r or copper alloy
property	pickled	
Chromium	0.275	0.112
Copper	1.189	0.626
Lead	0.093	0.081
Nickel	1.201	0.795
Zinc	0.913	0.381
TTO	0.406	0.212
Oil and grease(1)	12.520	7.512

(1) For alternate monitoring

Table 66 Tumbling or Burnishing

Tunioning of Burnishing		
	PSES	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy
property	tumbled or burnished	
Chromium	0.256	0.104
Copper	1.107	0.583
Lead	0.087	0.075
Nickel	1.119	0.740
Zinc	0.851	0.355
TTO	0.378	0.198
Oil and grease(1)	11.660	6.996

⁽¹⁾ For alternate monitoring

Table 67

Surface Coating		
	PSES	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (poun	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of copp	er or copper alloy
property	surface coated	
Chromium	0.326	0.133
Copper	1.411	0.743
Lead	0.111	0.096
Nickel	1.426	0.943
Zinc	1.084	0.453
TTO	0.482	0.252
Oil and grease(1)	14.860	8.916

⁽¹⁾ For alternate monitoring

Table 68 Miscellaneous Waste Streams

Wilscenaneous waste Streams		
	PSES	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy
property	formed	
Chromium	0.009	0.003
Copper	0.041	0.021
Lead	0.003	0.002
Nickel	0.041	0.027
Zinc	0.031	0.013
TTO	0.014	0.007
Oil and grease(1)	0.436	0.261

⁽¹⁾ For alternate monitoring

NR 253.15 Pretreatment standards for new sources. Except as provided in s. NR 211.13, any existing [new] source subject to this subchapter which introduces pollutants into a POTW shall comply with ch. NR 211 and achieve the following PSNS:

Table 69 Hot Rolling Spent Lubricant

PSNS			
	Maximum for any	Maximum for	
	1 day	monthly average	
	mg/off-kg (pounds per 1,000,000 off-		
Pollutant or pollu-	pounds) of copper of	or copper alloy hot	
tant property	rolled		
Chromium	0.038	0.015	
Copper	0.131	0.062	
Lead	0.010	0.0092	
Nickel	0.056	0.038	
Zinc	0.105	0.043	
TTO	0.035	0.035	
Oil and grease(1)	1.030	1.030	

(1) For alternate monitoring

Table 70 Cold Rolling Spent Lubricant

Cold Rolling Spellt Lubricant		
	PSNS	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ls per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	
property	cold rolled	
Chromium	0.140	0.056
Copper	0.485	0.231
Lead	0.037	0.034
Nickel	0.208	0.140
Zinc	0.386	0.159
TTO	0.128	0.128
Oil and grease(1)	3.790	3.790

(1) For alternate monitoring

Table 71 Drawing Spent Lubricant(1)

Diaming Spent Euclieum(1)		
	PSNS	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	s per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	r or copper alloy
property	drawn	
Chromium	0.031	0.012
Copper	0.108	0.051
Lead	0.0085	0.0076
Nickel	0.046	0.031
Zinc	0.086	0.035
TTO	0.028	0.028
Oil and grease(2)	0.850	0.850
	11 1 1 1 1 1 1	

⁽¹⁾ These standards are applicable only to those plants which actually discharge the drawing spent lubricant waste stream at the copper forming site. If these wastewaters are hauled off-site for disposal or are otherwise not discharged at the copper forming site, these standards are neither applicable nor allowable.

⁽²⁾ For alternate monitoring

Table 72 Solution Heat Treatmen

Soli	ition Heat Treatme	nt
	PSNS	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (poun	ds per 1,000,000 off-
Pollutant or pollutant		er or copper alloy
property	heat treated	
Chromium	0.239	0.096
Copper	0.826	0.394
Lead	0.064	0.058
Nickel	0.355	0.239
Zinc	0.658	0.271
TTO	0.219	0.219
Oil and grease ⁽¹⁾	6.460	6.460

(1) For alternate monitoring

Table 73
Extrusion Heat Treatment

Extrasion freat freatment		
	PSNS	
	Maximum for	Maximum for
	any 1 day	monthly average
		ds per 1,000,000 off-
Pollutant or pollutant	pounds) of copp	er or copper alloy
property	heat treated	
Chromium	0.00074	0.00030
Copper	0.0020	0.0010
Lead	0.00020	0.00018
Nickel	0.0010	0.00074
Zinc	0.0020	0.00084
TTO	0.00068	0.00068
Oil and grease(1)	0.020	0.020

(1) For alternate monitoring

Table 74 Annealing With Water

	PSNS	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ls per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	r or copper alloy an-
property	nealed with water	r
Chromium	0.458	0.186
Copper	1.587	0.756
Lead	0.124	0.111
Nickel	0.682	0.458
Zinc	1.264	0.520
TTO	0.421	0.421
Oil and grease(1)	12.400	12.400

(1) For alternate monitoring

Table 75 Annealing With Oil

	PSNS	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy an-
property	nealed with oil	
Chromium	0	0
Copper	0	0
Lead	0	0
Nickel	0	0
Zinc	0	0
TTO	0	0
Oil and grease ⁽¹⁾	0	0

(1) For alternate monitoring

Table 76
Alkaline Cleaning Rinse

	PSNS	
	Maximum for	Maximum for
	any 1 day	monthly average
		ds per 1,000,000 off-
Pollutant or pollutant		er or copper alloy al-
property	kaline cleaned	
Chromium	1.559	0.632
Copper	5.393	2.570
Lead	0.421	0.379
Nickel	2.317	1.559
Zinc	4.298	1.769
TTO	1.432	1.432
Oil and grease ⁽¹⁾	42.140	42.140

(1) For alternate monitoring

Table 77
Alkaline Cleaning Rinse For Forged Parts

7 trkume Cleaning Rinse 1 of 1 orgen 1 arts		
	PSNS	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pound	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy al-
property	kaline cleaned	
Chromium	4.677	1.896
Copper	16.181	7.711
Lead	1.264	1.137
Nickel	6.953	4.677
Zinc	12.894	5.309
TTO	4.298	4.298
Oil and grease(1)	126.420	126.420

(1) For alternate monitoring

Table 78 Alkaline Cleaning Bath

Alkaline Cleaning Bath			
	PSNS		
	Maximum for	Maximum for	
	any 1 day	monthly average	
	mg/off-kg (pound	ds per 1,000,000 off-	
Pollutant or pollutant		er or copper alloy al-	
property	kaline cleaned		
Chromium	0.017	0.0070	
Copper	0.059	0.028	
Lead	0.0046	0.0042	
Nickel	0.025	0.017	
Zinc	0.047	0.019	
TTO	0.015	0.015	
Oil and grease ⁽¹⁾	0.46	0.46	

⁽¹⁾ For alternate monitoring

Table 79 Pickling Rinse

	i icking Kinsc	
	PSNS	
	Maximum for	Maximum for
	any 1 day	monthly average
•	mg/off-kg (poun	ds per 1,000,000 off-
Pollutant or pollutant	pounds) of coppe	er or copper alloy
property	pickled	
Chromium	0.216	0.087
Copper	0.748	0.356
Lead	0.058	0.052
Nickel	0.321	0.216
Zinc	0.596	0.245
TTO	0.198	0.198
Oil and grease(1)	5.850	5.850

⁽¹⁾ For alternate monitoring

Table 80 Pickling Rinse For Forged Parts

TERMING TOTT OTGET THE			
	PSNS		
	Maximum for	Maximum for	
	any 1 day	monthly average	
		ds per 1,000,000 off-	
Pollutant or pollutant	pounds) of coppe	er or copper alloy	
property	forged parts pickled		
Chromium	0.649	0.263	
Copper	2.246	1.070	
Lead	0.175	0.157	
Nickel	0.965	0.649	
Zinc	1.790	0.737	
TTO	0.596	0.596	
Oil and grease(1)	17.550	17.550	

⁽¹⁾ For alternate monitoring

Table 81 Pickling Bath

1 texting bath			
	PSNS		
	Maximum for	Maximum for	
	any 1 day	monthly average	
	mg/off-kg (pound	ls per 1,000,000 off-	
Pollutant or pollutant	pounds) of coppe	er or copper alloy	
property	pickled		
Chromium	0.042	0.017	
Copper	0.148	0.070	
Lead	0.011	0.010	
Nickel	0.063	0.042	
Zinc	0.118	0.048	
TTO	0.039	0.039	
Oil and grease(1)	1.160	1.160	

⁽¹⁾ For alternate monitoring

Table 82

Pickling Fume Scrubber			
	PSNS		
	Maximum for	Maximum for	
	any 1 day	monthly average	
	mg/off-kg (pounds per 1,000,000 off-		
Pollutant or pollutant	pounds) of copper or copper alloy		
property	pickled		
Chromium	0.231	0.093	
Copper	0.801	0.381	
Lead	0.062	0.056	
Nickel	0.344	0.231	
Zinc	0.638	0.262	
TTO	0.212	0.212	
Oil and grease(1)	6.260	6.260	

⁽¹⁾ For alternate monitoring

Table 83

Tumbling or Burnishing			
	PSNS		
	Maximum for	Maximum for	
	any 1 day	monthly average	
		ls per 1,000,000 off-	
Pollutant or pollutant	pounds) of coppe	er or copper alloy	
property	tumbled or burnished		
Chromium	0.215	0.087	
Copper	0.746	0.355	
Lead	0.058	0.052	
Nickel	0.320	0.215	
Zinc	0.594	0.244	
TTO	0.198	0.198	
Oil and grease ⁽¹⁾	5.830	5.830	

⁽¹⁾ For alternate monitoring

Table 84 Surface Coating

Surface Coating			
	PSNS		
	Maximum for	Maximum for	
	any 1 day	monthly average	
	mg/off-kg (pound	ls per 1,000,000 off-	
Pollutant or pollutant	pounds) of coppe	r or copper alloy	
property	surface coated		
Chromium	0.274	0.111	
Copper	0.951	0.453	
Lead	0.074	0.066	
Nickel	0.408	0.274	
Zinc	0.757	0.312	
TTO	0.252	0.252	
Oil and grease(1)	7.430	7.430	

⁽¹⁾ For alternate monitoring

Table 85 Miscellaneous Waste Streams

	PSNS	
	Maximum for	Maximum for
	any 1 day	monthly average
	mg/off-kg (pounds per 1,000,000 off-	
Pollutant or pollutant	pounds) of copper or copper alloy	
property	formed	
Chromium	0.008	0.003
Copper	0.027	0.013
Lead	0.0021	0.0019
Nickel	0.011	0.008
Zinc	0.022	0.009
TTO	0.007	0.007
Oil and grease ⁽¹⁾	0.218	0.218

⁽¹⁾ For alternate monitoring

Note: The Wisconsin administrative code corresponds to the code of federal regulations as cross referenced in the following table:

State Code	Corresponding Federal Regulation	
s. NR 205.03	40 CFR 401.11	_
s. NR 205.04	40 CFR 401.11	
ch. NR 211	40 CFR Part 403	
s. NR 211.03	40 CFR 403.03	
s. NR 211.13	40 CFR 403.7	
s. NR 211.14	40 CFR 403.13	
ch. NR 253	40 CFR Part 468	
ch. NR 256	40 CFR Part 464	