

Chapter NR 724

REMEDIAL AND INTERIM ACTION DESIGN, IMPLEMENTATION, OPERATION, MAINTENANCE AND MONITORING REQUIREMENTS

NR 724.01	Purpose.
NR 724.02	Applicability.
NR 724.03	Definitions.
NR 724.05	General submittal requirements.
NR 724.07	Department response.
NR 724.09	Design report.

NR 724.11	Design plans and specifications.
NR 724.13	Operation and maintenance.
NR 724.15	Documentation of construction and completion.
NR 724.17	Long-term monitoring.
NR 724.19	Application of new environmental standards.

Note: Chapter NR 724 as it existed on April 30, 1995 was repealed and a new chapter NR 724 was created effective May 1, 1995.

Note: Corrections made under s. 13.93 c2md cbd 7., Stats., Register, February, 1997, No. 494.

NR 724.01 Purpose. The purpose of this chapter is to specify the requirements for the design, implementation, operation, maintenance and monitoring of remedial actions and certain types of interim actions. This chapter is adopted pursuant to ss. 227.11 c2d, 287.03, and 289.06 c1d and c2d, Stats., and ch. 292, Stats.

History: Cr. Register, April, 1995, No. 472, eff. 5-1-95; am. Register, February, 1996, No. 482, eff. 3-1-96; CR 12-023: am. Register October 2013 No. 694, eff. 11-1-13.

NR 724.02 Applicability. c1d This chapter applies to all remedial actions and to the following types of interim actions taken by responsible parties, at sites, facilities or portions of a site or facility that are subject to regulation under ch. 292, Stats., regardless of whether there is direct involvement or oversight by the department:

cad On-site treatment systems, including groundwater extraction and other remedial treatment systems.

cbd On-site engineering controls or barriers, including engineered landfill covers or groundwater barrier systems.

cbmd Vapor mitigation systems.

Note: Remedial actions to actively remediate vapor contaminant sources fall under pars. cad or cbd.

ccd Any other type of interim action when the department determines, on a case-by-case basis, that a design report required under s. NR 724.09 is necessary prior to implementation.

Note: This chapter does not apply to emergency or non-emergency immediate actions or to those types of interim actions that are not listed in s. NR 724.02 c1d.

c2d The department may exercise enforcement discretion on a case-by-case basis and choose to regulate a site, facility or a portion of a site or facility under only one of a number of potentially applicable statutory authorities. However, where overlapping restrictions or requirements apply, the more restrictive requirements shall control. The department shall, after receipt of a written request and appropriate ch. NR 749 fee from a responsible party, provide a letter that indicates which regulatory program or programs the department considers to be applicable to a site or facility.

Note: Sites or facilities or portions of a site or facility that are subject to regulation under ch. 292, Stats., may also be subject to regulation under other statutes, including the solid waste statutes in ch. 289, Stats., or the hazardous waste management act, ch. 291, Stats., and the administrative rules adopted pursuant to those statutes. In addition, federal authorities such as CERCLA, RCRA, or TSCA may also apply to a site or facility or portions of a site or facility. One portion of a site or facility may be regulated under a different statutory authority than other portions of that site or facility.

Note: Persons who wish to conduct response actions that will be consistent with the requirements of CERCLA and the National Contingency Plan cNCPd may request that the department enter into a contract with them pursuant to s. 292.31 or a negotiated agreement under s. 292.11 c7d cdd, Stats. However, a CERCLA quality response action will likely require compliance with additional requirements beyond

those contained in chs. NR 700 to 754 in order to be consistent with CERCLA and the NCP.

c3d This chapter applies to all remedial actions and to those types of interim actions that are specified in sub. c1d taken by the department under the authority of ch. 292, Stats. In this chapter, where the term Xresponsible partiesY appears, it is to be read to include the department in situations where a department-funded response action is being taken.

c4d This chapter applies to all remedial action and to those types of interim actions that are specified in sub. c1d taken by persons seeking the liability exemption under s. 292.15, Stats. In this chapter, where the term Xresponsible partiesY appears, it shall read to include the Xvoluntary partiesY where an action is being taken to comply with s. 292.15.

History: Cr. Register, April, 1995, No. 472, eff. 5-1-95; cr. c4d, Register, February, 1996, No. 482, eff. 3-1-96; CR 12-023: am. c1d cintro.d, cad, cr. c1d cbmd, am. c2d to c4d Register October 2013 No. 694, eff. 11-1-13.

NR 724.03 Definitions. The definitions in s. NR 700.03 apply to this chapter. In this chapter, where the term Xresponsible partiesY appears, it shall be read to include Xvoluntary partiesY where an action is being taken to comply with s. 292.15, Stats.

History: Cr. Register, April, 1995, No. 472, eff. 5-1-95; am., Register, February, 1996, No. 482, eff. 3-1-96; CR 12-023: am. Register October 2013 No. 694, eff. 11-1-13.

NR 724.05 General submittal requirements. c2d GENERAL REQUIREMENTS. Unless otherwise directed by the department, responsible parties shall submit the plans and reports required by this chapter in compliance with all of the following requirements:

cad The plans, reports and specifications required by ss. NR 724.09, 724.11, 724.13 c2d and 724.17 c2d shall be submitted simultaneously and may be combined in a single report.

cbd One paper copy and one electronic copy of each plan or report shall be submitted to the department, in accordance with s. NR 700.11 c3gd.

Note: Electronic copies should be submitted in the Adobe Portable Document Format cPDFd on optical disk media. Guidance on electronic submittals can be accessed at <http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf>.

ccd The department may require by the issuance of an administrative order or consent order that these plans and reports be prepared in accordance with a site-specific schedule.

cdd At sites or facilities where multiple remedial or interim actions are taken, all of the following requirements apply:

1. All submittals required by this chapter shall include a brief discussion of the interrelationship between the actions.

2. The design report required by s. NR 724.09 and the design plans and specifications required by s. NR 724.11 that are prepared for subsequent remedial or interim actions may include the design details for the subsequent action without repeating design

work that was included in previous submittals to the department for other remedial or interim actions.

ced Each submittal under this chapter shall include all of the following:

1. A brief cover letter that includes:
 - a. The month, day and year of the submittal.
 - b. The department-issued identification number for the site or facility.
 - c. The purpose of the submittal and the desired department action or response.
 - d. A brief narrative summarizing the contents of the submittal.
 - e. The regulatory status of the site or facility.
2. A report or plan that includes following general information:
 - a. Project title and purpose, including the department-issued identification number for the site or facility.
 - b. Name, address, and telephone number of the property owner, lessee, operator or any individual or company responsible for the discharge of hazardous substances or environmental pollution on the site or facility.
 - c. Name, address, and telephone number of any consultants or contractors involved with the response action at the site or facility.
 - d. Site name, address, and location by quarter]quarter section, township, range and county, geographic position determined in accordance with the requirements of s. NR 716.15 c5d cdd, and the latitude and longitude of the property.
 - e. A location map that meets the requirements of s. NR 716.15 c4d cad.
 - f. Month, day and year of the submittal.
 - g. A summary of the nature and extent of contamination at the site or facility.

c3d LEVEL OF DETAIL. cad Nothing in this chapter shall be construed to require plans or reports that are more detailed or complex than is justified by the known scope of contamination or the complexity of the site or facility.

cbd The department may require additional information in the plans and report beyond what is specifically required under this chapter if necessary because of the complexity of the site or facility, or the degree and extent of the contamination.

History: Cr. Register, April, 1995, No. 472, eff. 5-1-95; am. c2d cad, Register, October, 1996, No. 490, eff. 11-1-96; CR 12-023: r. c1d, am. c2d titled, cintro.d, cbd, ced 2. d., e. Register October 2013 No. 694, eff. 11-1-13.

NR 724.07 Department response. c1d The department may direct responsible parties in writing that department approval of a plan or report is necessary prior to proceeding to the next step in the design, implementation or operation of a remedial action or interim action under this chapter. In such cases, the department shall provide a written acknowledgement of receipt of any report or plan submitted pursuant to this chapter within 30 days. The department acknowledgement shall include an estimated date for completion of department review.

c2d In cases where department approval is required for the reports or plans submitted under this chapter, the department may request additional information, require revisions, approve, conditionally approve or disapprove of the plans or reports. The department shall provide to the responsible parties, in writing, the reasons for any disapproval and the department may establish a deadline for providing revisions.

Note: Persons who prepare the plans and reports required by this chapter should be aware that other department programs may also require the submittal, review and approval of plans and reports.

Note: In accordance with ch. NR 749, the appropriate review fee must accompany any request for the department to review a specific document.

History: Cr. Register, April, 1995, No. 472, eff. 5-1-95.

NR 724.09 Design report. Unless otherwise directed by the department, responsible parties shall submit to the department a design report for all remedial actions and those interim actions specified in s. NR 724.02 c1d, containing all of the following information:

- c1d** The information required in s. NR 724.05 c2d ced.
- c2d** A brief description of the site or facility.
- c3d** A complete and detailed description of the remedial or interim action being designed.
- c4d** All engineering criteria, concepts, assumptions and calculations used in preparing the design, including adequate justification for their use.
- c5d** Any treatability study information, pilot test results, aquifer pumping test results or other test results utilized in the design, unless this information was previously submitted to the department.

Note: Treatability studies should be conducted as early in the response process as possible.

c6d A listing of all local, state and federal permits, licenses and approvals required to construct and implement the remedial or interim action.

c7d A brief description of the public health and environmental laws and standards applicable to the contamination and the interim or remedial action being implemented, including the physical location where the environmental standards shall be complied with for each medium of concern.

c8d A preliminary discussion of the types of, frequency of and schedule for monitoring of the remedial or interim action. This discussion shall address any water, soil, soil gas, air, vapor, or other monitoring required for each component of the remedial or interim action.

c9d A preliminary discussion of planned operation and maintenance provisions.

Note: An operation and maintenance plan prepared in accordance with s. NR 724.13 c2d will satisfy the requirements of s. NR 724.09 c8d and c9d, if submitted with the design report. In this case, the operation and maintenance plan should provide a complete, rather than a preliminary, discussion of the topics described in s. NR 724.09 c8d and c9d.

c10d A proposed schedule for implementation of the remedial or interim action, which identifies timing for initiation and completion of all tasks. The proposed dates for completion of the remedial or interim action and major milestones shall be specified. The schedule shall include deadlines for all reports, plans and submittals required by the department.

c11d Discussion of any other relevant technical factors.

History: Cr. Register, April, 1995, No. 472, eff. 5-1-95; CR 12-023: am. c8d Register October 2013 No. 694, eff. 11-1-13.

NR 724.11 Design plans and specifications. Unless otherwise directed by the department, responsible parties shall submit to the department design plans and specifications for each remedial action and any of the interim actions specified in s. NR 724.02 c1d. Plans and specifications shall:

- c1d** Be consistent with the concepts presented in the design report prepared under s. NR 724.09.
- c2d** Provide a general correlation between drawings and technical specifications.
- c3d** Include technical specifications and requirements necessary for all the components of the remedial or interim action.
- c4d** Include detailed drawings of the proposed design, including general component arrangements, equipment layout,

process flow diagram, piping and instrumentation diagrams, cross sections, sampling locations and instrumentation locations.

c5d Show sufficient detail for construction, according to customary industrial and professional standards.

c6d Unless otherwise directed by the department, include legible visual aids, including maps, plan sheets, drawings, isometrics, cross sections and aerial photographs, which:

cad Are no larger than 24 inches by 36 inches and no smaller than 8¹/₂ inches by 11 inches.

cbd Are of appropriate scale to show all required details in sufficient clarity.

ccd Are numbered, titled, have a legend of all symbols used, contain horizontal and vertical scales where applicable, and specify drafting or origination dates and current drawing revision or issue status.

cdd Use uniform, graphic scales.

ced Contain a north arrow, where appropriate.

cfD Use national geodetic survey data as the basis for all elevations.

cgD Show dimensions for location and placement of features or units and elevations that are based on permanent, retrievable surveying control monuments or stations.

chD Additionally, for solid or hazardous waste disposal facilities or, when directed by the department, for other land-based features being constructed at the site or facility as part of the response action:

1. Display a survey grid based on monuments established in the field which are referenced to state plane coordinates.

2. Show the survey grid location and reference major plan sheets on all cross sections.

Note: Examples of land-based features include covers, waste or soil piles, soil treatment piles, liners, landfills and features created by earth moving and regrading.

3. Include a reduced plan-view map on all sheets with cross sections indicating the location of the cross section.

c7d Include descriptions, specifications and performance criteria necessary for procurement, construction and start up of all features and units, including key components and all instrumentation. Performance curves or criteria published by equipment suppliers or manufacturers may be utilized if they provide sufficient information.

History: Cr. Register, April, 1995, No. 472, eff. 5-1-95; CR 12-023: am. c6d cdd Register October 2013 No. 694, eff. 11-1-13.

NR 724.13 Operation and maintenance. c1d GENERAL. cad Unless otherwise directed by the department, responsible parties shall conduct all necessary operation and maintenance activities in accordance with this section and in compliance with all applicable state or federal public health and environmental laws, whichever are more stringent, until all applicable public health and environmental laws are complied with as required in chs. NR 700 to 754.

cbd Responsible parties shall operate and maintain any cover systems, liners, physical hydraulic containment systems, leachate collection systems, and gas collection, extraction, and management systems at sites or facilities for which they are responsible until no longer required by the department.

ccd Responsible parties and property owners shall operate vapor mitigation systems for which they are responsible until no longer required by the department.

cdd Vapor mitigation systems and remedial actions designed to address vapor migration shall be monitored at a frequency determined by the department, to measure whether the action taken has been effective in meeting the vapor action level.

c2d OPERATION AND MAINTENANCE PLAN. Unless other-

wise directed by the department, responsible parties shall submit to the department an operation and maintenance plan when on-site maintenance activities are necessary to implement, monitor or ensure the effectiveness of a remedial or interim action. The plan shall outline all operation, monitoring, and maintenance activities, from design through case closure under ch. NR 726 or through post-closure under ch. NR 727, as appropriate, including all of the following information:

cad The information specified under s. NR 724.05 c2d ced.

cbd A description of normal operation and maintenance, including a schedule showing the frequency of each operation and maintenance task.

ccd A contingency plan for any anticipated or potential operation and maintenance problems, including a description of techniques or activities to be conducted by the responsible parties to resolve operation and maintenance problems.

cdd A description of routine monitoring and analysis, including:

1. Long-term monitoring required under s. NR 724.17;

2. Laboratory or field tests, test methods and sampling methods; and

3. A schedule of monitoring frequency and dates.

ced A description of any site-specific or facility-specific record-keeping and reporting requirements to document operation and maintenance activities, including:

1. Mechanisms for reporting system failures, discharges of hazardous substances, environmental pollution and other emergencies; and

2. Reports to be submitted to the department, including the results of system and environmental monitoring and the results of the monitoring well inspections meeting the requirements of s. NR 716.13 c14d.

cfD A location map that includes the locations and extent of features that need to be maintained, as well as the extent of contamination.

cgD Final construction specifications on any engineering control feature.

Note: Engineering controls may include a cover, barrier, or vapor mitigation system.

chD A list of prohibited activities.

cid A contact for questions on specific actions and the inspection log.

cjd A statement of where more site-specific information may be found.

Note: More site-specific information may be found in the department[s] files.

ckD For vapor mitigation systems; a diagram and photographs showing piping, venting, fans and manometer locations, vent height and location, a description of how to verify that the vapor mitigation system is operating properly, identification of prohibited activities to ensure the continued effectiveness of the vapor mitigation system, and direction to notify the department before any action is taken which would disturb operation of the vapor mitigation system.

cLd Air emission reporting and permitting, as applicable.

cmd Monthly manometer checks.

cnd Annual inspection of system parts.

c3d PROGRESS REPORTS. In addition to the general progress reporting requirements in s. NR 700.11, responsible parties shall submit semi-annual operation and maintenance progress reports to the department. Progress reports shall be sequentially numbered, starting with the first report which is due no later than 6 months after the remediation system begins operation. Information related to operation and maintenance shall be provided on a

reporting form supplied by the department. The department may require progress reports be submitted at a different frequency than semi-annually.

Note: Operation and maintenance progress reports should be submitted for both active and passive remediation systems. Progress reports required under this subsection are not the same as post-closure maintenance inspection logs for remedies such as performance standard covers.

Note: Copies of remediation system operation and maintenance reporting forms may be obtained from any regional office of the department, or by writing to the Department of Natural Resources, Bureau for Remediation and Redevelopment, P.O. Box 7921, Madison, Wisconsin 53707, or at <http://dnr.wi.gov/files/PDF/forms/4400/4400-194.pdf>.

c4d OPERATION AND MAINTENANCE PLAN REVISIONS. When warranted by changes in the design, operation or maintenance of the interim or remedial action, or when requested by the department, responsible parties shall revise the appropriate section of the operation and maintenance plan. Plan revisions shall be submitted to the department and shall:

cad Include the information required in s. NR 724.05 c2d ced.

cbd Be numbered with a revision number.

ccd Document any changes in the time of anticipated case closure.

cdd Document any changes in the design, operation, maintenance or monitoring of the interim or remedial action.

History: Cr. Register, April, 1995, No. 472, eff. 5-1-95; am. c3d cad 1., 2. and 3., renum. c3d ced to be c3d cfd and cr. c3d ced, Register, October, 1996, No. 490, eff. 11-1-96; correction in c4d made under s. 13.93 c2md cbd 1., Stats., Register, October, 1999, No. 526; CR 12-023; am. c1d cad, cbd, cr. c1d ccd, cdd, am. c2d cintro.d, cad, ced 2., cr. c2d cfd to cnd, renum. c3d cintro.d to c3d and am., r. c3d cad to cdd, r. ced, cfd, am. c4d cfted, ccd Register October 2013 No. 694, eff. 11-1-13; correction in c2d cad made under s. 13.92 c4d cbd 7., Stats., Register October 2013.

NR 724.15 Documentation of construction and completion. c1d Unless otherwise directed by the department, responsible parties shall submit to the department a construction documentation or as-built report within 60 days after the date that construction of a remedial action or any interim action specified in s. NR 724.02 c1d is completed or determined to be essentially complete by the department.

c2d The report shall document that the completed final remedial or interim action meets or exceeds all design criteria and the plans and specifications developed in accordance with all of the requirements of this chapter.

c3d Unless otherwise directed by the department, the construction documentation report shall include all of the following information:

cad The information specified under s. NR 724.05 c2d ced.

cbd As-built maps, plan sheets, drawings, isometric drawings and cross sections.

ccd A synopsis of the remedial or interim action and a certification that the design and construction was carried out in accordance with the plans and specifications.

cdd An explanation of any minor changes to the plans and why these were necessary for the project.

ced Results of all pilot and field tests or studies and site monitoring conducted during construction.

cfd A brief description of the public health and environmental laws applicable to the contamination and the interim or remedial action selected, including the physical location where the environmental laws shall be complied with for all media of concern.

cgd The information required in ch. NR 516 for documenting the construction at the site or facility of any final covers, liners, leachate collection systems and gas collection, extraction and management systems.

chd A revised operations and maintenance plan in accordance with s. NR 724.13 c4d, unless the cover letter indicates that there are no revisions to the operations and maintenance plan.

History: Cr. Register, April, 1995, No. 472, eff. 5-1-95.

NR 724.17 Long-term monitoring. c1d GENERAL. Responsible parties shall conduct all necessary and appropriate long-term monitoring at a site or facility in accordance with all of the requirements of this section and any other applicable public health and environmental laws.

c2d LONG-TERM MONITORING PLAN. Unless otherwise directed by the department, the responsible parties shall submit a long-term monitoring plan to the department that specifies:

cad The parameters to be monitored;

cbd The sampling and analytical methods to be used, consistent with the sampling and analysis requirements in s. NR 716.13;

ccd The interval at which monitoring is to be performed; and

cdd The public health and environmental laws, including standards, to be complied with.

c3md LONG]TERM MONITORING RESULTS. Unless otherwise directed by the department, responsible parties shall submit a monitoring results report to the department after any sampling. Responsible parties shall submit the monitoring results report, including results from private and public wells, within 10 business days of receiving the sample results. Monitoring results shall be submitted in accordance with s. NR 716.14. The report shall include all of the following information:

cad The information specified under s. NR 724.05 c2d ced.

cbd Sampling results.

ccd Monitoring results in tabular and graph form, including the current monitoring results and all previous results, so as to provide a concise summary of the monitoring program.

Note: Long term monitoring for groundwater includes groundwater table elevation data. This data is used for the system effectiveness reporting required by s. NR 724.13 as well as for the assessment used to determine what attenuation processes are occurring at the site.

Note: Section NR 716.14 requires the submittal of specific monitoring result information in a letter or on a form provided by the department.

cdd Laboratory analytical reports and sample chain]of]custody forms, unless otherwise directed by the department.

ced Identification of any specific environmental standards that have been attained or exceeded and an indication on a site or facility map of the location where the standards have been attained or exceeded.

cfd A preliminary analysis of the cause and significance of any concentrations that attain or exceed specific environmental standards and any increases in concentrations of substances that previously attained or exceeded specific environmental standards, including the factors specified in s. NR 140.24 c1d ccd 1. to 10. for groundwater.

Note: Section 292.11, Stats., and ch. NR 706 require that the department be notified immediately of any hazardous substance discharge.

c4d DEPARTMENT REVIEW. cad The department shall review and respond to the results [of monitoring] data, if requested to do so by the responsible parties, to evaluate the effectiveness of the remedial action in achieving the environmental and public health laws.

Note: The language in brackets was inadvertently omitted from CR 12-023.

Note: In accordance with ch. NR 749, the appropriate review fee must accompany any request for the department to evaluate environmental data.

cbd The department may review long-term monitoring results at other times at its discretion.

ccd The department may require additional remedial action, pursuant to ch. 292, Stats., based on the evaluation of monitoring results.

History: Cr. Register, April, 1995, No. 472, eff. 5-1-95; cr. c3d cad 3. cnoted, Register, October, 1996, No. 490, eff. 11-1-96; CR 12-023; r. c3d, cr. c3md, am. c4d cad, ccd Register October 2013 No. 694, eff. 11-1-13.

NR 724.19 Application of new environmental standards. c1d If, after a remedial action selected in accordance with the requirements of ch. NR 722 is implemented, any appli-

cable environmental standards are modified by the department to be more stringent, or if additional environmental standards are promulgated, the department shall require responsible parties to comply with the new or modified environmental standards if the department determines that, for a specific site or facility, compliance with the more stringent standards is necessary to ensure that the interim action or remedial action will be protective of public health, safety, or welfare or the environment.

c2d If, after a remedial action selected in accordance with ch.

[NR 722](#) is implemented, any applicable environmental standards are modified by the department to be less stringent, the department shall approve of case closure if requested by responsible parties once the new, less stringent standards are achieved, if the department determines that the new, less stringent standards will be protective of public health, safety, or welfare or the environment at a specific site or facility that is the subject of a case closure request under ch. [NR 726](#).

History: Cr. [Register, April, 1995, No. 472](#), eff. 5-1-95; [CR 12-023](#): am. titled, c1d, c2d [Register October 2013 No. 694](#), eff. 11-1-13.