

## Chapter NR 815

### INJECTION WELLS

#### Subchapter I — General

- NR 815.01 Purpose.  
NR 815.02 Applicability.  
NR 815.03 Definitions.

#### Subchapter II — Injection Well Classes and Underground Sources of Drinking Water

- NR 815.04 Classification of injection wells.  
NR 815.05 Underground source of drinking water.

#### Subchapter III — Regulated Activities

- NR 815.06 Prohibitions.

- NR 815.07 Approval of injection wells.  
NR 815.08 Reporting of injection wells.  
NR 815.09 Operation of injection wells.  
NR 815.10 Closure of injection wells.

#### Subchapter IV — Additional Requirements by Well Class

- NR 815.11 Class V well injection.

#### Subchapter V — Enforcement

- NR 815.12 Visitorial powers of the department.  
NR 815.13 Records.  
NR 815.14 Penalties.

### Subchapter I — General

**NR 815.01 Purpose.** The purpose of this chapter is to establish uniform minimum standards and methods in conformity with s. 281.17 c8d, Stats., for the following:

**c1d** Construction or use of a well for the purpose of placing a fluid underground.

**c2d** Protection of underground sources of drinking water, aquifers and groundwater from contamination that may occur as a result of the use of an injection well.

**History:** CR 01-104: cr. Register October 2004 No. 586, eff. 11-1-04.

**NR 815.02 Applicability.** The provisions of this chapter apply to new and existing injection wells as follows:

**c1d** SPECIFIC INCLUSIONS. Injection wells that are governed by this chapter include, but are not limited to:

cad Any injection well on a drilling platform that is located within the jurisdictional boundaries of the state.

cbd Except as provided in sub. c2d, any well that is constructed or used to place a fluid underground.

ccd Any well used by a generator of hazardous waste, or by the owner or operator of a hazardous waste management facility, to dispose of a fluid containing hazardous waste. This includes the disposal of hazardous waste into a waste disposal system that would otherwise be a septic system or cesspool regardless of the capacity of the waste disposal system.

cdd Any septic system, cesspool or other well that is used by a multiple-family dwelling, multiple dwellings, community system or regional system to place a fluid underground.

**c2d** SPECIFIC EXCLUSIONS. The following are not governed by this chapter:

cad Any injection well on a drilling platform or other site that is located in its entirety beyond the jurisdictional boundaries of the state.

cbd Any private onsite wastewater treatment system approved according to the provisions of ch. SPS 383 that is used to dispose of sanitary waste from an individual single-family dwelling.

ccd Any well that is not used to place a fluid underground.

**History:** CR 01-104: cr. Register October 2004 No. 586, eff. 11-1-04; correction in c2d cbd made under s. 13.92 c4d cbd 7., Stats., Register January 2012 No. 673.

**NR 815.03 Definitions.** In this chapter:

**c1d** XApprovalY means any of the following: authorization by administrative rule, written letter of authorization or issuance of a permit.

**c2d** XAquiferY means a geological layer consisting of unconsolidated material, usually sand or gravel or both, or bedrock lying below the ground surface that is entirely or partially saturated with water and permeable enough to allow water to be extracted, as from a well.

**c3d** XBackfillY means a substance containing, but not limited to, any of the following: sand, gravel, cement, mill tailings, mill refuse, fly ash or other solids used as part of the mining process or for the purpose of closing a mine shaft or reclaiming an area subjected to mining activities.

**c4d** XBedrockY means any naturally formed consolidated or coherent material of the earth[s crust, composed of one or more minerals, rock fragments or organic material that underlies any soil or other unconsolidated surficial material or is exposed at the surface. Bedrock includes, but is not limited to limestone, dolomite, sandstone, shale and igneous and metamorphic crystalline rock, including granite, rhyolite, quartzite, gabbro, basalt, gneiss, schist, diorite and greenstone.

**c5d** XBoreholeY means a circular hole that is deeper than it is wide, constructed in earth material for the purpose of either installing a well or obtaining geologic or groundwater related data.

**Note:** The department recognizes a borehole to be a type of a drillhole.

**c6d** XBy-product solidsY means waste materials from the animal product or food processing industry including, but not limited to remains of butchered animals, paunch manure and vegetable waste materials such as leaves, cuttings, peelings and actively fermenting sweet corn silage.

**c7d** XCesspoolY means a drywell that solely receives untreated sanitary waste and which sometimes has an open bottom or perforated sides or both.

**Note:** As used in this chapter, the term includes those excavations that are defined as cesspools in s. SPS 381.01 c53d.

**c8d** XClosureY means ceasing the discharge of a fluid to a well.

**c9d** XConversionY means a change in the operation of an injection well that results in a change in the existing classification of the injection well or results in a change in the injection well[s type designation within a specific class of injection wells.

**c10d** XDepartmentY means the department of natural resources.

**c11d** XDischargeY has the meaning given in s. 292.01 c3d, Stats.

**Note:** XDischargeY in s. 292.01 c3d, Stats., means, but is not limited to, any of the following: spilling, leaking, pumping, pouring, placing, emitting, emptying or dumping.

**c12d** XDomestic wastewaterY means the wastewater nor-

mally discharged from plumbing facilities in private dwellings or commercial domestic establishments and includes, but is not limited to sanitary, bath, laundry, dishwashing, garbage disposal and cleaning wastes.

**Note:** A commercial domestic establishment is a business providing lodging facilities such as, but not limited to, a motel, hotel, boarding house or assisted-living center.

**c13d** XDrillholeY means an excavation, opening or driven point well deeper than it is wide that extends more than 10 feet below the ground surface.

**c14d** XDrywellY means a well, other than an improved sinkhole or subsurface fluid distribution system, that is completed above the water table so that its bottom or sides are typically dry except when receiving or draining fluids.

**c15d** XDwellingY means a structure, or that part of a structure, which is used or intended to be used as a home, residence or sleeping place by one person or by 2 or more persons maintaining a common household, to the exclusion of all others.

**c16d** XEndangermentY means the movement of a fluid containing any substance into an underground source of drinking water, if the presence of the substance may cause a violation of a primary drinking water maximum contaminant level established in 40 CFR part 142 or otherwise adversely affect the health of persons.

**Note:** Endangerment, as it applies to Class V injection wells that are not prohibited under subchapter III, is any exceedance of an enforcement standard established under ch. 160, Stats., when measured at a point of standards application as defined in s. 160.01 c5d, Stats.

**c17d** XExisting injection wellY means any injection well constructed or in use prior to November 1, 2004.

**c18d** XFluidY means any material or substance that flows or moves whether a semisolid, liquid, sludge, gas or any other form or state.

**c19d** XFormationY means a body of consolidated or unconsolidated geologic materials characterized by a degree of lithologic homogeneity that is prevailing, but not necessarily, tabular and may be mapped on the earth's surface or traced in the subsurface.

**c20d** XGeneratorY means the person responsible for an act or process that produces hazardous waste.

**c21d** XGroundwaterY has the meaning given in s. 160.01 c4d, Stats.

**Note:** XGroundwaterY in s. 160.01 c4d, Stats., means any of the waters of the state, as defined in s. 281.01 c18d, Stats., occurring in a saturated subsurface geologic formation of rock or soil.

**c22d** XHazardous wasteY has the meaning given in s. 291.01 c7d, Stats.

**Note:** XHazardous wasteY in s. 291.01 c7d, Stats., means any solid waste identified by the department as hazardous waste under s. 291.05 c1d, c2d or c4d, Stats.

**c23d** XHazardous waste facilityY has the meaning given in s. 291.01 c8d, Stats.

**Note:** XHazardous waste facilityY in s. 291.01 c8d, Stats., means a site or structure for the treatment, storage or disposal of hazardous waste and includes all of the contiguous property under common ownership or control surrounding the site or structure.

**c24d** XImproved sinkholeY means a naturally occurring karst depression or opening, or any other natural crevice found in volcanic terrain or other geologic settings, that has been modified by a person for the purpose of dispersing or otherwise discharging fluids into the subsurface.

**c25d** XInjection wellY means a well that is used to place a fluid underground.

**c26d** XInjection zoneY means a geological formation, a portion of a formation or a group of formations that is intersected by a well and that receives or may receive a fluid from an injection well.

**c27d** XLand disposal systemY means a facility for disposing of liquid wastes consisting of any of the following:

cad An absorption or seepage pond system.

cbd A ridge and furrow system.

ccd A spray irrigation system.

cdd A subsurface soil absorption system or mound system.

ced An overland flow system.

cfđ Any other land area receiving liquid waste discharges.

**c28d** XLand treatmentY means the discharge of a fluid by means of a system that utilizes the physical, chemical and biological abilities of the soil to decompose any pollutant contained in the fluid. Land treatment systems include:

cad Absorption or seepage pond systems.

cbd Ridge and furrow systems.

ccd Spray irrigation systems.

cdd Overland flow systems.

ced Subsurface absorption field systems.

cfđ Landspreading systems for liquid wastes or organic by-product solids.

cgd Sludge spreading systems.

chđ Any other land area receiving liquid wastes, by-product solids or sludge discharges.

**c29d** XLarge-capacity cesspoolY means any cesspool that is designed to receive untreated sanitary waste from 20 or more people per day.

**c30d** XLiquid wasteY means process wastewater and waste liquid products including, but not limited to silage leachate, whey, whey permeate, whey filtrate, contact cooling water, cooling or boiler water containing water treatment additives, and wash water generated in industrial, commercial and agricultural operations that result in a point source discharge to a land treatment system.

**Note:** As used in this chapter, XLiquid wasteY does not include the following: alcohol fuel production wastes from systems defined as private alcohol fuel production systems under s. 289.44 c1d ccd, Stats., that are operated in accordance with s. 283.61 c2d, Stats., animal waste regulated under ch. NR 243 or liquid manure applied in accordance with sound agricultural practices, domestic sewage from systems defined as private sewage systems in s. 145.01 c12d, Stats., effluent from publicly owned or privately owned wastewater treatment works regulated under ch. NR 206, or mining wastes backfilled or otherwise disposed of in a prospecting excavation or a mine in accordance with a permit issued under ch. NR 131 or 132 or subch. III of ch. 295, Stats., except runoff, leachate, decantate, or other wastewater collected for disposal on land outside of the permitted prospecting or mining site.

**c31d** XMunicipal wastewaterY means effluent from a publicly owned wastewater treatment works or a privately owned domestic wastewater treatment works.

**c32d** XNew injection wellY means a well that is constructed or first used for underground injection on or after November 1, 2004.

**c33d** XOperatorY means the person responsible for the supervision, management or operation of any facility or activity subject to regulation through the underground injection control program.

**c34d** XOwnerY means the person holding title to the property upon which an injection well is located.

**c35d** XPermitY means an authorization, license or equivalent control document issued by the state through a regulatory agency that has been delegated responsibility for managing any activity that would be subject to regulation as an injection well through the federal underground injection control program.

**Note:** A permit may be issued as an individual, group, area or emergency permit; however, a permit does not include authorization by rule or any draft permit that has not yet been the subject of final action by the regulatory agency.

**c36d** XPersonY has the meaning given in s. 990.01 c26d, Stats.

**Note:** XPersonY in s. 990.01 c26d, Stats., is to be construed according to com-

mon and approved usage and by definition includes all partnerships, associations and bodies politic or corporate.

**c37d** XPluggingY means the act of stopping the flow of water, oil or gas into or out of a formation through a well penetrating that formation.

**c38d** XPoint of injectionY means the last accessible point, as determined by the department or other designated regulatory agency, where a sample of a substance may be collected prior to placement of the substance underground through an injection well.

**Note:** The point of injection for a subsurface fluid distribution system may be a septic tank or distribution box located prior to the drainfield. The point of injection for a drywell or well may be at or just prior to the wellbore itself.

**c39d** XPollutantY has the meaning given in s. 283.01 c13d, Stats.

**Note:** XPollutantY in s. 283.01 c13d, Stats., means any dredged spoil, solid waste, incinerator residue, sewage, garbage, refuse, oil, sewage sludge, munitions, chemical wastes, biological materials, radioactive substance, heat, wrecked or discarded equipment, rock, sand, cellar dirt and industrial, municipal and agricultural waste discharged into water.

**c40d** XPrivate onsite wastewater treatment systemY has the meaning given for private sewage system in s. 145.01 c12d, Stats.

**Note:** XPrivate sewage systemY in s. 145.01 c12d, Stats., means a sewage treatment and disposal system serving a single structure with a septic tank and soil absorption field located on the same parcel as the structure. This term also means an alternative sewage system approved by the department of safety and professional services including a substitute for the septic tank or soil absorption field, a holding tank, a system serving more than one structure or a system located on a different parcel than the structure. A private sewage system may be owned by the property owner or by a special purpose district.

**c41d** XPrivately owned domestic wastewater treatment workY means facilities which treat domestic wastewater, permitted under ch. 283, Stats., and owned and operated by non-municipal entities or enterprises such as, but not limited to, mobile home parks, restaurants, hotels, motels and country clubs.

**c42d** XProjectY means a group of wells under the control of a single person and managed as a single facility or activity.

**c43d** XPublicly owned treatment workY has the meaning specified under s. NR 211.03 c11d.

**Note:** Section NR 211.03 c11d defines Xpublicly owned treatment workY as a treatment works which is owned by a municipality and any sewers that convey wastewater to such a treatment works. This definition includes any devices or systems used by a municipality in the storage, treatment, recycling and reclamation of municipal sewage or liquid industrial wastes. The term also means the municipality or local unit of government which has jurisdiction over the indirect discharges to, and the discharges from, such a treatment works.

**c44d** XRadioactive wasteY means any waste that contains radioactive material in concentrations that exceed those listed in 10 CFR part 20, appendix B, table II, column 2.

**c45d** XRCRAY means the solid waste disposal act as amended by the resource conservation and recovery act of 1976, Pub. L. 94-580, as amended by Pub. L. 95-609, Pub. L. 96-510, 42 USC 6901 *et seq.*

**c46d** XRegulatory agencyY has the meaning given in s. 160.01 c7d, Stats.

**Note:** XRegulatory agencyY in s. 160.01 c7d, Stats., means the Department of Agriculture, Trade and Consumer Protection, the Department of Safety and Professional Services, the Department of Transportation, the Department of Natural Resources and other state agencies which regulate activities, facilities or practices which are related to substances which have been detected in or have a reasonable probability of entering the groundwater resources of the state.

**c47d** XSafe drinking water actY or XSDWAY means the safe drinking water act, Pub. L. 93-523, as amended; 42 USC 300f *et seq.*

**c48d** XSanitary wasteY means sewage containing wastes primarily from humans and housekeeping activities, such wastes include those collected from toilets, showers, wash basins, sinks used for cleaning domestic areas, sinks used for domestic food preparation, domestic clothes washing operations, and sinks or washing machines where food and beverage serving dishes, glasses and utensils are cleaned.

**Note:** Sanitary waste may be generated at residential, commercial, industrial or recreational facilities provided that the waste is not mixed with the waste from an industrial process. Sanitary waste may also include clearwater, filter backwash or effluent from water treatment devices or similar discharges from other household appliances as approved by the Department of Safety and Professional Services.

**c49d** XSchedule of complianceY means a schedule of remedial measures included in a permit, including an enforceable sequence of interim requirements that leads to compliance with a specified statute or administrative rule.

**c50d** XSeptic systemY means a sewage treatment and disposal system consisting of a septic tank and a soil absorption field that is used to disperse or otherwise discharge sanitary waste underground.

**Note:** A septic system may also be a private onsite wastewater treatment system or a private sewage system as defined in s. 145.01 c12d, Stats.

**c51d** XSewageY means the water-carried wastes created in and to be conducted away from residences, industrial establishments and public buildings as defined in s. 101.01 c12d, Stats., with any surface water or groundwater as may be present in the water-carried wastes.

**c52d** XSiteY means the land or water area where any facility or activity is physically located or conducted, including adjacent land used in connection with the facility or activity.

**c53d** XSludgeY means the accumulated solids generated during the biological, physical or chemical treatment of potable water or wastewater.

**c54d** XStateY means the state of Wisconsin.

**c55d** XState directorY means the chief administrative officer of the state regulatory agency operating an approved underground injection control program, a delegated representative of the chief administrative officer, or both.

**Note:** If responsibility for administering portions of the underground injection control program is divided among 2 or more state regulatory agencies, state director means the chief administrative officer, or a delegated representative of the chief administrative officer, of the state regulatory agency authorized to perform the procedure or function to which reference is made.

**c56d** XStratumY means a single stratigraphic bed or layer, regardless of thickness, that consists throughout its thickness of approximately the same kind of geologic material.

**c57d** XSubstanceY has the meaning given in s. 160.01 c8d, Stats.

**Note:** XSubstanceY in s. 160.01 c8d, Stats., means any solid, liquid, semisolid, dissolved solid or gaseous material, naturally occurring or man-made chemical, parameter for measurement of water quality or biological organism which, in its original form, or as a metabolite or a degradation or waste product, may decrease the quality of groundwater.

**c58d** XSubsurface fluid distribution systemY means an assemblage of perforated pipes or drain tiles, or any similar conveyance, intended to disperse or otherwise discharge a fluid underground.

**c59d** XUIC programY or Xunderground injection control programY means the federal underground injection control program authorized by part C of the safe drinking water act or an approved state underground injection control program.

**c60d** XUnderground injectionY means well injection.

**c61d** XUnderground source of drinking waterY means any aquifer or groundwater, or portion of any aquifer or groundwater, located within the jurisdictional boundaries of the state.

**c62d** XWastewaterY means all sewage.

**c63d** XWellY means any of the following:

cad A bored, drilled or driven shaft.

cbd A dug hole whose depth is greater than its largest surface dimension.

ccd An improved sinkhole.

cdd A subsurface fluid distribution system.

**Note:** For the purposes of this chapter, a nonperforated underground piping system such as a sanitary sewer, storm sewer, conductor, telecommunications conduit,

petroleum or natural gas pipeline or other similar conveyance is not considered to be a well.

**c64d** XWell injectionY means the placement of a fluid underground through a well.

**History:** CR 01-104: cr. Register October 2004 No. 586, eff. 11-1-04.

### Subchapter II — Injection Well Classes and Underground Sources of Drinking Water

**NR 815.04 Classification of injection wells.** Injection wells are classified as follows:

**c1d** CLASS I INJECTION WELL. A class I well is any of the following:

cad A well used for underground injection of a fluid classified as a hazardous waste or a fluid containing any substance classified as a hazardous waste below the lowermost formation containing an underground source of drinking water.

cbd A well used for underground injection of a fluid containing an industrial or municipal waste below the lowermost formation containing an underground source of drinking water.

ccd A well used for underground injection of a fluid containing a radioactive waste below the lowermost formation containing an underground source of drinking water.

**c2d** CLASS II INJECTION WELL. A class II well is any of the following:

cad A well used for underground injection of a fluid that was brought to the surface in connection with activities that are related to the conventional production of oil or natural gas, or the underground storage of natural gas, that may be commingled with wastewater that is produced during production operations, except for any wastewater that is classified as a hazardous waste at the time of injection.

cbd A well used for enhanced recovery of oil or natural gas.

ccd A well used for storage of hydrocarbons that are liquid at standard temperature and pressure.

**c3d** CLASS III INJECTION WELL. A class III well is a well used for solution mining of minerals including, but is not limited to:

cad A well used to mine sulfur by the Frasch process.

cbd A well used for in-situ production of uranium or other metals from ore bodies that have not been conventionally mined.

**Note:** A well used for solution mining of conventional mines, such as stopes leaching, is classified as a class V injection well.

ccd A well used for solution mining of salts or potash.

**c4d** CLASS IV INJECTION WELL. A class IV well is any of the following:

cad A well used for underground injection of a hazardous waste or radioactive waste or a fluid containing a hazardous waste or radioactive waste into a formation that contains an underground source of drinking water.

cbd A well used for underground injection of hazardous waste or radioactive waste or a fluid containing a hazardous waste or radioactive waste above a formation which contains an underground source of drinking water.

**c5d** CLASS V INJECTION WELL. Any well used for underground injection that is not classifiable as a class I, II, III or IV injection well.

**History:** CR 01-104: cr. Register October 2004 No. 586, eff. 11-1-04.

### NR 815.05 Underground source of drinking water.

**c1d** Any aquifer or groundwater, or portion of any aquifer or groundwater, located within the jurisdictional boundaries of the state is an underground source of drinking water.

**c2d** No regulatory agency may exempt any aquifer or groundwater, or portion of an aquifer or groundwater, located

within the jurisdictional boundaries of the state from designation as an underground source of drinking water.

**History:** CR 01-104: cr. Register October 2004 No. 586, eff. 11-1-04.

### Subchapter III — Regulated Activities

**NR 815.06 Prohibitions.** The following activities are prohibited:

**c1d** Construction of a class I injection well or use of a well as a class I injection well.

**Note:** Use of a well to place a hazardous waste underground is prohibited as specified in s. NR 665.0430. Use of a well to place municipal or domestic wastewater underground is prohibited as specified in s. NR 206.07 c2d cdd. Use of a well to place a pollutant underground is prohibited as specified in s. NR 214.04 c3d.

**c2d** Construction of a class II injection well or use of a well as a class II injection well.

**c3d** Construction of a class III injection well or use of a well as a class III injection well.

**c4d** Construction of a class IV injection well or use of a well as a class IV injection well, unless the well is to be used to reinject treated contaminated groundwater back into the formation from which the groundwater was drawn and is approved by the department as part of a remedial action necessary for the cleanup of soil or groundwater contamination as specified in s. NR 665.0430 c2d

**Note:** Injection for remediation purposes requires a written approval from the department in order to meet the requirements of ss. NR 140.28 c5d and 812.05. Injection requires a written exemption be granted under s. NR 140.28 c5d. Injection of groundwater that meets the definition of hazardous waste or contains a hazardous waste for remediation purposes requires a written approval under s. NR 665.0430 c2d.

**c5d** Construction of a class V injection well or use of a well as a class V injection well without the approval of the department, or other designated regulatory agency as specified in subch. IV, unless the construction or use of the class V injection well is specifically allowed by administrative rule. The following activities are allowed:

cad Circulation of water or food-grade heat exchange fluid through a closed-loop heat pump system in a drillhole.

cbd Construction of a structure such as, but not limited to, a building foundation, support footing, elevator shaft, lift station, utility conduit, sump, mine shaft or equipment vault.

ccd Placement of a solid object such as, but not limited to, a cathodic protection device, coffin, piling, pole or post.

cdd Horticultural or agricultural practices, other than those activities that involve the use of a well or drillhole for the placement of a waste material or drainage water underground.

ced Injection activities conducted in conjunction with placement of backfill into an underground nonferrous metallic mine approved under ch. NR 132 or in connection with placement of backfill into an underground ferrous mine approved under subch. III of ch. 295, Stats.

**Note:** Use of any unauthorized injection well is prohibited under federal law, as specified in 40 CFR 144.11.

**c6d** Operation, maintenance, conversion, plugging, closure or any other alteration of an injection well in a manner that results in a violation of the provisions of ch. 160, Stats., or otherwise results in the endangerment of an underground source of drinking water.

**Note:** Endangerment of an underground source of drinking water is prohibited under federal law, as specified in 40 CFR 144.12.

**c7d** Construction or use of a large-capacity cesspool.

**Note:** Use of a large-capacity cesspool is prohibited under federal law, as specified in 40 CFR 144.85. Use of any cesspool is prohibited as specified in ch. SPS 383.

**c8d** Construction or use of a new injection well to disperse or otherwise discharge a fluid containing a waste from motorized vehicle repair or maintenance activities underground.

**Note:** Construction or use of an injection well to dispose of fluids containing



wastes from motorized vehicle repair or maintenance activities was prohibited as of April 5, 2000, as specified in 40 CFR 144.85. Any subsurface fluid distribution system constructed prior to this date which continues to be used to dispose of wastes from motorized vehicle repair or maintenance activities must comply with the land treatment provisions of s. NR 214.16 or it is prohibited. The discharge of waste fluids from motorized vehicle repair or maintenance activities to any other well is prohibited.

**c9d** Construction or use of an improved sinkhole to place drainage water, wastewater or any other fluid containing a pollutant or substance underground.

**History:** CR 01-104: cr. Register October 2004 No. 586, eff. 11-1-04; correction in c4d made under s. 13.92 c4d cbd 7., Stats., Register November 2010 No. 659; CR 13-057: am. c5d ced Register July 2015 No. 715, eff. 8-1-15.

**NR 815.07 Approval of injection wells. c1d** A regulatory agency may not approve the construction or use of a class I, II or III injection well.

**c2d** Subject to the limitation contained in sub. c4d, the department may only approve the construction or use of a class IV injection well, if the well is to be used to reinject treated contaminated groundwater back into the formation from which the groundwater was withdrawn and is approved by the department as part of a remedial action necessary for the cleanup of soil or groundwater contamination.

**c3d** Subject to the limitation contained in sub. c4d, a regulatory agency may approve a class V injection well as specified in subch. IV.

**c4d** A regulatory agency may not approve the construction or use of any injection well that would violate the provisions of ch. 160, Stats., result in the endangerment of an underground source of drinking water or otherwise fail to comply with the other applicable requirements of this chapter.

**Note:** Section 160.19 c4d, Stats., prohibits a state regulatory agency from promulgating a rule defining design and management practice criteria that permits a preventive action limit to be attained or exceeded in groundwater except as allowed under s. 160.19 c2d, Stats. A state regulatory agency may not promulgate a rule defining design and management practice criteria that permits an enforcement standard to be attained or exceeded at the point of standards application.

**Note:** Endangerment, as it applies to Class V injection wells that are not prohibited under subchapter III, is any exceedance of an enforcement standard established under ch. 160, Stats., when measured at a point of standards application as defined in s. 160.01 c5d, Stats.

**c5d** Failure to comply with any condition of an injection well approval voids the approval.

**History:** CR 01-104: cr. Register October 2004 No. 586, eff. 11-1-04.

**NR 815.08 Reporting of injection wells. c1d** Except as specified in sub. c2d, by no later than 30 days after becoming the owner or operator, the owner or operator of an injection well shall provide the following inventory information to the department:

cad Injection well facility name and location.

cbd Name and address of the injection well owner or operator.

ccd Type of ownership such as, but not limited to, private, federal, state, local government or tribal.

cdd Well class and type of injection well.

**Note:** Federal regulations designate subsets, or XtypesY, of injection wells within the 5 injection well classes. XType,Y as it is used in this section, refers to those subsets identified in the federal Underground Injection Control program regulations.

ced Number and operating status of injection wells on a property or in a project.

**c2d** The following activities are exempt from the reporting requirements of this section:

cad Use of department approved products for drilling, rehabilitation or abandonment of any water supply well, groundwater monitoring well, or any other department approved borehole or drillhole.

cbd Use of bentonite grout, cement grout, cement, concrete or other similar department approved materials containing addi-

tives, for the purposes of soil or excavation site stabilization, tunnel support, underpinning or foundation strengthening, groundwater control or diversion or for limiting structural settlement.

ccd Construction of a structure such as, but not limited to, a building foundation, support footing, elevator shaft, lift station, utility conduit, cathodic protection device, sump, equipment vault, sanitary sewer, storm sewer or mine shaft.

cdd Horticultural or agricultural practices, other than those activities that involve the use of an injection well for the disposal of drainage water or other fluids containing a pollutant underground.

**c3d** Information required under sub. c1d shall be reported in a format acceptable to the department. The owner or operator of an existing injection well shall submit the required information to the department[s] bureau of drinking water and groundwater within one year of November 1, 2004. The owner or operator of a new injection well shall submit the required information to the department[s] bureau of drinking water and groundwater prior to operation of the injection well.

**Note:** Form 3300-253, Inventory of Injection Wells, is available for use in submitting the information required in this section. Copies of Form 3300-253 may be obtained by contacting the Wisconsin Department of Natural Resources, Bureau of Drinking Water and Groundwater, Post Office Box 7921, Madison, Wisconsin, 53707-7921.

**c4d** The department may also require the owner or operator of an injection well to submit additional information including, but not limited to:

cad Location of a well or project by township, range, section and quarter-section.

cbd Location of a well by coordinates of latitude and longitude to the standard of accuracy established by the department for geographic information system records.

ccd Date of construction of a well or project.

cdd Total depth of a well.

ced Identification of the geologic formation into which a well is injecting.

cfid A narrative that describes the construction features of the well.

cgd A schematic drawing that describes the construction features of the well.

chd A map or plan drawing that shows the location of a well in relation to other structures or adjacent property boundaries.

cid A description of the nature or quality of the fluid being injected.

cjd The average and maximum injection pressure at the wellhead.

ckd The average and maximum rate of injection.

cLd The date of the last well inspection or any maintenance activities.

**c5d** If the owner or operator of an injection well fails to submit any of the information that is required or requested under subs. c1d and c4d and the well has not been approved by the department or other regulatory agency as specified in subch. IV, the department may order the owner or operator of the unauthorized well to cease injection until the time that the required or requested information is received by the department and an approval for the well is obtained from the regulatory agency having jurisdiction.

**History:** CR 01-104: cr. Register October 2004 No. 586, eff. 11-1-04.

**NR 815.09 Operation of injection wells.** No injection well may be operated in a manner that fails to comply with ch. 160, Stats., or results in endangerment of an underground source of drinking water.

**Note:** Section 160.19 c4d, Stats., specifies that if a state regulatory agency promulgates a rule that is designed to maintain compliance with a preventive action

limit and if a preventive action limit is attained or exceeded at a point of standards application, the agency shall review its rule and, if necessary, revise the rule to maintain compliance with the preventive action limit. If an enforcement standard is attained or exceeded at a point of standards application, the agency shall review its rule and, if necessary, revise the rule to ensure that the enforcement standard is not attained or exceeded at a point of standards application or other locations in the future.

**Note:** Endangerment, as it applies to Class V injection wells that are not prohibited under subchapter III, is any exceedance of an enforcement standard established under ch. 160, Stats., when measured at a point of standards application as defined in s. 160.01 c5d, Stats.

**History:** CR 01-104; cr. Register October 2004 No. 586, eff. 11-1-04.

**NR 815.10 Closure of injection wells. c1d** All large-capacity cesspools shall be closed by no later than April 5, 2005 in a manner that is approved by the regulatory agency having jurisdiction.

**c2d** All existing wells that have been used for the disposal of a fluid containing a waste from motorized vehicle repair or maintenance activities shall be converted or closed by no later than January 1, 2005 in a manner that is approved by the department.

**Note:** With the approval of the United States environmental protection agency, the department may extend the deadline for conversion or closure of a well that has been used to dispose of a fluid containing a waste from motorized vehicle repair or maintenance activities to January 1, 2006.

**History:** CR 01-104; cr. Register October 2004 No. 586, eff. 11-1-04.

#### Subchapter IV — Additional Requirements by Well Class

**NR 815.11 Class V well injection.** Class V well injection is subject to the following:

**c1d** Construction or use of a well, other than a subsurface fluid distribution system, for underground injection of any waste, surface water, subsurface water or substance underground is prohibited except as specified in ss. NR 811.05 and 812.05.

**Note:** Section NR 811.05 prohibits the use of any well, drillhole or water system for the underground placement of any substance unless it is a department approved activity necessary for the construction, rehabilitation or routine operation of a well or water system. This section applies only to wells and water systems governed under ch. NR 811.

**Note:** Section NR 812.05 applies to wells, drillholes and water systems other than those subject to s. NR 811.05. Section NR 812.05 c2d prohibits the use of any well, drillhole or water system for the placement of any waste, surface or subsurface water or any substance underground unless any of the following apply: cad the placement is a department-approved activity necessary for any of the following: construction, rehabilitation or operation of a well, drillhole or water system, construction of an approved cathodic protection drillhole, remediation of contaminated soil, groundwater or an aquifer, or the study of groundwater conditions, cbd placement of grouting, sealing or well abandonment materials, and ccd placement of approved materials for purposes such as, but not limited to, soil or excavation site stabilization, foundation construction or strengthening, or groundwater diversion. Section NR 812.05 c5d contains a list of activities that are not prohibited by this section.

**c2d** Construction or use of a subsurface fluid distribution system that is defined as a private sewage system in s. 145.01 c12d, Stats., and used for the dispersal of domestic or municipal wastewater is subject to the provisions of ch. SPS 383. Except as exempted in s. NR 200.03 c3d, any person discharging domestic or municipal wastewater to a disposal system defined as a private sewage system is also required to apply for a discharge permit issued by the department as specified in s. NR 200.03 c1d.

**Note:** Private sewage system, as defined in s. 145.01 c12d, Stats., means a sewage treatment system serving a single structure with a septic tank and soil absorption field located on the same parcel as the structure. This term also means an alternative sewage system approved by the Department of Safety and Professional Services including a substitute for the septic tank or soil absorption field, a holding tank, a system serving more than one structure or a system located on a different parcel than the structure. A private sewage system may be owned by the property owner or by a special purpose district.

**Note:** Section NR 200.03 c3d cdd exempts certain smaller capacity domestic wastewater disposal systems from the permit requirement contained in s. NR 200.03 c1d. Methods for calculating the design capacity of a domestic wastewater disposal system that is eligible for an exemption from the permit requirement are specified in s. NR 200.03 c4d.

**c3d** Discharge of liquid wastewaters from a publicly owned treatment works or privately owned domestic wastewater treatment works to a subsurface fluid distribution system or other land

disposal system is subject to the provisions of ch. NR 206 as specified in s. NR 206.02.

**c4d** Construction or use of a subsurface fluid distribution system for land treatment of industrial liquid wastes, by-product solids or sludges is subject to the provisions of ch. NR 214.

**c5d** Construction or use of a well to dispose of storm water runoff directly into groundwater is prohibited. Construction or use of a subsurface fluid distribution system for dispersal of storm water runoff into unsaturated material overlying the uppermost underground source of drinking water shall be done in a manner that complies with the groundwater standards in ch. NR 140, complies with the requirements of ch. SPS 382 and does not result in the endangerment of an underground source of drinking water.

**Note:** Use of a subsurface fluid distribution system for disposal of storm water runoff may also require a permit as specified in ch. NR 216.

**c6d** Construction or use of a well to place backfill into an underground nonferrous metallic mine shall be done in accordance with the provisions of ch. NR 132 and shall comply with the requirements of s. NR 132.108 c4d ced.

**c7d** Construction or use of a well to place backfill into an underground ferrous metallic mine shall be done as approved under subch. III of ch. 295, Stats., and shall comply with the requirements of s. 295.49 c2d cgd, Stats.

**History:** CR 01-104; cr. Register October 2004 No. 586, eff. 11-1-04; correction in c1d made under s. 13.92 c4d cbd 7., Stats., Register November 2010 No. 659; corrections in c2d, c5d made under s. 13.92 c4d cbd 7., Stats., Register January 2012 No. 673; CR 13-057; am. c6d, cr. c7d Register July 2015 No. 715, eff. 8-1-15; correction in c6d made under s. 13.92 c4d cbd 7., Stats., Register April 2023 No. 808.

#### Subchapter V — Enforcement

**NR 815.12 Visitorial powers of the department.**

**c1d** For the purpose of obtaining or verifying information related to the administration of the requirements of this chapter, any duly authorized officer, employee or representative of the department shall at reasonable times and upon showing appropriate credentials have the right to enter upon or through any premises in which a well governed by this chapter is located or in which records required to be maintained by this chapter are kept in order to conduct an inspection of any equipment or method required by this chapter, examine or copy records pertaining to activities regulated under this chapter or to collect samples of any fluid being placed into a well.

**c2d** No person may refuse entry or access to any authorized representative of the department who presents department credentials and lawfully requests entry under this section, nor shall any person obstruct, hamper or interfere with any lawful entry or inspection.

**History:** CR 01-104; cr. Register October 2004 No. 586, eff. 11-1-04.

**NR 815.13 Records. c1d** As specified in s. 281.97, Stats., the owner or operator of an injection [well] shall keep records required by the department and provide the department with certified copies and other information as the department may require.

**c2d** Except as provided under sub. c4d, any record, report or other information submitted to or obtained by the department in the administration of this chapter shall be a public record.

**c3d** The department shall make available and provide facilities for the public to inspect and copy any public record maintained by the department in the administration of the requirements of this chapter.

**c4d** As specified in s. 283.55 c2d, Stats., records or other information, except effluent data, provided to the department may be treated as confidential upon a showing to the department[s

secretary that said records or information is entitled to protection as a trade secret as defined in s. [134.90 c1d ccd](#), Stats.

**c5d** Records, reports and other information for which the department has granted confidential status may be:

**cad** Used by the department in compiling or publishing analyses or summaries relating to the general condition of the environment if the analyses or summaries do not identify a specific person or responsible party and the analyses or summaries do not reveal records or other information granted confidential status.

**cbd** Released by the department to the U.S. environmental protection agency or its authorized representative, if the U.S. environmental protection agency or its authorized representative agrees to protect the confidentiality of the records, reports or other information.

**ccd** Released for general distribution if the party who pro-

vided the information to the department expressly agrees to the release of the information.

**cdd** Released on a limited basis if the department is directed to take action by a judge or administrative law judge under an order that protects the confidentiality of the record, report or other information.

**History:** CR 01-104: cr. [Register October 2004 No. 586](#), eff. 11-1-04.

**NR 815.14 Penalties.** The owner or operator of any injection well that is found in violation of a provision of this chapter is subject to the penalties specified in s. [281.98](#), Stats.

**Note:** Any person who violates ch. [281](#), Stats., or any rule promulgated or any plan approval, license or special order issued under this chapter shall forfeit not less than \$10 nor more than \$5,000 for each violation. Each day of continued violation is a separate offense. While an order is suspended, stayed or enjoined, this penalty does not accrue.

**History:** CR 01-104: cr. [Register October 2004 No. 586](#), eff. 11-1-04.