

Chapter SPS 335

INFECTIOUS AGENTS

SPS 335.001 Purpose.
SPS 335.01 Definitions.

SPS 335.02 Infectious agents.

Note: Chapter ILHR 35 was renumbered Chapter Comm 35 under s. 13.93 (2m) (b) 1., Stats., and corrections made under s. 13.93 (2m) (b) 6. and 7., Stats., Register, March, 1999, No. 519. Chapter Comm 35 was renumbered chapter SPS 335 under s. 13.92 (4) (b) 1., Stats., Register December 2011 No. 672.

SPS 335.001 Purpose. The purpose of this chapter is to identify, by administrative rules, those infectious agents relevant to the Employees' Right to Know Law, ss. 101.58 to 101.599, Stats.

History: Cr. Register, September, 1983, No. 333, eff. 10-1-83.

SPS 335.01 Definitions. In this chapter:

(1) "Department" means the department of safety and professional services.

(2) "Infectious agents" has the meaning set forth in s. 101.58 (2) (f), Stats.

Note: The statutory definition for infectious agents reads: "Infectious agent" means a bacterial, mycoplasmal, fungal, parasitic or viral agent identified by the department by rule as causing illness in humans or human fetuses or both, which is introduced by an employer to be used, studied or produced in the workplace. "Infectious agent" does not include such an agent in or on the body of a person who is present in the workplace for diagnosis or treatment.

History: Cr. Register, September, 1983, No. 333, eff. 10-1-83; correction in (1) made under s. 13.92 (4) (b) 6., Stats., Register December 2011 No. 672.

SPS 335.02 Infectious agents. Pursuant to ss. 101.58 (2) (f) and 101.598 (1), Stats., the bacterial, mycoplasmal, fungal, parasitic and viral agents and arboviruses specified in Tables 335.02-1, 335.02-2, 335.02-3, 335.02-4, 335.02-5, respectively, are designated as infectious agents.

TABLE 335.02-1

BACTERIAL AND MYCOPLASMAL AGENTS

Bacillus anthracis
Brucella abortus^a
Brucella canis
Brucella melitensis^a
Brucella suis^a
Campylobacter fetus subspecies jejuni
Chlamydia psittaci^a
Chlamydia trachomatis
Clostridium botulinum
Clostridium tetani
Corynebacterium diphtheriae
Francisella tularensis
Legionella pneumophila
Legionella-like organisms
Leptospira interrogans—all serovars^a
Mycobacterium africanum
Mycobacterium asiaticum
Mycobacterium avium complex
Mycobacterium bovis^a
Mycobacterium chelonae
Mycobacterium fortuitum
Mycobacterium kansasii
Mycobacterium leprae^a
Mycobacterium malmoense

Mycobacterium marinum
Mycobacterium scrofulaceum
Mycobacterium simiae
Mycobacterium szulgai
Mycobacterium tuberculosis^a
Mycobacterium ulcerans
Mycobacterium xenopi
Neisseria gonorrhoeae
Neisseria meningitidis
Salmonella enteritidis (all serotypes)
Salmonella typhi
Shigella spp.^a
Treponema pallidum
Vibrio cholerae
Vibrio parahaemolyticus
Yersinia pestis

^aAgents of high virulence or contagion requiring special handling procedures.

TABLE 335.02-2

FUNGAL AGENTS

Blastomyces dermatitidis^a
Coccidioides immitis^a
Cryptococcus neoformans
Epidermophyton spp.
Histoplasma capsulatum^a
Microsporium spp.
Sporothrix schenckii
Trichophyton spp.

^aAgents of high virulence or contagion requiring special handling procedures

TABLE 335.02-3

PARASITIC AGENTS

Ancylostoma spp. — hookworm
Ascaris spp.
Coccidia spp.
Cysticercus cellulosae
Echinococcus granulosus
Entamoeba spp.
Enterobius spp.
Fasciola spp.
Giardia spp.
Hymenolepis nana
Leishmania spp.
Necator spp. — hookworm
Naegleria fowleri
Plasmodium spp.
Sarcocystis spp.
Schistosoma spp.
Strongyloides spp.
Taenia solium

TABLE 335.02-3 (Continued)

Toxoplasma spp. ^b
Trypanosomaspp.

^bSpecial risk for pregnant females.

TABLE 335.02-4

VIRAL AND RICKETTSIAL AGENTS

Hepatitis Viruses; A, B, NonA-NonB ^a
Herpes virus group =
Herpes virus hominis
Cytomegalo virus ^b
Epstein-Barr virus
Herpes virus simiae ^a
Varicella virus
Human immunodeficiency viruses ^c
Influenza viruses
Polio virus
Pox viruses
Cowpox virus
Molluscum contagiosum virus
Monkeypox virus
Orf virus
Paravaccinia virus
Tanapox virus

Vaccinia virus
Variola major virus ^a
Variola minor virus ^a
Whitepox virus
Yaboapox virus
Rabies Virus ^a
Rubella virus ^b
Spongiform Encephalopathy Viruses
Creutzfeld-Jacob agent
Kuru agent
Rickettsial Agents
Coxiella burnetii
Rickettsia akari
Rickettsia canada
Rickettsia conori
Rickettsia montana
Rickettsia mooseri
Rickettsia prowazeki ^a
Rickettsia rickettsii ^a
Rickettsia sennetsu
Rickettsia tsutsugamushi
Rochalimae quintana
Rochalimae vinsonii
Vesicular Stomatitis Virus

^aAgents of high virulence or contagion requiring special handling procedures.

^bSpecial risk for pregnant females.

^cIncludes the virus HTLV-III, the virus which causes AIDS, Acquired Immuno-Deficiency Syndrome.

TABLE 335.02-5

ARBOVIRUSES

Absettarov	Bakau
Abu Hammad	Baku
Acado	Bandia
Acara	Bangoran
African Horsesickness	Bangui
African Swine Fever	Banui
Aguacate	Banzi
Aino	Barmah Forest
Akabane	Batai
Alenquer	Batama
Alfuy	Batken
Almpiwar	Bauline
Amapari	Bebaru
Ananindeua	Belem
Anhanga	Belmont
Anhembi	Benevides
Anopheles A	Benfica
Anopheles B	Bertioga
Apeu	Bhanja
Apoi	Bimbo
Araguari	Bimiti
Aride	Birao
Arkonam	Bluetongue-Indigenous
Aruac	Bluetongue-Exotic
Arumowot	Bobaya
Aura	Bobia
Avalon	Bocas
Bagaza	Boraceia
Bahig	Botambi

Boteke	Gordil
Bouboui	Gossas
Bovine Ephemeral Fever	Grand Arbaud
Bujaru	Gray Lodge
Bunyamwera	Great Island
Burg el Arab	Guajara
Bushbush	Guama
Bussuquara	Guaratuba
Buttonwillow	Guaroa
Bwamba	Gumbo Limbo
Cabassou	Hanzalova
Cacao	Hart Park
Cache Valley	Hazara
Caimito	Huacho
California Encephalitis ^c	Hughes
Calovo	Hypr
Candiru	Ibaraki
Cape Wrath	Icoaraci
Capim	Ieri
Caraparu	Ilesha
Catu	Ilheus
Chaco	Ingwavuma
Chagres	Inhangapi
Chandipura	Inini
Changuinola	Inkoo
Charleville	Ippy
Chenuda	Irituia
Chikungunya	Isfrahan
Chilibre	Israel Turkey Meningitis
Chim	Issyk-Kul
Chobar Gorge	Itaituba
Clo Mor	Itaporanga
Cocal	Itaqui
Colorado Tick Fever ^c	Jamestown Canyon ^c
Congo-Crimean Hemorrhagic Fever	Japanese Encephalitis
Corriparta	Japunaut
Cotia	Jerry Slough
D'Aguilar	Johnston Atoll
Dakar Bat	Joinjakaka
Dengue-2	Juan Diaz
Dengue-3	Jugra
Dengue-4	Junin
Dera Ghazi Khan	Jurona
Dhori	Jutiapa
Dugbe	Kadam
Ebola	Kaeng Khoi
Edge Hill	Kaikalur
Entebbe Bat	Kairi
Ep. Hem. Dis.	Kaisodi
Eubenangee	Kamese
Everglades	Kammavanpettai
Eyach	Kannamangalam
Flanders	Kao Shuan
Fort Morgan	Karimabad
Frijoles	Karshi
Gamboia	Kasba
Gan Gan	Kemerovo
Garba	Kern Canyon
Germiston	Ketapang
Getah	Keterah
Gomoka	Keuraliba

Keystone	Mossuril
Khasan	Mount Elgon Bat
Klamath	M'Poko
Kokobera	Mucambo
Kolongo	Murray Valley Encephalitis
Koongol	Murutucu
Korean Hemorrhagic Fever	Nariva
Koutango	Navarro
Kowanyama	Ndumu
Kumlinge	Negishi
Kunjin	Nepuyo
Kununurra	New Minto
Kwatta	Ngaingan
Kyasanur Forest Disease	Nique
Kyzylagach	Nkolbisson
La Crosse	Nodamura
Lagos Bat	Nola
LaJoya	Northway
Landjia	Ntaya
Langat	Nugget
Lanjan	Nyamanini
Lassa	Nyando
Latino	Okhotskiy
Lebombo	Okola
Le Dantec	Olifantsvlei
Lipovnik	Omsk Hemorrhagic Fever
Llano Seco	O'Nyong Nyong
Lokern	Oriboca
Lone Star	Oropouche
Louping Ill	Orungo
Lukuni	Ossa
Machupo	Ouango
Madrid	Oubangui
Maguari	Pacora
Mahogany Hammock	Pacui
Main Drain	Pahayokee
Malakal	Palyam
Manawa	Paramushir
Manzanilla	Parana
Mapputta	Paroo River
Maprik	Pata
Marburg	Pathum Thani
Marco	Patois
Marituba	Phnon-Penh Bat
Matariya	Pichinde
Matruh	Picola
Matucare	Piry
Mayaro	Pixuna
Melao	Pongola
Mermet	Ponteves
Middleburg	Powassan
Minatitlan	Pretoria
Minnal	Puchong
Mirim	Punta Salinas
Mitchell River	Punta Toro
Modoc	Qalyub
Moju	Quaranfil
Mono Lake	Razdan
Montana Myotis Leukemia	Restan
Moriche	Rift Valley Fever
Mosqueiro	Rio Bravo

Rio Grande	Thogoto
Rochambeau	Thottapalayam
Rocio	Tilligerry
Ross River	Timbo
Royal Farm	Timboteua
Russian Spring-Summer Encephalitis	Tlacotalpan
Sabo Saboya	Tonate
Sagiyama	Toure
Sakhalin	Tribec
Sakpa	Triniti
Salanga	Trivittatus ^c
Salehabad	Trubanaman
Sandfly F. (Naples)	Tsuruse
Sandfly F. (Sicilian)	Turlock
Sandjimba	Tyuleny
Sango	Uganda S
Santa Rosa	Umatilla
Sathuperi	Umbre
Saumarez Reef	Una
Sawgrass	Upolu
Sebokele	Urucuri
Seletar	Usutu
Sembalam	Utinga
Semliki Forest	Uukuniemi
Sepik	VEE (TC83)
Serra Do Navio	Vellore
Shamonda	Venezuelan Equine Encephalitis
Shark River	Venkatapuram
Shuni	VS-Alagoas
Silverwater	Wad-Medani
Simbu	Wallal
Simian Hem. Fev.	Wanowrie
Sindbis	Warrego
Sixgun City	Wesselsbron
Slovakia	Western Equine Encephalitis
Snowshoe Hare	West Nile
Sokoluk	Whataroa
Soldado	Witwatersrand
Sororoca	Wongal
Spondweni	Wongorr
St. Louis Encephalitis	Wyeomyia
Stratford	Yacaaba
Sunday Canyon	Yaquina Head
Tacaiuma	Yata
Tacaribe	Yellow Fever
Taggert	Yellow Fever (17D)
Tahyna	Yogue
Tamdy	Zaliv Terpeniya
Tamiami	Zegla
Tanga	Zika
Tanjong Rabok	Zinga
Tataguine	Zingilamo
Telok Forest	Zirqa
Tembe	
Tembusu	
Tensaw	
Termeil	
Tete	
Tettngang	
Thimiri	

^c Agents with a higher probability of possible contact within the state.

Note: All communicable diseases as designated by ch. DHS 145 are to be reported in accordance with the rules of ch. DHS 145.

History: Cr. Register, September, 1983, No. 333, eff. 10-1-83; am. table 35.02-4, Register, November, 1986, No. 371, eff. 12-1-86; correction made under s. 13.92 (4) (b) 7., Stats., Register December 2011 No. 672.