

Chapter NR 518

LANDSPREADING OF SOLID WASTE

NR 518.01	Purpose.
NR 518.02	Applicability.
NR 518.03	Definitions.
NR 518.04	Exemptions.
NR 518.05	Location and performance standards.

NR 518.06	Solid waste landspreading plan.
NR 518.07	Landspreading operation and monitoring.
NR 518.08	Closure of landspreading facilities.
NR 518.09	Licensing.
NR 518.10	Proof of facility registry.

Note: Corrections made under s. 13.93 c2md cbd 7., Stats., Register, August, 1997, No. 500.

NR 518.01 Purpose. The purpose of this chapter is to help ensure that efficient, nuisance-free and environmentally acceptable solid waste management procedures are practiced in this state and to outline the requirements regarding landspreading of solid waste. This chapter is adopted under s. 227.11, Stats., and ch. 289, Stats.

History: Cr. Register, January, 1988, No. 385, eff. 2-6-88, am. Register, June, 1996, No. 486, eff. 7-1-96.

NR 518.02 Applicability. c1d Except as otherwise provided, this chapter governs all solid waste landspreading facilities, except hazardous waste facilities as defined in s. 291.01 c8d, Stats., and regulated under chs. NR 660 to 679; metallic mining operations for nonferrous minerals as defined in s. 293.01 c9d, Stats., and regulated under ch. NR 182; and metallic mining operations for ferrous minerals as defined in s. 295.41 c26d, Stats., including mining wastes and mining waste sites as defined in s. 295.41 c30d and c31d, Stats., and regulated under subch. III of ch. 295, Stats.

c2d This chapter does not apply to the design, construction or operation of industrial wastewater facilities, sewerage systems and waterworks treating liquid wastes approved under s. 281.41, Stats., or permitted under ch. 283, Stats., nor to facilities used solely for the disposal of liquid municipal or industrial wastes which have been approved under s. 281.41, Stats., or permitted under ch. 283, Stats., except for facilities used for the disposal of solid waste.

History: Cr. Register, January, 1988, No. 385, eff. 2-6-88; correction in c1d made under s. 13.93 c2md cbd 7., Stats., Register, May, 1994, No. 461, am. c1d, Register, June, 1996, No. 486, eff. 7-1-96; correction in c1d made under s. 13.93 c2md cbd 7., Stats.; CR 13-057; am. c1d Register July 2015 No. 715, eff. 8-1-15.

NR 518.03 Definitions. The terms used in this chapter are defined in s. NR 500.03.

History: Cr. Register, January, 1988, No. 385, eff. 2-6-88.

NR 518.04 Exemptions. No person may operate or maintain a solid waste landspreading facility unless the person has obtained written approval from the department under s. NR 518.06, except as otherwise provided in this section.

c1d GENERAL. The following landspreading facilities are exempt from the requirements of this chapter provided the solid waste or solid waste derived product is utilized as a soil conditioner or fertilizer in accordance with accepted agricultural practices and the facility is operated and maintained in a safe, nuisance-free manner:

cad Facilities used for the landspreading of nonhazardous solid waste from a single family or household, a member of which is the owner, occupant or lessee of the property used for solid waste disposal.

cbd Farms on which only nonhazardous agricultural solid

wastes resulting from the operation of a farm, including farm animal manure, are disposed of.

ccd Facilities receiving only sludge from a publicly-owned treatment work or a privately-owned domestic sewage treatment work having a permit under ch. 283, Stats., providing the sludge disposal is accomplished in accordance with the requirements of the permit.

cdd Facilities used exclusively for the disposal of waste regulated under s. 281.48, Stats.

ced Facilities used for the disposal of treated liquid municipal or industrial wastewater approved under s. 281.41, Stats., or permitted under ch. 283, Stats.

cfb Facilities used for the landspreading of whey.

cgd Facilities used for the landspreading of vegetable waste from canned, frozen or preserved fruit and vegetable processing operations.

chd Facilities used for the landspreading of yard waste.

cid Facilities used for the landspreading of composted source-separated compostable material.

cjd Facilities used for the landspreading of lime sludges from papermills which were being landspread prior to July 1, 1996.

ckd Facilities used for the disposal of soil contaminated only with agricultural chemicals regulated by the department of agriculture, trade and consumer protection under s. 94.73, Stats.

c2d RESEARCH PROJECTS. Facilities used solely for research purposes under the direction of a registered professional engineer in the state of Wisconsin or a scientist employed by a university located within this state are exempt from the plan submittal requirements of this chapter if the applicant provides to the department information sufficient to show that the project meets the following requirements:

cad The net plot area, excluding plot borders and buffer strips, may not exceed 4 acres,

cbd The available nitrogen and heavy metal additions averaged over the total plot area may not exceed the rates specified by the department in ch. NR 204 for municipal sewage sludges or those identified in the literature as being toxic to specific plants or plant groups,

ccd The facility shall be developed, operated, monitored and maintained in a safe, nuisance-free manner, and

cdd Copies of the research proposal shall be provided to the department in advance of initiating the research. Written approval from the department is not required prior to initiation of the project. However, the research proposal should discuss the project objectives, methods for demonstrating beneficial characteristics and methods for evaluating project performance. If the department finds, after review of this material, that the proposal would not provide the information necessary to make a determination, a response will be issued which contains recommendations on how the study should be amended. All reports and re-

search publications pertaining to the facility shall be provided to the department. The final report shall, at a minimum, summarize the project performance, any limitations and areas of further study.

c3d LIME SLUDGE. Facilities used for the landspreading of lime sludges from papermills or water supply treatment facilities are exempt from the requirements of this chapter provided that the proposal is reviewed and approved by the department and the material meets the following requirements. This subsection does not apply to lime sludges from papermills which were being landspread prior to July 1, 1996.

cad Analyzed in accordance with s. NR 518.06 c1d,

cbd Determined by the department to have value as a soil conditioner or fertilizer, and

ccd Applied in accordance with accepted agricultural practices and any department issued approval.

Note: Lime sludges from papermills which were being landspread prior to July 1, 1996, are exempt under sub. c1d cjd.

c4d INDUSTRIAL SLUDGES. Facilities used exclusively for the landspreading of nonhazardous industrial sludges are exempt from the requirements of this chapter provided that the material is:

cad Analyzed in accordance with s. NR 518.06 c1d,

cbd Determined by the department to have value as a soil conditioner or fertilizer. The department may on a case-by-case basis require greenhouse or experimental field studies and may consider federal regulations, technical guidelines and other related research in determining whether a sludge has value as a soil conditioner or fertilizer,

ccd Generated at an industrial wastewater treatment facility and the landspreading facility has been approved or permitted under ch. NR 214, and

cdd Not repeatedly applied such that excessive accumulation of hazardous substances occur in soil or vegetation, or cause a detrimental effect on surface water quality or cause a detrimental effect on groundwater quality or cause or exacerbate an attainment or exceedance of any preventive action limit or enforcement standard at a point of standards application as defined in ch. NR 140.

c5d COAL ASH. Facilities used for the landspreading of coal ash or ash produced by burning coal with other fuels are exempt from the requirements of this chapter provided that the proposal is reviewed and approved by the department and the material is:

cad Analyzed in accordance with s. NR 518.06 c1d,

cbd Determined by the department to have value as a soil conditioner or fertilizer,

ccd Applied in accordance with accepted agricultural practices and any department issued approval. As part of this approval, the department may require additional testing, monitoring, reporting or other information as appropriate, and

cdd Not repeatedly applied such that excessive accumulation of hazardous substances occur in soil or vegetation, or cause a detrimental effect on surface water quality or cause a detrimental effect on groundwater quality or cause or exacerbate an attainment or exceedance of any preventive action limit or enforcement standard at a point of standards application as defined in ch. NR 140.

c6d WOOD ASH. cad Facilities used for the landspreading of wood ash from the combustion of untreated wood with no additives, preservatives or other alterations other than kiln drying are exempt from the requirements of this chapter provided that storage, handling, transportation and landspreading follow best management practices to minimize uncontrolled dispersion by wind

and water and provided that the following requirements are met by those responsible for landspreading activities or the wood ash operator:

Note: The term XfacilitiesY used in this subsection means the land upon which wood ash is applied. Section NR 500.08 c5d cbd 1. exempts wood ash storage, handling, transportation and landspreading activities for small quantity wood ash generators. Section NR 500.08 c5d cbd 2. exempts wood ash storage, handling and transportation activities when wood ash is managed in accordance with this subsection.

1. An initial bulk chemical analysis shall be performed on a representative sample of wood ash to determine the composition and neutralizing index. Testing shall be performed by the generator or generator[s] designee in accordance with a department approved testing procedure. The department may limit landspreading based on the level of contaminants found in this testing procedure.

2. Landspreading shall be for the purpose of beneficially using the wood ash for soil pH adjustment or nutrient addition using accepted agricultural practices.

3. Maximum one time application rates shall be limited to 15 dry tons per acre and a total cumulative application limited to 50 dry tons per acre.

Note: The department recommends the wood ash application rate be adjusted to target soil pH to promote crop yields.

4. Wood ash which is top dressed may not be landspread in the following areas:

a. Within 100 feet of navigable bodies of water, such as streams or ponds, a wetland or a floodplain.

b. Within 1,000 feet of public water supply wells or 200 feet of private water supply wells.

c. Within 200 feet of residences unless written consent is obtained from the residents.

d. Within 25 feet of public roads.

e. Within 25 feet of intermittent streams, drainage ways, road ditches, surface tile inlets or other areas which concentrate runoff.

f. On any fields with slopes greater than 6% unless the land is in a soil conservation management plan. For land in a soil conservation management plan, wood ash may not be spread on fields with slopes greater than 12%.

g. On frozen ground.

5. Records shall be maintained for a period of 5 years by the wood ash generator of the quantities produced, the name and address of the person to whom the ash was distributed and the results of the initial bulk analysis and the results of other routine testing, if applicable. The wood ash generator or generator[s] designee shall inform those responsible for landspreading of the requirements of subs. 3. and 4. Those responsible for landspreading wood ash shall keep records of the location and amount of wood ash applied.

cbd Facilities used for the landspreading of ash derived from the combustion of wood containing additives such as waxes used as marking crayons, end coatings or adhesives used for finger-jointing, edgegluing or face laminating are exempt from the requirements of this chapter provided that the requirements of this paragraph are met and all additives are identified using material safety data sheets. Prior to commencing landspreading under this paragraph, a report shall be provided by the generator or generator[s] designee to the department regional office with an initial request including a description of wood fuels and material safety data sheets for additives and an initial characterization of the ash. Upon approval of the department or if the department does not respond within 60 days after receipt of the report, facilities used for landspreading under this paragraph are exempt from the requirements of this chapter provided the generator or those re-

sponsible for landspreading activities meet the requirements in par. [cad](#) and the following:

1. Bulk chemical analysis shall be performed annually from a monthly composited sample of wood ash to determine the composition and neutralizing index. Testing shall be performed by the generator or generator[s] designee in accordance with a department approved testing procedure. The department may limit landspreading based on the level of contaminants found in this testing procedure.

2. An annual report shall be submitted by the wood ash generator or generator[s] designee to the department regional office including the estimated volume of wood ash produced annually and the total quantity landspread.

[ccd](#) Facilities used for the landspreading of ash derived from the combustion of fuels other than those described in par. [cad](#) or [cbd](#) are not exempt under this subsection.

c6md CONTAMINATED SOIL. Facilities used for single-application landspreading of soils contaminated solely with light petroleum products, agricultural chemicals regulated by the department of agriculture, trade and consumer protection under s. [94.73](#), Stats., alone or in combination with each other, are exempt from the requirements of this chapter if the facility is approved under, and is operated and closed in compliance with, s. [NR 718.09 c8d](#).

c7d OTHER WASTES. Facilities for the landspreading of other wastes such as fish or the remains of butchered animals may be exempted from the requirements of this chapter provided that the department approves the proposal in writing, the facility is operated and maintained in a safe, nuisance-free manner and the following requirements are met:

[cad](#) The material is analyzed in accordance with s. [NR 518.06 c1d](#),

[cbd](#) The material is determined by the department to have value as a soil conditioner or fertilizer,

[ccd](#) A brief discussion is included which identifies the facility location, proposed application rates, the proposed method for incorporating the material and the length of time each facility will be used, and

[cdd](#) The material is applied in accordance with accepted agricultural practices and any department issued approval.

History: Cr. [Register, January, 1988, No. 385](#), eff. 2-6-88; am. [cintro.d, c1d cintro.d, cad, cfd, cgd, c3d cintro.d, c4d cintro.d, ccd and c5d cintro.d, renum. c1d chd to be c1d cid, c6d to be c7d and am., cr. c1d chd, cjd, ckd, c6d, Register, June, 1996, No. 486](#), eff. 7-1-96; cr. [c6md, Register, November, 1998, No. 515](#), eff. 12-1-98; [CR 10-128](#): am. [c1d cintro.d, cbd, cid Register May 2012](#), eff. 6-1-12.

NR 518.05 Location and performance standards.

c1d GENERAL. An applicant submitting a landspreading plan shall demonstrate to the department that the proposed facility will comply with all of the location and performance standards of this section unless an exemption is granted.

c2d EXEMPTIONS. Exemptions from compliance with subs. [c3d cad](#) to [cdd](#) and [c4d cad, cbd, ced](#) and [cfd](#) may be granted only upon demonstration by the applicant of circumstances which warrant such an exemption. Exemptions from compliance with sub. [c4d ccd](#) will not be granted. Exemptions from compliance with sub. [c4d cdd](#) may be granted only according to the procedures set forth in ch. [NR 140](#).

c3d LOCATION STANDARDS. No person may establish, construct, operate, maintain or permit the use of property as a landspreading facility within the following areas:

[cad](#) Within 100 feet of any navigable body of water.

[cbd](#) Within 10,000 feet of any airport runway used or planned to be used by turbojet aircraft or within 5,000 feet of any airport runway used only by piston type aircraft or within such other ar-

reas where a substantial potential bird hazard to aircraft would be created. This criteria is only applicable where a facility is used for disposing of putrescible waste.

[ccd](#) Within 1,000 feet of public water supply wells or 200 feet of private water supply wells.

[cdd](#) Within 500 feet of any residence, unless written consent is obtained from the resident. This distance may also be reduced for the residence of the property owner on whose land solid waste is spread.

c4d PERFORMANCE STANDARDS. No person may establish, construct, operate, maintain or permit the use of property as a landspreading facility within an area where there is a reasonable probability that the facility will cause:

[cad](#) A significant adverse impact on wetlands

[cbd](#) A take of an endangered or threatened species or other activity prohibited under s. [29.604](#), Stats.

[ccd](#) A detrimental effect on any surface water.

[cdd](#) A detrimental effect on groundwater quality or will cause or exacerbate an exceedance of any preventive action limit or enforcement standard at a point of standards application as defined in ch. [NR 140](#). For the purposes of design, the point of standards application is defined by s. [NR 140.22 c1d](#).

[ced](#) The migration and concentration of explosive gases in any structures or in the soils or air at or beyond the facility property boundary in excess of 25% of the lower explosive limit for such gases at any time.

[cfd](#) The emission of any hazardous air contaminant exceeding the emission rate for that contaminant listed in ch. [NR 445](#) or the total application rate of volatile organic compounds to exceed the limitation contained in s. [NR 419.07 c4d ced](#).

History: Cr. [Register, January, 1988, No. 385](#), eff. 2-6-88, am. [c1d, c3d cintro.d, c4d cintro.d, Register, June, 1996, No. 486](#), eff. 7-1-96; am. [c4d cfd, Register, November, 1998, No. 515](#), eff. 12-1-98; [CR 05-020](#): am. [c4d cbd and cfd Register January 2006 No. 601](#), eff. 2-1-06.

NR 518.06 Solid waste landspreading plan. No person may establish, construct, operate or maintain a solid waste landspreading facility or expand an existing facility without first obtaining written department approval of a solid waste landspreading plan as provided in this section. Specific requirements of this section may be waived by the department based on a review of the material characteristics.

c1d WASTE CHARACTERIZATION. The landspreading plan shall include a detailed description and analysis of each waste type proposed to be spread at a landspreading facility. Unless otherwise approved by the department in writing, data on waste types shall include, at a minimum, the following information:

[cad](#) The sources, processes or treatment systems from which the wastes originate including a list of all chemicals added during these processes. Material safety data sheets or other data sources providing information specific to these chemicals shall be included.

[cbd](#) Waste pretreatment or waste processing techniques utilized prior to landspreading.

[ccd](#) The volumes of solid waste to be spread, stored or disposed.

[cdd](#) Physical characteristics of the waste material including the solids fraction and the organic fraction.

[ced](#) Analysis of the waste material for the following parameters. The limit of detection and the limit of quantitation shall be reported with the sample results. If a substance is detected below the limit of quantitation, the detected value with the appropriate qualifier shall be reported.

1. pH.

2. Nutrient content including Kjeldahl-nitrogen, ammonia-nitrogen, nitrate and nitrate-nitrogen, phosphorous and potassium.

3. Salt content including chloride, fluoride and sulfate.

4. Biological populations including total coliform, fecal coliform and any virus present in the waste material.

5. Metals content including aluminum, barium, boron, calcium, copper, iron, manganese, magnesium, sodium, strontium and zinc.

6. A bulk chemical analysis for additional analytes may be required by the department based on the information provided in pars. cad to cdd.

cfid Based on the information provided in pars. cad to ced, the department may require that the waste material, the landspreading site soil and a mixture of waste material and soil be leach tested for those parameters listed in subds. 1. to 3. This analysis shall use limits of detection which are at or below the preventive action limits established in ch. NR 140. If no preventive action limit exists, the limits of detection shall be the lowest level achievable using approved methods. The limit of detection and the limit of quantitation shall be reported with the sample results. If a substance is detected below the limit of quantitation, the detected value with the appropriate qualifier shall be reported. The leach tests performed on the mixture of waste material and soil shall represent the anticipated field conditions.

1. All priority pollutants as identified by the U.S. environmental protection agency.

2. Any chemicals identified in par. cad which have the potential to adversely affect the environment.

3. Metals including aluminum, barium, boron, calcium, copper, iron, manganese, magnesium, sodium, strontium and zinc.

c2d WASTE USE DETERMINATION. An assessment and analysis of data including conclusions drawn concerning the potential benefits and adverse effects of the landspreading program shall be included. This assessment shall include information showing that the waste has value as a soil conditioner or fertilizer or will not cause a detrimental effect to public health, welfare or the environment. At a minimum, the following information shall be submitted:

cad Documentation of previous successful uses of the solid waste, or other solid wastes with similar composition, properties and characteristics.

cbd Documentation of compliance with existing Wisconsin department of agriculture, trade and consumer protection regulations pertaining to the licensing and marketing of fertilizers or soil conditioners.

ccd Successful completion of an approved experimental solid waste landspreading program.

cdd Other justification for use of the solid waste.

c3d FACILITY CHARACTERISTICS. Information on the characteristics of the facilities to be used for the landspreading program shall include, at a minimum, the following:

cad The facility locations, including copies of soils maps, plat maps and USGS topographic maps.

cbd A description of the contracts or agreements covering use of the land including the owner[s] name, address and telephone number.

ccd A description of land uses at the facility and current land uses on surrounding properties.

cdd A description of the regional geology and hydrogeology near the facility including the depth to groundwater, groundwater flow direction and soil conditions.

ced An identification of all homes and private wells located within 1/4 mile of the facility.

cfid A description of the crops to be grown or dominant vegetation on the facility.

cgd Soil test results from samples taken at the facility. Parameters to be analyzed shall include soil pH, organic matter, available phosphorus, available potassium, and any other parameters deemed necessary for analysis and design of the proposed operation.

chd A description of other soil additives to be used.

cid Identification of the floodplain and its relationship to the proposed facility.

c4d FACILITY DESIGN, DEVELOPMENT AND OPERATION. Information to be submitted regarding the design, development and operating plans for the facility shall include the following:

cad Provisions for interim waste storage and disposal when normal landspreading facilities are unavailable or inaccessible including the type of storage or disposal facility, the location and capacity of the facility, construction details, any property interest or contractual agreement allowing use of the facility, future anticipated use of the facility and an evaluation of the environmental effects resulting from use of the facility.

cbd Proposed mode of waste transportation including the transporter of the waste, method of transportation, type of vehicles used for waste transportation, spill contingency plans and notification procedures.

ccd Proposed waste application rates, techniques, disposal frequencies and locations.

cdd Proposed maximum rates of application, both annual and cumulative, for nitrogen, arsenic, cadmium, chromium, copper, lead, mercury, nickel, zinc and other heavy metals in accordance with ch. NR 204, technical bulletin 88 and any other appropriate technical literature.

Note: Copies of technical bulletin 88, dealing with the landspreading of municipal wastewater sludge, may be obtained from the Department of Natural Resources, Bureau of Waste Management, 101 South Webster Street, Natural Resources Building, P.O. Box 7921, Madison, WI 53707.

ced Proposed crop, soil, groundwater and surface water monitoring.

cfid Proposed record keeping and reporting procedures to be used for monitoring waste volumes applied, application rates, disposal locations and cumulative waste loading applied to each facility.

History: Cr. Register, January, 1988, No. 385, eff. 2-6-88, am. cintro.d, c1d cintro.d, cbd, c2d cintro.d, ccd, c3d cintro.d, ced, c4d cad, r. and recr. c1d ced to cfd, r. c1d cgd to cLd. Register, June, 1996, No. 486, eff. 7-1-96.

NR 518.07 Landspreading operation and monitoring.

c1d OPERATING REQUIREMENTS. No person may operate or maintain a solid waste landspreading facility except in accordance with any solid waste landspreading plan approval issued by the department and the following minimum requirements:

cad Only approved waste types shall be disposed at the facility. Plans to accept additional waste types require separate written approval from the department.

cbd Depending on the type of operation to be conducted, solid waste materials shall be plowed, disced or otherwise incorporated into the surface soil layer at appropriate intervals as specified in the solid waste landspreading plan to minimize storm water runoff, surface leaching and to control objectionable odors. A vegetative buffer strip shall be maintained between any navigable water and the application area.

ccd No solid waste may be deposited in areas containing ponded or standing water.

cdd Maximum one time and cumulative application rates of

cadmium and other heavy metals shall be in accordance with ch. NR 204, technical bulletin 88 and any other appropriate technical literature.

ced Waste materials with significant pathogen bacteria content shall be properly stabilized prior to landspreading.

cfđ Food chain crops grown on solid waste landspreading facilities which have received waste applications containing pesticides or persistent organic materials may not be marketed or used for human or animal consumption unless the crops meet all applicable contaminant levels as established by the United States food and drug administration or the state of Wisconsin.

c2d MONITORING. The owner or operator of a solid waste land-spreading facility with an approved solid waste landspreading plan shall submit monitoring reports to the department on a frequency specified in the landspreading plan approval. The report shall include the following information for each facility utilized during the preceding reporting period:

cad The amount of solid waste applied in tons per acre on a dry weight basis.

cbd The amount of nitrogen applied in pounds per acre on a dry weight basis.

ccd The estimated mineralization rate of the applied nitrogen.

cđđ The amount of cadmium applied in pounds per acre on a dry weight basis.

ced The total amount of each specific metal specified by the department applied in pounds per acre on a dry weight basis.

cfđ The department may require monitoring as part of the landspreading plan approval including soil concentrations, surface water, groundwater, plant tissue or other parameters as appropriate. If borings or wells are required, they shall be installed in accordance with ch. NR 508.

cgd A description of any adverse environmental health, or social effects that occurred due to solid waste disposal.

chđ A description of any action not in conformance with the approved landspreading plan.

History: Cr. Register, January, 1988, No. 385, eff. 2-6-88; am. c1đ cintro.d, cbd, ced, cfđ, c2đ cintro.d, cfđ, chđ, Register, June, 1996, No. 486, eff. 7-1-96.

NR 518.08 Closure of landspreading facilities. The owner or operator of a landspreading facility, or any person who permits the use of property for such purpose, shall accomplish closure, maintenance and long-term care of the facility in accordance with any solid waste landspreading plan approval issued by the department and with the following minimum practices:

c1đ NOTIFICATION. At least 120 days prior to the closing of a solid waste landspreading facility, the owner or operator shall notify the department, in writing, of the intent to close the facility. The department will review the notice of intent to close the facility and shall approve or disapprove in writing the proposed closure procedures. The department may require additional information, or may require additional closure, maintenance or long-term care procedures to be implemented to insure proper closure of the facility. This notice shall include the following information:

cad The proposed final date by which all solid waste disposal or landspreading operations will be terminated.

cbd The current waste types, sources and volumes of solid wastes being landspread at the facility.

ccd The cumulative volumes of waste which were applied to the facility during active operations.

cđđ The reasons for closing the facility.

ced The proposed future land uses of those areas previously used for waste deposition.

cfđ Special precautions to be utilized to limit access to the facility, and to insure that no further solid waste materials are deposited after the closure date.

cgd The proposed monitoring and long-term care procedures to be implemented following closure of the facility. These procedures shall be in accordance with the approved solid waste landspreading plan and any modifications to the plan.

chđ The alternate licensed or approved facilities to be utilized for waste disposal or landspreading purposes following closure of the facility.

c2đ CLOSURE. No person may deposit any solid waste materials at a closed facility without prior written approval from the department. Within 90 days of the final closure date of a facility, all closure work shall be completely and finally performed in accordance with this section. Final closure of a landspreading facility shall include, but is not limited to:

cad Discing, plowing or otherwise incorporating all deposited solid waste materials into the surface soil layers, or covering all landspreading areas with an adequate thickness of final earth cover material.

cbd Providing for the control of surface water runoff to minimize adverse effects on surface water and groundwater quality.

ccd Establishing a vegetative cover to promote evapotranspiration and to control soil erosion, and otherwise preparing the land surface for the intended future land use.

cđđ Continuing to grow crops and conducting the associated monitoring work.

ced Performing the required environmental monitoring work associated with the approved final closure and long-term care plans.

History: Cr. Register, January, 1988, No. 385, eff. 2-6-88, am. cintro.d, c1đ cintro.d, cad, cbd, cgd, chđ, c2đ cintro.d, cad, Register, June, 1996, No. 486, eff. 7-1-96.

NR 518.09 Licensing. Landspreading facilities which are approved under this chapter or s. NR 718.09 c8đ are exempt from the licensing requirements of s. 289.31, Stats.

History: Cr. Register, January, 1988, No. 385, eff. 2-6-88, am., Register, June, 1996, No. 486, eff. 7-1-96; am. Register, November, 1998, No. 515, eff. 12-1-98.

NR 518.10 Proof of facility registry. Unless the department grants an exemption in writing, the owner or operator shall submit proof that a notation of the existence of the facility has been recorded in the office of the register of deeds in each county in which a portion of the facility is located.

History: Cr. Register, January, 1988, No. 385, eff. 2-6-88; renum. from NR 518.11 and am., Register, June, 1996, No. 486, eff. 7-1-96.